



**KESHAVLAL VAJECHAND**

**PRODUCT LIST – SYRUPS**

Sr No.	Product	Composition
1	<b>Isoniazid Oral Suspension</b>	<p><b>Each 5 ml Contains :</b></p> <p>Isoniazid USP 200 mg  Methyl Paraben USP 7.08 mg  Propyl Paraben USP 1.25 mg  Sodium Benzoate USP 10 mg  Propylene Glycol USP 200 mg  Sorbitol Solution 70% USP 2500 mg  Polysorbate 80 USP 10 mg  Sodium Citrate USP 5 mg  Citric Acid (Monohydrate) USP 5 mg  Arrow Gum Super 11.66 mg  Sodium Hydroxide USP 3 mg  Enisweet (Stevia) 5 mg  Colour Ponceau 4R 0.25 mg  Strawberry NTL 8778 Flavour 0.01 ml  Purified Water USP q.s.</p> <p><b>Dosage :</b> As directed by the physician.</p>
2	<b>Magaldrate and Simethicone Oral Suspension USP</b>	<p><b>Each 5 ml Contains :</b></p> <p>Magaldrate USP 400 mg  Simethicone USP 20 mg</p> <p><b>Colour :</b> Approved colour used</p>
3	<b>Sildenafil Citrate 50 mg Jelly</b>	<p><b>Each 5 ml Contains:</b></p> <p>Sildenafil Citrate equivalent to Sildenafil 50 mg.. ...  Flavoured syrupy Base.. ... q.s</p> <p><b>Colour:</b> Brilliant Blue FCF.. ...</p> <p><b>Dosage:</b> As directed by the physician.. ...</p>
4	<b>Vitamin Syrup</b>	<p><b>Each 30 ml Contains:</b></p> <p>Vitamin B12..BP...6 mcg  Vitamin B1 HCL..BP...5 mg  Vitamin B2..BP...2 mg  Vitamin B6 ..BP...2 mg  Nicotinamide..BP...20 mg  Calcium Pantothenate..BP...10 mg  Sodium Glycerophosphate..BP...300 mg  Potassium Glycerophosphate..BP...20 mg  manganese Sulphate..BP...4 mg  Folic Acid..BP...0.3 mg  Ferric Ammonium Citrate ..BP...50 mg  Citric Acid..BP...177 mg  Flavoured base.. ... q.s</p> <p><b>Colour :</b> Approved colour used.. ...</p> <p><b>Dosage :</b> As directed by physician.. ...</p>

5	<b>Ambroxol Syrup</b>	<p><b>Each 5 ml Contains:</b>  Active Ingredient :- Ambroxol Hydrochloride ..BP...15 mg  Inactive Ingredient :- Arrowcell CRT..IHS...8 mg  propylene Glycol..BP...150 mg  Sorbitol Solution 70%..BP...3000 mg  Sodium Benzoate..BP...10 mg  Citric Acid (Monohydrate)..BP...10 mg  Colour Sunset Yellow..IHS...0.00025 mg  Pineapple M-452 Flavour..IHS...0.0066 ml  Black Current 5752 Flavour..IHS...0.0025 ml  Raspberry RM -335 Flavour..IHS...0.010 ml  Purified Water..BP... q.s  <b>Dosage</b> : As directed by the physician</p>
6	<b>Cyproheptadine and Multivitamin Syrup</b>	<p><b>Each 5 ml Contains:</b>  Cyproheptadine HCL BP (Equivalent to Cyproheptadine (Anhydrous).. ...4 mg  Vitamin A Concentrate (as a Palmitate)..BP...1600 IU  Vitamin D3 ..BP...200 IU  Vitamin B1 HCL..BP...2 mg  Vitamin B2..BP...2 mg  Vitamin B6 HCL..BP...1 mg  Vitamin B12..BP...0.5 mcg  Niacinamide..BP...15 mg  D-Panthenol..BP...5 mg  syrupy Base.. ... q.s  <b>Colour:</b> Approved colour used.. ...  <b>Dosage:</b> As directed by the physician.. ...</p>
7	<b>Amino Acids and Multivitamin Syrup</b>	<p><b>Composition :</b>  <b>Each 15 ml Contains</b>  L-Isoleucine            USP    5.9 mg  L-Leucine                USP   18.3 mg  L-Lysine Hydrochloride USP   25.0 mg  L-Methionine            USP    9.2 mg  L-Phenylalanine        USP    5.0 mg  L-Threonine             USP    4.2 mg  L-Tryptophan            USP    5.0 mg  L-Valine                 USP    6.7 mg  Vitamin D3 (as Colecalciferol)   BP   200.0 IU  Vitamin B1  (as Thiamine Hydrochloride)   BP    5.0 mg  Vitamin B2 (as Riboflavin  Sodium Phosphate)    BP    3.0 mg  Vitamin B6  (Pyridoxine Hydrochloride)    BP    1.5 mg  Nicotinamide            BP   25.0 mg  Calcium Pantothenate   BP    5.0 mg  Vitamin B12 (as Cyanocobalamin) BP 2.5 mcg  Folic Acid                BP    0.75 mg  Vitamin C (as Ascorbic Acid)   BP   40.0 mg  Vitamin A (as Synthetic  Retinol Conc. (Oily form)        BP   2500 IU  Vitamin E (as Alpha  Tocopheryl Acetate)    BP    7.5 IU  Flavoured syrupy base            q.s.</p>

		<b>Colour</b> :Caramel <b>Dosage</b> : As directed by the Physician Overages of Vitamins added to compensate loss on storage.
8	<b>Cetirizine Syrup</b>	<b>Each 5 ml. contains :</b> Cetirizine Dihydrochloride.. BP... 2.5 mg Paracetamol... BP... 250 mg Phenyleprine Hydrochloride... BP... 5 mg Flavoured Base... ... q.s Approved Colours used.....
9	<b>Ibuprofen Oral Suspension BP</b>	<b>Each 5 ml Contains :</b> Ibuprofen BP 100 mg Flavoured Syrupy base q.s. <b>Colour:</b> Approved Colour Used. <b>Dosage:</b> As directed by the physician.
10	<b>Albendazole &amp; Praziquantel Oral Suspension (For Veterinary use only)</b>	<b>Each ml contains :</b> Albendazole USP 25 mg Praziquantel USP 25 mg Flavoured Syrupy base q.s <b>Colour</b> : Approved Colour Used
11	<b>Albendazole Oral Suspension 200 MG / 5 ML</b>	<b>Each 5 ml Contains:</b> Albendazole USP 200 mg In a flavoured syrupy Base q.s Colour: Erythrosine Dosage: As directed by the physician
12	<b>Albendazole Oral Suspension USP 100 MG / 5 ML</b>	<b>Each 5 ml Contains:</b> Albendazole..USP...100 mg In a flavoured syrupy Base... ... q.s <b>Colour:</b> Erythrosine <b>Dosage:</b> As directed by the physician
13	<b>Albendazole Suspension 10% (For Veterinary use only)</b>	<b>Each 5 ml Contains:</b> Albendazole BP 500 mg Excipients q.s Colour: Approved colour used.
14	<b>Albendazole Suspension 2.5% (For Veterinary use only)</b>	<b>Each 5 ml Contains:</b> Albendazole BP 125 mg Excipients qs <b>Colour:</b> Approved colour used.
15	<b>Albendazole Drench 10% Suspension (For Veterinary use only)</b>	<b>Each 5 ml Contains:</b> Albendazole BP 500 mg Flavoured syrup base qs <b>Colour:</b> Approved colour used.
16	<b>Albendazole Suspension 2.5% With Cobalt and Selenium (For Veterinary use only)</b>	<b>Each ml Contains :</b> Albendazole BP 25 mg Selenium (as Sodium Selenite) 0.27 mg Cobalt (as Cobalt Sulphate) 0.62 mg Excipients qs <b>Colour</b> : Approved colour used.
17	<b>Albendazole Oral Suspension USP</b>	<b>Each 5 ml Contains:</b> Albendazole..USP...200 mg Excipients.. ... qs Flavoured syrupy Base.. ... qs <b>Colour</b> : Approved colour used .. ... <b>Dosage</b> : As directed by physician.. ...
18	<b>Paracetamol Oral Suspension</b>	<b>Each 5 ml Suspension Contains:</b> Paracetamol..BP...125 mg

		<p>Flavoured syrupy Base.. ... qs  <b>Colour:</b> Approved colour used.. ...  <b>Dosage:</b> As directed by the physician.. ...</p>
19	<b>Ammonium Chloride and Sodium Citrate Syrup</b>	<p><b>Each 10 ml. contains :</b>  Ammonium Chloride BP 200 mg  Sodium Citrate BP 100 mg  Menthol BP 15.50 mg  Tolu Balsam USP 0.002 ml  Squill Tincture BP 0.002 ml  <b>Colour:</b> Approved colour used.  <b>Dosage:</b> As directed by the physician.</p>
20	<b>Amodiaquine Hydrochloride Syrup</b>	<p><b>Each 5 ml. contains :</b>  Amodiaquine Hydrochloride USP  Equivalent to Amodiaquine 50 mg.  In a flavoured syrup base q.s.  <b>Colour :</b> Approved colour used  <b>Dosage:</b> As directed by the physician.</p>
21	<b>Alumina, Magnesia and Dimethicone Oral Suspension</b>	<p><b>Each 5 ml of Suspension Contains :</b>  Aluminium Hydroxide Paste  equivalent to Dried Aluminium Hydroxide BP 125 mg  Magnesium Hydroxide Paste  equivalent to Magnesium Hydroxide BP 250 mg  Activated Dimethicone BP 50 mg  Sodium Alginate BP 100 mg  Flavoured base q.s  <b>Colour :</b> Approved Colour used  <b>Dosage :</b> As directed by the physician.</p>
22	<b>Alumina, Magnesia and Simethicone Oral Suspension</b>	<p><b>Each 5 ml of Suspension Contains:</b>  Dried Aluminium Hydroxide BP 400 mg  Magnesium Hydroxide BP 400 mg  Simethicone BP 40 mg  Flavoured base q.s  <b>Colour :</b> Approved Colour used  <b>Dosage :</b> As directed by the physician.</p>
23	<b>Cyproheptadine and Multivitamin Syrup</b>	<p><b>Each 5 ml Contains:</b>  Cyproheptadine HCL B.P Equivalent to Cyproheptadine (Anhydrous)....4 mg  Vitamin A (As a palmitate) BP 1600 IU  Vitamin D3 BP 200 IU  Vitamin B1 HCL BP 2 mg  Vitamin B2 BP 2 mg  Vitamin B6 HCL BP 1 mg  Vitamin B12 BP.0.5 mcg  Niacinamide BP 15 mg  Dexpanthenol BP 5 mg  Flavoured Syrupy base... ... q.s  <b>Colour:</b> Approved colour used.....  <b>Dosage:</b> As directed by physician</p>
24	<b>Cyproheptadine and Multivitamin Syrup</b>	<p><b>Each 15 ml Contains:</b>  Cyproheptadine HCL (Anhydrous) BP...2 mg  Vitamin A (As a palmitate) BP 2500 IU  Vitamin D3 BP 300 IU  Thiamine HCL BP... 5 mg</p>

		<p>Riboflavin BP... 2.5 mg  Pyridoxine HCLBP... 1.5 mg  Cyanocobalamin BP... 5 mcg  Ascorbic Acid BP... 45 mg  D-Panthenol USP...10 mg  Niacinamide BP... 25 mg  Calcium Lactate BP... 100 mg  Flavoured Syrupy base... .. q.s  <b>Colour:</b> Approved colour used.  <b>Dosage:</b> As directed by physician..</p>
25	<b>Aluminium Hydroxide Gel</b>	<p><b>Each 10 ml. contains :</b>  Dried Aluminium Hydroxide Gel BP 830 mg  Magnesium Hydroxide BP 180 mg  Activated Dimethicone BP 50 mg  Sodium Carboxymethylcellulose BP q.s  Flavoured sugar free base  <b>Colour :</b> Approved colour used  <b>Dosage:</b> As directed by the physician.</p>
26	<b>Antacid-Antiflatulent</b>	<p><b>Each 5 ml Contains :</b>  Aluminium Hydroxide Gel Paste  equivalent to Aluminium Hydroxide IP 125 mg  Magnesium Hydroxide Paste  equivalent to Magnesium Hydroxide IP 250 mg  Simethicone IP 50 mg  Sodium Alginate IP 100 mg  Colour : Quinoline Yellow</p>
27	<b>Tonic for Blood Forming</b>	<p><b>Each 15 ml. (one tablespoonful) Contains :</b>  Ferric Ammonium Citrate BP 160 mg  Vitamin B12 BP 5.5 mcg  Folic Acid BP 1.125 mg  Sorbitol Solution (70%) BP 1.250 gm  Liquid Glucose USP 0.850 gm  Flavoured syrupy base q.s.</p>
28	<b>Ambroxol HCL Syrup</b>	<p><b>Each 5 ml Contains:</b>  Ambroxol HCL ..BP...30 mg  Flavoured syrupy Base... .. q.s  Dosage: As directed by the physician.. ...</p>
29	<b>Vitamin Plus Syrup</b>	<p><b>Each 15 ml Contains</b>  L-Isoleucine USP 5.9 mg  L-Leucine USP 18.3 mg  L-Lysine Hydrochloride USP 25.0 mg  L-Methionine USP 9.2 mg  L-Phenylalanine USP 5.0 mg  L-Threonine USP 4.2 mg  L-Tryptophan USP 5.0 mg  L-Valine USP 6.7 mg  Vitamin D3 (as Colecalciferol) BP 200.0 IU  Vitamin B1  (as Thiamine Hydrochloride) BP 5.0 mg  Vitamin B2 (as Riboflavin  Sodium Phosphate) BP 3.0 mg  Vitamin B6  (Pyridoxine Hydrochloride) BP 1.5 mg  Nicotinamide BP 25.0 mg  Calcium Pantothenate BP 5.0 mg  Vitamin B12 (as Cyanocobalamin) BP 2.5 mcg</p>

		<p>Folic Acid BP 0.75 mg  Vitamin C (as Ascorbic Acid) BP 40.0 mg  Vitamin A (as Synthetic Retinol Conc. (Oily form) BP 2500 IU  Vitamin E (as Alpha Tocopheryl Acetate) BP 7.5 IU  Flavoured syrupy base q.s.  <b>Colour</b> :Caramel  <b>Dosage</b> : As directed by the Physician  Overages of Vitamins added to compensate loss on storage.</p>
30	<b>Cyproheptadine and Multivitamin Syrup</b>	<p><b>Each 5 ml Contains:</b>  Cyproheptadine HCl B.P Equivalent to Cyproheptadine (Anhydrous) ...4 mg  Vitamin A (as a Palmitate) ..BP...1600 IU  Vitamin D3..BP...200 IU  Vitamin B1 HCL..BP...2 mg  Vitamin B2..BP...2 mg  Vitamin B6 HCL..BP...1 mg  Vitamin B12..BP...0.5 mcg  Niacinamide..BP...15 mg  Dexpanthenol..BP...5 mg  Flavoured base.. ... qs  Approved colour used.. ...  <b>Dosage</b> : As directed by the physician.. ...  Appropriate Overages of vitamins added to Compensate loss on storage.. ...</p>
31	<b>Amino Acids and Vitamins Syrup</b>	<p><b>Each 15 ml Contains:</b>  L-Lysine Hydrochloride ..USP...25 mg  L-Methionine... USP...9.2 mg  L-Phenylalanine... USP...5.0 mg  L-Threonine... USP...4.2 mg  L-Tryptophan..USP...5.0 mg  L-Valine..USP...6.7 mg  L-Isoleucine....USP...5.9 mg  L-Leucine..USP...18.3 mg  Vitamin D3 (as Colecalciferol)..BP...200 IU  Vitamin B1 (as Thiamine Hydrochloride) ..BP...5.0 mg  Vitamin B2 (as Riboflavin Sodium Phosphate) ..BP...3.0 mg  Vitamin B6 (Pyridoxine Hydrochloride) ..BP...1.5 mg  Nicotinamide ..BP... 25.0 mg  Calcium Pantothenate ..BP...5.0 mg  Vitamin B12 (as Cyanocobalamin) ..BP...2.5 mcg  Folic Acid..BP...0.5 mg  Vitamin C (as Ascorbic Acid) ..BP...40.0 mg  Vitamin A (as Synthetic Retinol Conc. (Oily form) ..BP...2500 IU  Vitamin E (as Alpha Tocopheryl Acetate)..BP...7.5 mg  Flavoured syrupy base.. ... qs  <b>Dosage:</b> As directed by physician.. ...  Overages of Vitamins added to compensate loss on storage... ..  <b>Colour:</b> Caramel.....</p>
32	<b>Amoni Acids and Vitamins Syrup</b>	<p><b>Each 15 ml Contains:</b>  L-Isoleucine..USP...5.9 mg  L-Leucine..USP...18.3 mg</p>

		<p>L-lysine Hydrochloride..USP...25.0 mg  L-Methionine..USP...9.2 mg  L-Phenylalanine..USP...5.0 mg  L-Threonine ..USP...4.2 mg  L-Tryptophan..USP...5.0 mg  L-Valine..USP...6.7 mg  Colecalciferol..BP...200 IU  Thiamine Hydrochloride..BP...5.0 mg  Riboflavin (As Riboflavin Sodium Phosphate..BP...3.0 mg  Pyridoxine hydrochloride..BP...1.5 mg  Nicotinamide...BP...25.0 mg  Calcium Pantothenate..BP...5.0 mg  Cyanocobalamin..BP...2.5 mcg  Folic Acid..BP...0.75 mg  Ascorbic Acid..BP...40 mg  Synthetic Retinol Concentrate.( Oily form..BP...2500 IU  Alpha Tocopheryl Acetate ..BP...7.5 IU  Flavoured syrupy Base.. ... q.s  <b>Colour:</b> Caramel.. ...  <b>Dosage:</b> As directed by the physician.. ...</p>
33	<b>Amino Acids &amp; Multivitamins Syrup</b>	<p><b>Each 15 ml Contains:</b>  L-Arginine Hydrochloride ..USP...13.28 mg  L-Histidine Hydrochloride Monohydrate ..USP...3.71 mg  L-Isoleucine..USP...5.9 mg  L-Leucine..USP...18.3 mg  L-Lysine Hydrochloride ..USP...25.0 mg  L-Methionine..USP...9.2 mg  L-Phenylalanine..USP...5.0 mg  L-Threonine ..USP...4.2 mg  L-Tryptophan..USP...5.0 mg  L-Valine..USP...6.7 mg  Vitamin A Concentrate (Oily form)..BP...2500 IU  Alpha Tocopheryl Acetate ..BP...7.5 mg  Thiamine Hydrochloride..BP...5 mg  Riboflavin (As Riboflavin Sodium Phosphate )..BP...3 mg  Pyridoxine Hydrochloride ..BP...1.5 mg  Nicotinamide..BP...25 mg  Calcium Pantothenate ..BP...5 mg  Cyanocobalamin..BP...2.5 mcg  Folic Acid..BP...0.75 mg  Ascorbic Acid..BP...40 mg</p>
34	<b>Amino Acids and Vitamins Syrup</b>	<p><b>Each 15 ml Contains:</b>  L-Isoleucine..USP...5.9 mg  L-Leucine..USP...18.3 mg  L-lysine Hydrochloride..USP...25.0 mg  L-Methionine..USP...9.2 mg  L-Phenylalanine..USP...5.0 mg  L-Threonine..USP...4.2 mg  L-Tryptophan..USP...5.0 mg  L-Valine..USP...6.7 mg</p>

		<p>Vitamin D3 ( as Colecalciferol )..BP...200.0 IU  Vitamin B1 (as Thiamine Hydrochloride)..BP...5.0 mg  Vitamin B2(as Riboflavin Sodium phosphate )..BP...3.0 mg  Vitamin B6 (Pyridoxine Hydrochloride)..BP...1.5 mg  Nicotinamide..BP...25.0 mg  Calcium Pantothenate..BP...5.0 mg  Vitamin B12 (as Cyanocobalamin)..BP...2.5 mcg  Folic Acid..BP...0.75 mg  Vitamin C ( as Ascorbic Acid)..BP...40.0 mg  Vitamin A ( as Synthetic Retinol Conc.( Oily form)..BP...2500 mg  Vitamin E (as Tocopheryl Acetate )..BP...7.5 mg  Flavoured syrupy base.. ... qs  <b>Colour</b> : Caramel.. ...  <b>Dosage</b> : As directed by physician.. ...</p>
35	<b>Amino Acids and Vitamins Syrup</b>	<p><b>Each 15 ml Contains:</b>  l-Isoleucine..USP...5.9 mg  L-Leucine..USP...18.3 mg  L-lysine Hydrochloride..USP...25.0 mg  L-Methionine..USP...9.2 mg  L-Phenylalanine..USP...5 mg  L-Threonine..USP...4.2 mg  L-Tryptophan..USP...5 mg  L-Valine..USP...6.7 mg  Vitamin D3 (as Colecalciferol)..BP...200 mg  Vitamin B1 (as Thiamine Hydrochloride)..BP...5 mg  Vitamin B2 (as Riboflavin Sodium Phosphate)..BP...3 mg  Vitamin B6 (Pyridoxine Hydrochloride)..BP...1.5 mg  Nicotinamide..BP...25 mg  Calcium Pantothenate..BP...5 mg  Vitamin B12 (as Cyanocobalamin)..BP...2.5 mcg  Folic Acid..BP...0.75 mg  Vitamin C (as Ascorbic Acid)..BP...40.0 mg  Vitamin A (as Synthetic Retinol Conc. (Oily Form)..BP...2500 IU  Vitamin E (as Alpha Tocopheryl Acetate)..BP...7.5 IU  Flavoured syrup base.. ... qs  <b>Colour</b> : Caramel.. ...  <b>Dosage</b> : As Directed by the physician...IH...</p>
36	<b>Multivitamin + Amino Acids Syrup</b>	<p><b>Each 15 ml Contains :</b>  L-Arginine Hydrochloride USP 13.28 mg  L-Histidine Hydrochloride Monohydrate USP 3.71 mg  L-Isoleucine USP 5.9 mg  L-Leucine USP 18.3 mg  L-Lysine Hydrochloride USP 25.0 mg  L-Methionine USP 9.2 mg  L-Phenylalanine USP 5.0 mg  L-Threonine USP 4.2 mg  L-Tryptophan USP 5.0 mg  L-Valine USP 6.7 mg  Vitamin A Concentrate (Oily form)BP 2500 IU  Cholecalciferol BP 200 IU  Tocopheryl Acetate BP 7.5 IU  Thiamine Hydrochloride BP 5 mg  Riboflavin (as Riboflavin Sodium Phosphate) BP 3 mg</p>



		Pyridoxine Hydrochloride      BP    1.5 mg Nicotinamide                    BP    25 mg Calcium Pantothenate        BP    5 mg Cyanocobalamin                BP    2.5 mcg Folic Acid                        BP    0.75 mg Ascorbic Acid                    BP    40 mg Flavoured syrupy base        q.s. <b>Colour :</b> Caramel <b>Dosage :</b> As directed by the Physician Adequate overages of vitamins added to compensate loss on storage.
37	<b>Amino Acids and Vitamins Syrup</b>	<b>Each 15 ml Contains:</b> L-Isoleucine..USP...5.9 mg L-Leucine..USP...18.3 mg L-lysine Hydrochloride..USP...25.0 mg L-Methionine..USP...9.2 mg L-Phenylalanine..USP...5.0 mg L-Threonine..USP...4.2 mg L-Tryptophan..USP...5.0 mg L-Valine..USP...6.7 mg Vitamin B1 (as Thiamine Hydrochloride)..BP...5.0 mg Vitamin B2 (as Riboflavin Sodium Phosphate)..BP...3.0 mg Vitamin B6 (Pyridoxine Hydrochloride)..BP...1.5 mg Nicotinamide..BP...25.0 mg Calcium Pantothenate..BP...5.0 mg Vitamin B12 (as Cyanocobalamin)..BP...2.5 mcg Folic Acid..BP...0.75 mg Vitamin C (as Ascorbic Acid)..BP...40.0 mg Vitamin D3 (as Colecalciferol)..BP...200.0 IU Vitamin A (as Synthetic Retinol Conc. (Oily Form)..BP...2500 IU Vitamin E (as Alpha Tocopheryl Acetate)..BP...7.5 IU Flavoured syrup base.. ... q.s <b>Colour :</b> Caramel.. ... <b>Dosage :</b> As Directed by the physician... ... q.s
38	<b>Amino Acid Liquid Preparations</b>	<b>Each 15 ml Contains:</b> L-Isoleucine..USP...5.9 mg L-Leucine..USP...18.3 mg L-Lysine Hydrochloride..USP...25.0 mg L-Methionine..USP...9.2 mg L-Phenylalanine..USP...5.0 mg L-Threonine..USP...4.2 mg L-Tryptophan..USP...5.0 mg L-Valine..USP...6.7 mg Vitamin A Concentrate (Oily Form)..BP...2500 IU Cholecalciferol..BP...200 IU Tocopheryl Acetate..BP...7.5 IU Thiamine Hydrochloride ..BP...5 mg Riboflavin (As Riboflavin Sodium Phosphate)..BP...3 mg Pyridoxine hydrochloride ..BP...1.5 mg Nicotinamide..BP...25 mg Calcium Pantothenate..BP...5 mg Cyanocobalamin..BP...2.5 mcg

		<p>Folic Acid..BP...0.75 mg  Ascorbic Acid..BP...40 mg  Flavoured syrupy Base.. ... qs  Colour: Approved colour used.. ...  Dosage: As directed by the physician.. ...</p>
39	<b>Amino Acids &amp; Multivitamins Syrup</b>	<p><b>Each 15 ml Contains:</b>  L-Arginine Hydrochloride..USP...13.28 mg  L-Histidine Hydrochloride Monohydrate..USP...3.71 mg  L-Isoleucine..USP...5.9 mg  L-Leucine..USP...18.3 mg  L-lysine Hydrochloride..USP...25.0 mg  L-Methionine..USP...9.2 mg  L-Phenylalanine..USP...5.0 mg  L-Threonine..USP...4.2 mg  L-Tryptophan..USP...5.0 mg  L-Valine..USP...6.7 mg  Vitamin A Concentrate ( Oily form))..BP...2500 IU  cholecalciferol..BP...200 IU  Tocopheryl Acetate ..BP...7.5 IU  Thiamine Hydrochloride..BP...5 mg  Riboflavin (as Riboflavin Sodium phosphate )..BP...3 mg  Pyridoxine Hydrochloride..BP...1.5 mg  Nicotinamide..BP...25 mg  Calcium Pantothenate..BP...5 mg  Cyanocobalamin..BP...2.5 mcg  Folic Acid..BP...0.75 mg  Ascorbic Acid..BP...40 mg  Flavoured syrupy base.. ... qs  <b>Colour</b> : Caramel.. ...  <b>Dosage</b> : As directed by physician.. ...</p>
40	<b>Amino Acids and Vitamins Syrup</b>	<p><b>Each 15 ml Contains:</b>  L-Isoleucine..USP...5.9 mg  L-Leucine..USP...18.3 mg  L-Lysine Hydrochloride..USP...25.0 mg  L-Methionine..USP...9.2 mg  L-Phenylalanine..USP...5.0 mg  L-Threonine..USP...4.2 mg  L-Tryptophan..USP...5.0 mg  L-Valine..USP...6.7 mg  Colecalciferol..BP...200.0 IU  Thiamine Hydrochloride..BP...5.0 mg  Riboflavin (As Riboflavin Sodium Phosphate)..BP...3.0 mg  Pyridoxine hydrochloride..BP...1.5 mg  Nicotinamide..BP...25.0 mg  Calcium Pantothenate..BP...5.0 mg  Cyanocobalamin..BP...2.5 mcg  Folic Acid..BP...0.75 mg  Ascorbic Acid..BP...40.0 mg  Synthetic Retinol Concentrate..BP...2500 IU  Alpha Tocopheryl Acetate ..BP...7.5 IU  Flavoured syrupy Base.. ... qs</p>

		<b>Colour:</b> Caramel.. ... <b>Dosage:</b> As directed by the physician.. ...
41	<b>Cough Syrup</b>	<b>Each 5 ml Contains :</b> Dextromethorphan HBr           BP 10 mg Guaiphenesin                    BP 100 mg Chlorpheniramine Maleate    BP 2.5 mg Menthol                            BP 5 mg Flavoured Syrupy Bases                qs <b>Colour :</b> Approved colour used <b>Dosage :</b> As directed by the Physician.
42	<b>Alumina, Magnesia and Simethicone Oral Suspension USP</b>	<b>Each 5 ml. Contains :</b> Dried Aluminium Hydroxide Gel USP 250 mg (Added as Aluminium Hydroxide Gel Paste) Magnesium Hydroxide                USP 250 mg (Added as Magnesium Hydroxide Paste) Simethicone                    USP 50 mg <b>Colour :</b> Approved colour used <b>Dosage :</b> As directed by the physician.
43	<b>Aluminium Hydroxide Susp</b>	<b>Each 5 ml Contains:</b> Dried Aluminium Hydroxide Gel (Added As Aluminium Hydroxide Gel paste)..USP...250 mg Magnesium Hydroxide (Added as Magnesium Hydroxide paste)..USP...250 mg Simethicone..USP...50 mg <b>Colour:</b> Approved Colour Used.. ...
44	<b>Magnesium Hydroxide</b>	<b>Each 5 ml Contains :</b> Simethicone USP 25 mg Magnesium Hydroxide Paste equivalent to Magnesium Hydroxide BP250 mg Aluminium Hydroxide Gel Paste equivalent to Dried Aluminium Hydroxide Gel BP 250 mg Flavoured Palatable base Q.S. <b>Dosage :</b> As directed by the physician.
45	<b>Aluminium Hydroxide</b>	<b>Each 5 ml Contains :</b> Dried Aluminium Hydroxide Gel BP 200 mg Magnesium Trisilicate BP 200 mg Magnesium Hydroxide BP 100 mg Sodium Alginate BP 100 mg Simethicone USP 25 mg <b>Colour :</b> Approved colour used <b>Dosage :</b> As directed by the physician.
46	<b>Mebendazole Oral Suspension USP</b>	<b>Each 5 ml Contains:</b> Mebendazole ..USP...100 mg Methyl Paraben            BP 10 mg Propyl Paraben            BP 2 mg Sorbic Acid                BP 1.33 mg Sodium Benzoate        BP 10 mg Sodium Hydroxide        BP 3 mg Xanthan Gum (Plain)    BP 4 mg Guar (Delca P 225)      BP 7.5 mg Sucrose                    BP 2500 mg Sorbitol Solution 70%    BP 500 mg Tween 80 (Imported)    BP 17.5 mg Sodium Citrate            BP 26.66 mg Citric Acid (Monohydrate)    BP 4 mg Colloidal Silicon Dioxide    BP 1 mg

		Sodium Saccharine BP 4.65 mg Colour Carmoisine 0.033 mg Orange Juicy 7031 0.01 ml American Ice Cream soda Flavour 0.01 ml Purified Water BP q.s <b>Dosage :</b> As directed by the physician.
47	<b>Alumina, Magnesia &amp; Simethicone Oral Suspension</b>	<b>Each 5 ml. Contains :</b> Dried Aluminium Hydroxide Gel USP 250 mg (Added as Aluminium Hydroxide Gel Paste) Magnesium Hydroxide USP 250 mg (Added as Magnesium Hydroxide Paste) Simethicone USP 50 mg
48	<b>Cyproheptadine and Multivitamin Syrup</b>	<b>Each 5 ml. Contains :</b> Cyproheptadine Hydrochloride Equivalent to Cyproheptadine (Anhydrous) BP 4.0 mg Vitamin A (as a Palmitate) BP 1600 IU Vitamin D3 BP 200 IU Vitamin B1 HCl BP 2.0 mg Vitamin B2 BP 2.0 mg Vitamin B6 HCl BP 1.0 mg Vitamin B12 BP 0.5 mcg Niacinamide BP 15 mg D-Panthenol BP 5.0 mg Flavoured syrup base q.s
49	<b>Cyproheptadine and Multivitamin Syrup</b>	<b>Each 5 ml. contains :</b> Cyproheptadine HCl B.P Equivalent to Cyproheptadine (Anhydrous) 4 mg Vitamin A (as a Palmitate) B.P 1600 IU Vitamin D3 B.P 200 IU Vitamin B1 HCl B.P 2 mg Vitamin B2 B.P 2 mg Vitamin B6 HCl B.P 1 mg Vitamin B12 B.P 0.5 mcg Niacinamide B.P 15 mg D-Panthenol B.P 5 mg Syrupy base q.s. <b>Colour :</b> Approved colour used <b>Dosage :</b> As directed by the physician. Appropriate Overages of vitamins added to Compensate loss on storage.
50	<b>Aluminium Phosphate Gel BP</b>	<b>Each 20 gm Contains :</b> Aluminium Phosphate Gel BP (20%) = 12.380 g Flavoured Syrupy Base q.s <b>Colour :</b> Approved colour used <b>Dosage :</b> As directed by the Physician.
51	<b>Amino Acids and Vitamins Syrup</b>	<b>Each 15 ml contains</b> L- Isoleucine..USP...5.9 mg L-Leucine..USP...18.3 mg L-Lysine Hydrochloride ..USP...25.0 mg L-Methionine..USP...9.2 mg L-Phenylalanine ..USP...5 mg L-Threonine..USP...4.2 mg L-Tryptophan..USP...5 mg L-Valine..USP...6.7 mg

		<p>Vitamin D3 (as Colecalciferol)..BP...200 IU  Vitamin B1(as Thiamine Hydrochloride)..BP...5 mg  Vitamin B2 (as Riboflavin Sodium Phosphate)..BP...3 mg  Vitamin B6(Pyridoxine Hydrochloride)..BP...1.5 mg  Nicotinamide..BP...25 mg  Calcium Pantothenate ..BP...5 mg  Vitamin B12 (as Cyanocobalamin)..BP...2.5 mcg  Folic Acid ..BP...0.75 mg  Vitamin C (as Ascorbic acid)..BP...40 mg  Vitamin A (As Synthetic Retinol Conc.(Oily Form)..BP...2500 IU  Vitamin E ( as Alpha Tocopheryl Acetate)..BP...7.5 IU  Flavoured syrupy base.. ... q.s  Colour: Caramel.. ...</p>
52	<b>Amino Acids and Multivitamins Syrup</b>	<p><b>Each 15 ml Contains</b>  L-Isoleucine            USP    5.9 mg  L-Leucine                USP   18.3 mg  L-Lysine Hydrochloride USP   25.0 mg  L-Methionine            USP    9.2 mg  L-Phenylalanine        USP    5.0 mg  L-Threonine             USP    4.2 mg  L-Tryptophan            USP    5.0 mg  L-Valine                 USP    6.7 mg  Vitamin D3 (as Colecalciferol)   BP  200.0 IU  Vitamin B1  (as Thiamine Hydrochloride)   BP    5.0 mg  Vitamin B2 (as Riboflavin  Sodium Phosphate)    BP    3.0 mg  Vitamin B6  (Pyridoxine Hydrochloride)       BP  1.5 mg  Nicotinamide            BP  25.0 mg  Calcium Pantothenate   BP    5.0 mg  Vitamin B12 (as Cyanocobalamin) BP  2.5 mcg  Folic Acid                BP    0.75 mg  Vitamin C (as Ascorbic Acid)   BP  40.0 mg  Vitamin A (as Synthetic  Retinol Conc. (Oily form)        BP   2500 IU  Vitamin E (as Alpha  Tocopheryl Acetate)    BP    7.5 IU  Flavoured syrupy base            q.s.  <b>Colour</b> :Caramel  <b>Dosage</b> : As directed by the Physician  Overages of Vitamins added to compensate loss on storage.</p>
53	<b>Amino Acids and Vitamins Syrup</b>	<p><b>Each 15 ml Contains</b>  L-Isoleucine            USP    5.9 mg  L-Leucine                USP   18.3 mg  L-Lysine Hydrochloride USP   25.0 mg  L-Methionine            USP    9.2 mg  L-Phenylalanine        USP    5.0 mg  L-Threonine             USP    4.2 mg  L-Tryptophan            USP    5.0 mg  L-Valine                 USP    6.7 mg  Vitamin D3 (as Colecalciferol)   BP  200.0 IU  Vitamin B1  (as Thiamine Hydrochloride)   BP    5.0 mg  Vitamin B2 (as Riboflavin  Sodium Phosphate)    BP    3.0 mg</p>

		<p>Vitamin B6 (Pyridoxine Hydrochloride) BP 1.5 mg Nicotinamide BP 25.0 mg Calcium Pantothenate BP 5.0 mg Vitamin B12 (as Cyanocobalamin) BP 2.5 mcg Folic Acid BP 0.75 mg Vitamin C (as Ascorbic Acid) BP 40.0 mg Vitamin A (as Synthetic Retinol Conc. (Oily form) BP 2500 IU Vitamin E (as Alpha Tocopheryl Acetate) BP 7.5 IU Flavoured syrupy base q.s. <b>Colour</b> :Caramel <b>Dosage</b> : As directed by the Physician Overages of Vitamins added to compensate loss on storage.</p>
54	<b>Azithromycin Oral Suspension USP</b>	<p><b>Each 5 ml. Contains:</b> Azithromycin Dihydrate USP Equivalent to Anhydrous Azithromycin 200 mg Flavoured Syrupy bases q.s. Colour : Approved Colour Used. Dosage: As directed by the physician.</p>
55	<b>Cough and Cold Syrup Paediatric Use</b>	<p><b>Each 5 ml. contains :</b> Diphenhydramine Hydrochloride BP 14.08 mg Ammonium Chloride BP 138 mg Sodium Citrate BP 57.03 mg Menthol BP 1.14 mg Flavoured syrupy base q.s. <b>Colour</b> : Approved colour used <b>Dosage:</b> As directed by the physician.</p>
56	<b>Cough and Cold Syrup Paediatric Use</b>	<p><b>Each 5 ml Contains :</b> Dilute Acetic Acid BP 0.42 ml Flavoured syrup base q.s. <b>Colour</b> : Approved colour used <b>Dosage:</b> As directed by the physician.</p>
57	<b>Cough and Cold Syrup Paediatric Use</b>	<p><b>Each 5 ml Contains:</b> Dilute acetic Acid..BP... 0.42 ml Flavoured syrup base.. ... qs Colour: Approved colour used.. ... Dosage: As Directed by the physician.....</p>
58	<b>Bromhexine and Phenylephrine Syrup</b>	<p><b>Each 5 ml. Contains:</b> Bromhexine HCl BP 4 mg Phenylephrine HCl BP 2.5 mg Guaiphenesin BP 50 mg Menthol BP 1 mg Sucrose BP 2000 mg Propylene Glycol BP 500 mg Sodium Benzoate BP 10 mg Arrowcell CRT IHS 10 mg Citric Acid (Monohydrate) BP 5 mg Enisweet (Stevia) IHS 5 mg Pineapple M-452 Flavour IHS 0.005 ml Raspberry RM-335 Flavour IHS 0.0075 ml Colour Sunset Yellow IHS 0.2 mg Purified Water BP q.s.</p>

		<b>Dosage</b> : As directed by the physician.
59	<b>Multi Vitamins with Amino Acids Syrup</b>	<p><b>Each 5 ml Contains:</b></p> <p>Thiamine Hydrochloride (Vitamin B1) ..BP...5 mg  Riboflavin (Vitamin B2) (As a Riboflavin 5 Phosphate Sodium)..BP...1 mg  Pyridoxine Hydrochloride (Vitamin B6) ..BP...1 mg  Cyanocobalamin (Vitamin B12) ..BP...5 mcg  Folic Acid ..BP...50 mcg  Niacinamide ..BP...10 mg  Calcium Gluconate ..BP...20 mg  Ferric Ammonium Citrate BP Equivalent to Elemental Iron .. ...10 mg  Zinc Sulphate BP Equivalent to Elemental Zinc .. ...3 mg  Copper Sulphate BP Equivalent to Elemental Copper .. ...0.25 mg  Manganese Chloride BP Equivalent to Elemental Manganese .. ...20 mg  L-Lysine Hydrochloride ..BP...100 mg  Honey ..BP...100 mg  Malt Extract .. ...500 mg  Colour : Caramel .. ...  Flavoured syrup Base.. ...  Appropriate Overages of vitamins added to Compensate loss on storage... ...</p>
60	<b>Albendazole Oral Suspension USP</b>	<p><b>Each 5 ml Contains:</b></p> <p>Albendazole..USP...200 mg  Methyl Paraben BP 10 mg  Propyl Paraben BP 2.5 mg  Sorbic Acid BP 2.5 mg  Di-Sodium EDTA BP 1.5 mg  Sodium Benzoate BP 10 mg  Sodium Hydroxide BP 3.2 mg  Xanthan Gum (Transparent) BP 2 mg  Sucrose BP 2000 mg  Guar (Delca P 225) BP 10 mg  Sorbitol solution 70% BP 250 mg  Tween 80 BP 26.8 mg  Citric Acid (Monohydrate) BP 8.0 mg  Colloidal Silicon Dioxide (Aerosil) 5.0 mg  Colour Tartrazine IH --  Banana SY 42284 Flavour IH --  Purified Water BP q.s</p> <p><b>Dosage</b> : As directed by the physician.</p>
61	<b>Multi Vitamins with Amino Acids Syrup</b>	<p><b>Each 5 ml. contains :</b></p> <p>Vitamin B1 HCl B.P 5 mg  Vitamin B2 B.P 1 mg  Vitamin B6 B.P 1 mg  Vitamin B12 B.P 5 mcg  Folic Acid B.P 50 mcg  D-Panthenol B.P 2 mg  Niacinamide B.P 10 mg  Ferrous Gluconate (as Iron) B.P 10 mg  Zinc Sulphate B.P 3 mg  Copper Sulphate B.P 0.2 mg  Manganese Sulphate 0.25 mg  L-Lysine Mono HCl USP 20 mg  Honey B.P 100 mg  Malt Extract 500 mg</p>

		Calcium Glycerophosphate B.P 10 mg Flavoured Syrupy base q.s. <b>Colour</b> : Approved colour used Appropriate Overages of vitamins added to Compensate loss on storage.
62	<b>Terric Amonium Citrate</b>	<b>Each 15 ml Contains :</b> Ferric Ammonium Citrate USP 160 mg Equivalent to elemental Iron 32 mg.. ... Cyanocobalamin ..BP...7.5 mcg Folic Acid ..BP...0.5 mg Flavoured syrup base ... .. qs Colour : Approved colour used.. ... Dosage : As directed by the Physician... ..
63	<b>Blood Promotive Tonic</b>	<b>Each 30 ml Contains :</b> 1.715% w/v Liver extract containing Vit B <sub>2</sub> , Vit B <sub>6</sub> , Vit B <sub>12</sub> , Niacinamide, Pantothenic Acid and Folic Acid equivalent to whole liver .... 4.115 gm. Vitamin B1 HCl BP 5.0 mg Vitamin B2 BP 2.0 mg Vitamin B6 BP 2.0 mg Vitamin B12 BP 6.0 mcg Niacinamide BP 20.0 mg Calcium Pantothenate BP 10.0 mg Folic Acid BP 0.3 mg Sodium Glycerophosphate BP 300.0 mg Potassium Glycerophosphate BP 20.0 mg Manganese Sulphate BPC 4.0 mg Ferric Ammonium Citrate BP 50.0 mg Citric Acid BP 177.0 mg <b>Colour</b> : Approved colour used. <b>Dosage</b> : As directed by the physician. Appropriate overages of vitamins added to compensate Loss on storages.
64	<b>Tonic</b>	<b>Each 15 ml Contains:</b> Ferric Ammonium Citrate ( Equivalent to elemental Iron 32mg)..USP...160 mg Cyanocobalamin..BP...7.5 mcg Folic Acid..BP...0.5 mg Flavoured syrupy Base.. ... q.s Colour: Approved colour used.. ... Dosage: As directed by the physician.. ...
65	<b>Sildenafil Citrate 100 mg</b>	<b>Each 5 gm Contains:</b> Sildenafil Citrate Equivalent to Sildenafil.. ...100 mg Flavoured Base.. ... q.s Colour : Approved colour used .. ... Dosage : As directed by physician.. ...
66	<b>Pure Cod Liver Oil BP</b>	<b>Each 10 ml of Cod Liver Oil Contains:</b> Vitamin A .. ...7000 IU Vitamin D.. ...800 IU Vitamin E.. ...1 IU Dosage: As directed by the physician.. ...



67	<b>Vitamin Syup</b>	<p>Each 15 ml Contains:          Ferrous Glycine Sulphate..BP...216.5 mg          L-Histidine HCL..BP...4 mg          L-Lysine HCL..BP...25 mg          Vitamin B1 ..BP...5 mg          Vitamin B2..BP...3 mg          Vitamin B6..BP...1.5 mg          Vitamin B12..BP...2.5 mcg          Vitamin C..BP...40 mg          Folic Acid..BP...0.5 mg          Niacinamide..BP...25 mg          Dexpantenol..BP...2.5 mg          Zinc Sulphate..BP...50 mg          Colour: Approved colour used.. ...          Dosage: As directed by the physician.. ...</p>
68	<b>Ibuprofen oral suspension BP</b>	<p>Each 5 ml Contains:          Ibuprofen..BP...100 mg          Flavoured base.. ... qs          Dosage : As Directed by the physician... ..</p>
69	<b>Cyproheptadine and Multivitamin Syrup</b>	<p><b>Each 5 ml. contains :</b>          Cyproheptadine HCl (Anhydrous) BP 4 mg          Vitamin A (as Palmitate) BP 2500 IU          Thiamine HCl (Vitamin B1) BP 5 mg          Riboflavin (Vitamin B2) BP 5 mg          Niacinamide (Vitamin B3) BP 50 mg          Pyridoxine HCl (Vitamin B6) BP 2 mg          Cyanocobalamin (Vitamin B12) BP 5 mcg          D-Panthenol BP 10 mg          Folic Acid BP 0.50 mg          Zinc Sulphate eq. to Elemental Zinc BP 22 mg          Flavoured syrupy base q.s.</p>
70	<b>Cyproheptadine Syrup 2 mg / 5 ml</b>	<p><b>Each 5 ml. contains :</b>          Cyproheptadine Hydrochloride BP (Anhydrous) 2 mg          Flavoured Syrupy base qs  <b>Colour :</b> Approved colour used</p>
71	<b>Multivitamin Syrup</b>	<p>Each 15 ml (One tablespoonful) Contains:          Cyproheptadine HCL (Anhydrous)..BP...4 mg          Vitamin A (As palmitate)..BP...1600 IU          Vitamin D3..BP...200 IU          Vitamin B1 HCL..BP...2 mg          Vitamin B2..BP...2 mg          Vitamin B12..BP...1 mcg          Nicotinamide..BP...15 mg          Dexpantenol..USP...5 mg          Calcium Lactate..BP...100 mg          Flavoured syrupy base.. ... q.s          Colour : Approved colours used.. ...</p>
72	<b>Amino Acids &amp; Vitamins Syrup</b>	<p><b>Composition :</b>  <b>Each 15 ml Contains</b>          L-Isoleucine USP 5.9 mg          L-Leucine USP 18.3 mg</p>

		L-Lysine Hydrochloride USP 25.0 mg L-Methionine USP 9.2 mg L-Phenylalanine USP 5.0 mg L-Threonine USP 4.2 mg L-Tryptophan USP 5.0 mg L-Valine USP 6.7 mg Vitamin D3 (as Colecalciferol) BP 200.0 IU Vitamin B1 (as Thiamine Hydrochloride) BP 5.0 mg Vitamin B2 (as Riboflavin Sodium Phosphate) BP 3.0 mg Vitamin B6 (Pyridoxine Hydrochloride) BP 1.5 mg Nicotinamide BP 25.0 mg Calcium Pantothenate BP 5.0 mg Vitamin B12 (as Cyanocobalamin) BP 2.5 mcg Folic Acid BP 0.75 mg Vitamin C (as Ascorbic Acid) BP 40.0 mg Vitamin A (as Synthetic Retinol Conc. (Oily form) BP 2500 IU Vitamin E (as Alpha Tocopheryl Acetate) BP 7.5 IU Flavoured syrupy base q.s. <b>Colour</b> :Caramel <b>Dosage</b> : As directed by the Physician Overages of Vitamins added to compensate loss on storage.
73	<b>Cyproheptadine Hydrochloride Syrup</b>	<b>Each 5 ml. contains :</b> Cyproheptadine Hydrochloride BP 2 mg Synthetic Retinol Concentrate (Oily Form) BP 750 IU Cholecalciferol BP 150 IU Thiamine Hydrochloride BP 1 mg Niacinamide BP 5 mg Riboflavin (as Riboflavin Sodium Phosphate) BP 1 mg Cyanocobalamin BP 2.5 mcg Ascorbic Acid BP 50 mg Calcium Lactate Pentahydrate BP 50 mg Pyridoxine Hydrochloride BP 1 mg Dexpanthenol BP 4.5 mg In a flavoured Syrupy base q.s.
74	<b>Calcium Nutrition With Magnesium Zinc and VitaminD3</b>	<b>For Therapeutic use</b> <b>Each 5 ml. contains :</b> Calcium Carbonate BP 625 mg equivalent to elemental calcium 250 mg Magnesium Hydroxide BP 120 mg equivalent to elemental Magnesium 50 mg Zinc Gluconate USP 14 mg equivalent to elemental Zinc 2 mg Vitamin D3 BP 200 IU Flavoured base q.s. <b>Colour</b> : Approved colour used Appropriate overages of vitamins added to Compensate loss on storage. <b>Dosage</b> : As directed by the physician.
75	<b>Alumina, Magnesia and Simethicone Oral</b>	<b>Each 5 ml Contains:</b>

	<b>Suspension</b>	Dried Aluminum Hydroxide Gel (Added as Aluminum Hydroxide Gel paste)..USP...250 mg Magnesium Hydroxide (Added as Magnesium Hydroxide paste )..USP...250 mg Simethicone ..USP...50 mg <b>Colour:</b> Approved colour used.. ... <b>Dosage :</b> As Directed by the physician... ..
76	<b>Ferric Ammonium Citrate Syrup</b>	Each 15 ml (one tablespoonful) Contains: Ferric Ammonium Citrate BP 160.0mg (Equivalent to elemental Iron 32mg).. ... Folic Acid..BP...0.5 mg Cyanocobalamin..BP...7.5 mcg Flavoured syrupy Base.. ... qs <b>Colour:</b> Approved colour used.. ...
77	<b>Calcium Syrup</b>	Each 5 ml Contains: Calcium Carbonate BP 625 mg eq. to Elemental Calcium.. ...250 mg Vitamin D3 ..BP...125 IU Magnesium Hydroxide BP eq. to Elemental magnesium .. ...50 mg Zinc Gluconate USP eq. to Elemental Zinc.. ...2 mg Flavoured syrupy Base.. ... qs <b>Colour:</b> Approved colour used.. ... <b>Dosage:</b> As directed by the physician.. ...
78	<b>Vitamin Syrup</b>	<b>Each 5 ml Contains</b> Vitamin A (as Palmitate) BP 2000.0 IU Vitamin D3 BP 200.0 IU Vitamin B1 HCl BP 2.0 mg Vitamin B2 Phosphate Sodium BP 1.5 mg Niacinamide BP 25.0 mg Dexpanthenol BP 2.5 mg Vitamin B6 BP 1.0 mg Vitamin C BP 30.0 mg Vitamin B12 BP 1.0 mcg Calcium Gluconate BP 40.0 mg Calcium Lactate BP 40.0 mg Flavoured syrupy base q.s. <b>Colour :</b> Approved colour used <b>Dosage :</b> As directed by the Physician (Appropriate overages of vitamins added to Compensate loss on storage.)
79	<b>Albendazole Suspension 15% (For Veterinary use only)</b>	<b>Each 5 ml Contains :</b> Albendazole BP 750 mg Excipients q.s
80	<b>Carbocisteine Syrup 2%</b>	<b>Each 5 ml contains :</b> Carbocisteine BP 100 mg Flavoured Syrupy base q.s. <b>Colour :</b> Approved colour used <b>Dosage :</b> As directed by the physician.
81	<b>Carbocisteine Syrup 5%</b>	<b>Each 5 ml contains :</b> Carbocisteine BP 250 mg Flavoured Syrupy base q.s. <b>Colour :</b> Approved colour used <b>Dosage :</b> As directed by the physician.
82	<b>Cyproheptadine and Multivitamin Syrup</b>	<b>Each 5 ml. contains :</b> Cyproheptadine HCl B.P

		<p>Equivalent to Cyproheptadine (Anhydrous) 4 mg  Vitamin A (as a Palmitate) B.P 1600 IU  Vitamin D3 B.P 200 IU  Vitamin B1 HCl B.P 2 mg  Vitamin B2 B.P 2 mg  Vitamin B6 HCl B.P 1 mg  Vitamin B12 B.P 0.5 mcg  Niacinamide B.P 15 mg  D-Panthenol B.P 5 mg  Syrupy base q.s.  <b>Colour</b> : Approved colour used</p>
83	<b>Haematinic Syrup of Vitamin B12 Iron and Folic Acid</b>	<p><b>Each 5 ml Contains:</b>  Iron (III) Hydroxide Polymaltose Complex equivalent to Elemental Iron ...50 mg  Folic Acid..BP...500 mcg  Vitamin B12..BP...7.5 mcg  Zinc Sulphate Monohydrate..USP...11 mg  Flavoured Base.. ... q.s  Colour : Approved colour used .. ...  Appropriate Overages of vitamins added to Compensate loss on Storage .. ...  <b>Dosage</b> : As directed by physician.. ...</p>
84	<b>Multivitamin Drops</b>	<p>Each 0.6 ml. Liquid Contains :  Vitamin A (As Palmitate) ..BP...4000 IU  Vitamin B1 Hydrochloride ..BP...1 mg  Vitamin B2 ..BP...400 mcg  Vitamin B6..BP...500 mcg  Vitamin c..BP...50 mg  Vitamin D2..BP...400 IU  Nicotinamide..BP...5 mg  Colour : Approved Colour Used... ...  Dosage : As directed by the Physician... ...  Appropriate overages of vitamins added to Compensate loss on storage... ...</p>
85	<b>Multivitamin Syrup</b>	<p>Each 5 ml. Contains :  Vitamin B1 HCL..BP...1 mg  Vitamin B2 ..BP...1 mg  Vitamin B6..BP...0.5 mg  Vitamin C ..BP...25 mg  Nicotinamide..BP...15 mg  Dexpanthenol..BP...1 mg  Vitamin A (as Palmitate) ..BP...1600 IU  Vitamin D3..BP...100 IU  Colour : Approved Colour Used... ...  Flavoured Syrupy Base.. ... q.s  <b>Dosage</b> : As directed by the Physician... ...  Appropriate overages of vitamins added to Compensate loss on storage... ...</p>
86	<b>Cetirizine Syrup</b>	<p><b>Each 5 ml Contains :</b>  <b>Active Ingredient</b> : Cetirizine Hydrochloride BP 5 mg  <b>Inactive Ingredient</b> :  Sodium Methyl Paraben BP 10 mg  Sodium Propyl Paraben BP 1.66 mg</p>

		<p>Sucrose BP 2000 mg  Citric Acid (Mono) BP 7.5 mg  Sodium Citrate BP 4 mg  Sodium Benzoate BP 7.5 mg  Colour Ponceau 4R 0.1 mg  Mix Fruit M-3432 Flavour 0.005 ml  Purified Water BP QS  <b>Dosage</b> : As directed by the physician.</p>
87	<b>Dextromethorphan Hydrobromide Syrup</b>	<p>Each 5 ml Contains:  Dextromethorphan Hydrobromide..BP...5 mg  Phenylephrine HCL..BP...2.5 mg  Chlorpheniramine Maleate..BP...0.2 mg  Ammonium Chloride..BP...50 mg  Flavoured syrup base.. ... q.s  <b>Colour</b>: Approved colour used.. ...  <b>Dosage</b> : As Directed by the physician... ..</p>
88	<b>Chloroquin Phosphate Syrup</b>	<p>Each 5 ml Contains:  Chloroquine Phosphate BP 80 mg Equivalent to Chloroquine 50 mg.  Flavoured syrupy Base.. ... q.s  <b>Colour</b>: Approved colour used.. ...  <b>Dosage</b>: As directed by the physician.. ...</p>
89	<b>Ambroxol Hydrochloride, Terbutaline Sulphate &amp; Guaifenesin Syrup</b>	<p><b>Each 5 ml Contains:</b>  Ambroxol Hydrochloride ..BP...15 mg  Terbutaline Sulphate ..BP...1.5 mg  Guaifenesin..BP...50 mg  Menthol ..BP...1 mg</p>
90	<b>Amino Acids and Vitamins Syrup</b>	<p>Each 15 ml Contains :</p> <p>L-Isoleucine..USP...5.9 mg  L-Leucine ..USP...18.3 mg  L-Lysine Hydrochloride ..USP...25.0 mg  L-Methionine ..USP...9.2 mg  L-Phenylalanine ..USP...5.0 mg  L-Threonine ..USP...4.2 mg  L-Tryptophan ..USP...5.0 mg  L-Valine ..USP...6.7 mg  Vitamin B1 (as Thiamine Hydrochloride)..BP...5.0 mg  Vitamin B2 (as Riboflavin Sodium Phosphate) ..BP...3.0 mg  Vitamin B6 (Pyridoxine Hydrochloride) ..BP...1.5 mg  Nicotinamide..BP...25.0 mg  Calcium Pantothenate ..BP...5.0 mg  Vitamin B12 (as Cyanocobalamin) ..BP...2.5 mcg  Folic Acid..BP...0.75 mg  Vitamin C (as Ascorbic Acid) ..BP...40 mg  Vitamin D3 (as Colecalciferol)..BP...200 IU  Vitamin A (as Synthetic Retinol Conc. (Oily form) ..BP...2500 IU  Vitamin E (as Alpha Tocopheryl Acetate)..BP...7.5 IU  Flavoured syrupy base.. ... q.s  <b>Colour</b> : Caramel.. ...  <b>Dosage</b> : As directed by the physician... ..  Overages of Vitamins added to compensate loss on storage... ..</p>

91	<b>Ciprofloxacin Oral Suspension</b>	<p><b>Each 5 ml. contains :</b>  Ciprofloxacin Hydrochloride BP  equivalent to Ciprofloxacin      125 mg  Flavoured Syrupy base              q.s.  <b>Colour :</b> Approved colour used  <b>Dosage :</b> As directed by the physician.</p>
92	<b>Ciprofloxacin Hydrochloride Suspension</b>	<p><b>Each 5 ml. contains :</b>  Ciprofloxacin Hydrochloride BP  equivalent to Ciprofloxacin      250 mg  Flavoured Syrupy base              q.s.  <b>Colour :</b> Approved colour used  <b>Dosage :</b> As directed by the physician.</p>
93	<b>Chlorpheniramine Maleate Oral Solution</b>	<p><b>Each 5 ml Contains :</b>  Active Ingredient :  Chlorpheniramine Maleate      USP      2 mg  Inactive Ingredient :  Sodium Methylparaben BP      7.5 mg  Sodium Propylparaben BP      3.5 mg  Sodium Benzoate      BP      7.5 mg  Sucrose      BP      2500 mg  Enisweet (Stevia)      IHS      3.5 mg  Arrowcell CRT      IHS      4.5 mg  Citric Acid      BP      10 mg  Colour Carmoisine      IHS      0.3 mg  Strawberry NTL 8778 Flavour IHS      0.0075 ml  Purified Water      BP      Q.S. to 5ml  <b>Dosage :</b> As directed by the Physician</p>
94	<b>Dextromethorphan Hydrobromide Syrup</b>	<p><b>Each 5 ml contains:</b>  Dextromethorphan Hydrobromide ..BP...5 mg  Ammonium chloride..BP...50 mg  Chlorphenamine Maleate..BP...2 mg  Bromhexine Hydrochloride..BP...4 mg  Flavoured syrup base.. ... q.s  Colour: .Approved Colour used.. ...</p>
95	<b>Dilute Acetic Acid Syrup</b>	<p><b>Each 5 mlContains :</b>  Dilute acetic acid      BP 0.42 ml  Flavoured syrup base      q.s.  <b>Colour:</b> Approved colour used  <b>Dosage:</b> As directed by the physician</p>
96	<b>Dextromethorphan Hydrobromide Syrup</b>	<p><b>Each 5 mlContains :</b>  Dextromethorphan Hydrobromide      BP      5 mg  Phenylephrine Hydrochloride      BP      2.5 mg  Chlorpheniramine Maleate      BP      0.2 mg  Ammonium chloride      BP      50 mg  Flavoured syrupy base              q.s.  <b>Colour:</b> Approved colour used  <b>Dosage:</b> As directed by the physician</p>
97	<b>Paracetamol Syrup</b>	<p><b>Each 5 ml Contains:</b>  Paracetamol..BP...125 mg  Phenylephrine Hydrochloride..BP...2.5 mg</p>

		Chlorphenamine Maleate..BP...1 mg Flavoured Syrupy base.. ... q.s Approved color used.. ...
98	<b>Simethicone Emulsion Syrup</b>	Each ml Contains : Simethicone Emulsion USP Equivalent to Simethicone.. ...40 mg Dil Oil ..BP...0.005 ml Fennel Oil..USP...0.0007 ml Flavoured Syrup base.. ... qs Colour : Approved colour used... ...
99	<b>Paracetamol Syrup</b>	<b>Each 5 ml Contains :</b> Paracetamol BP 125 mg Chlorpheniramine Maleate BP 1.25 mg Phenylephrine Hydrochloride BP 2.5 mg Bromhexine Hydrochloride BP 4 mg Flavoured Syrupy Bases qs <b>Colour :</b> Approved colour used <b>Dosage :</b> As directed by the Physician.
100	<b>Sulfamethoxazole Syrup</b>	<b>Each 5 ml Contains :</b> Sulfamethoxazole BP 200 mg Trimethoprim BP 40 mg Flavoured syrupy base qs Colour :- Approved Colour Used.
101	<b>Albendazole Oral Suspension BP For Veterinary use only</b>	<b>Each ml Contains :</b> Albendazole BP 100 mg Excipients q.s. <b>Colour :</b> Approved Colour Used
102	<b>Albendazole Oral Suspension (For Veterinary use only)</b>	<b>Each ml Contains :</b> Albendazole BP 25 mg Excipients q.s. <b>Colour :</b> Approved Colour Used
103	<b>Sildenafil Oral Jelly</b>	<b>Each 5 gm of Jelly contains :</b> Sildenafil Citrate equivalent to Sildenafil .. ...100 mg Flavoured base .. ... q.s <b>Colour :</b> Approved colour used .. ... <b>Dosage :</b> As directed by physician.. ...
104	<b>Sildenafil Oral Jelly</b>	<b>Each 5 gm of Jelly contains :</b> Sildenafil Citrate Equivalent to Sildenafil.. ...50 mg Flavoured Base.. ... q.s Colour : Approved colour used .. ... Dosage : As directed by physician.. ...
105	<b>Cyproheptadine Syrup</b>	<b>Each 5 ml. contains :</b> Cyproheptadine Hydrochloride BP (Anhydrous) 2 mg Flavoured Syrupy base qs <b>Colour :</b> Approved colour used
106	<b>Cyproheptadine Hydrochloride Syrup</b>	<b>Each 5 ml Contains:</b> Cyproheptadine Hydrochloride BP equivalent to Cyproheptadine Hydrochloride ( Anhydrous) .. ...2 mg L-Lysine Mono Hydrochloride ..BP...150 mg Vitamin B1 ..BP...2 mg Vitamin B2 BP (As Sodium Phosphate) ..BP...1.0 mg Vitamin B6 ..BP...1.0 mg Niacinamide..BP...7.5 mg Zinc Sulphate..BP...7 mg

		<p>Manganese Sulphate..BP...0.8 mg          Flavoured Syrupy base ... q.s  <b>Colour</b> : Approved colour used.. ...  <b>Dosage</b> : As directed by physician.. ...</p>
107	<b>Multi-Vitamin Drops</b>	<p><b>Each 0.6 ml liquid contains :</b>          Vitamin A ..BP...4000 IU          Vitamin D2 (Ergocalciferol)..BP...400 IU          Vitamin B1 (Thiamine Hydrochloride ..BP...1 mg          Vitamin B2 (Riboflavin) ..BP...0.4 mg          Vitamin B6 (Pyridoxine Hydrochloride) ..BP...0.5 mg          Nicotinamide..BP...5 mg          Vitamin C (Ascorbic Acid)..BP...50 mg          Approved Colour used.. ...          Appropriate Overages of vitamins added to Compensate loss on Storage .. ...  <b>Dosage</b> : As directed by physician.. ...</p>
108	<b>Ferrous Gluconate Syrup</b>	<p><b>Each 15 ml Contains :</b>          Ferrous Gluconate BP 100 mg          Calcium Gluconate BP 100 mg          Protein Hydrolysate BP 0.5 mg          Vitamin B2 BP 2.5 mg          Vitamin B6 BP 1.0 mg          Vitamin B12 BP 2.5 mcg          Folic Acid BP 0.5 mg          Niacinamide BP 25 mg          D-Panthenol BP 2.5 mg          Flavoured Syrupy Base qs  <b>Colour</b> : Approved colour used  <b>Dosage</b> : As directed by the Physician.          Overages of vitamins added to Compensate loss on storage.</p>
109	<b>Metronidazole Benzoate Suspension</b>	<p><b>Each 5 ml. contains :</b>          Metronidazole Benzoate BP          equivalent to Metronidazole 100 mg          Furazolidone BP 30 mg          Flavoured Syrupy Base q.s.  <b>Colour</b> : Approved colour used.  <b>Dosage</b> : As directed by the physician.</p>
110	<b>Hydroxide Polymaltose Complex Syrup</b>	<p>Each 5 ml Contains:          Iron (III) Hydroxide Polymaltose Complex equivalent to Elemental Iron 50 mg.. ...          Folic Acid..BP...500 mcg          Vitamin B12..BP...7.5 mcg          Zinc Sulphate Monohydrate..USP...11 mg          Flavoured Base.. ... qs          Colour: Approved colour used.. ...          Dosage: As directed by the physician.. ...</p>
111	<b>Cyproheptadine and Multivitamin Syrup</b>	<p><b>Each 5 ml. contains :</b>          Cyproheptadine Hydrochloride (Anhydrous) BP 2.0 mg          Thiamine Hydrochloride (Vitamin B1) BP 2.0 mg          Riboflavin (Vitamin B2) BP 2.0 mg          (As Riboflavin 5 Phosphate Sodium)          Pyridoxine Hydrochloride (Vitamin B6) BP 0.75 mg          D-Panthenol (Dexpanthenol) BP 2.5 mg</p>



		<p>Nicotinamide BP 22.5 mg          Flavoured Syrup base qs  <b>Colour</b> : Approved colour used          Adequate overages of vitamins added to compensate loss on storage.  <b>Dosage</b> : As directed by the physician.</p>
112	<b>Multivitamin Syrup</b>	<p>Each 5 ml Contains:          Vitamin B1(HCL)..BP...5 mg          Vitamin B2..BP...1 mg          Vitamin B6..BP...1 mg          Vitamin B12..BP...5 mcg          Folic acid..BP...50 mcg          Niacinamide..BP...10 mg          Calcium Gluconate..BP...2 mg          Ferric Ammonium Citrate BP Equivalent to elemental Iron 10mg.. ...          Zinc Sulphate BP equivalent to Elemental Zinc 3mg.. ...          Copper Sulphate BP equivalent to elemental copper 0.25 mg.. ...          Manganese Chloride BP equivalent to elemental Manganese 20mg..          L-Lysine HCL..BP...100 mg          Honey.. ...100 mg          Malt.. ...500 mg          Colour: Approved colour used.. ...          Dosage: As directed by the physician.. ...</p>
113	<b>Albendazole Oral Suspension USP</b>	<p>Each 10 ml Contains :          Albendazole ..USP...200 mg          Flavoured syrupy base .. ... qs          Colour : Approved Colour Used... ..          Dosage : As directed by the Physician... ..</p>
114	<b>Multivitamin + Amino Acids Syrup</b>	<p><b>Each 15 ml Contains:</b>          L-Histidine Hydrochloride Monohydrate ..USP...3.71 mg          L-Arginine Hydrochloride ..USP...13.28 mg          L-Isoleucine..USP...5.9 mg          L-Leucine ..USP...18.3 mg          L-Lysine Hydrochloride ..USP...25.0 mg          L-Methionine ..USP...9.2 mg          L-Phenylalanine ..USP...5.0 mg          L-Threonine ..USP...4.2 mg          L-Tryptophan ..USP...5.0 mg          L-Valine..USP...6.7 mg          Vitamin A Concentrate (Oily form)..BP...2500 IU          Cholecalciferol..BP...200 IU          Thiamine Hydrochloride..BP...5 mg          Nicotinamide ..BP...25 mg          Riboflavin (As Riboflavin Sodium Phosphate )..BP...3 mg          Pyridoxine Hydrochloride ..BP...1.5 mg          Calcium Pantothenate..BP...5 mg          Cyanocobalamin..BP...2.5 mcg          Folic Acid..BP...0.75 mg          Ascorbic Acid..BP...40 mg          Tocopheryl Acetate ..BP...7.5 IU          Colour : Caramel.. ...          Flavoured syrupy Base.. ... qs</p>

		Dosage : As directed by physician.. ... Overages of Vitamins added to compensate loss on storage... ..
115	<b>Multivitamins + Amino Acids</b>	<p><b>Each 15 ml Contains :</b></p> <p>L-Arginine Hydrochloride USP 13.28 mg  L-Histidine Hydrochloride Monohydrate USP 3.71 mg  L-Isoleucine USP 5.9 mg  L-Leucine USP 18.3 mg  L-Lysine Hydrochloride USP 25.0 mg  L-Methionine USP 9.2 mg  L-Phenylalanine USP 5.0 mg  L-Threonine USP 4.2 mg  L-Tryptophan USP 5.0 mg  L-Valine USP 6.7 mg  Vitamin A Concentrate (Oily form) BP 2500 IU  Cholecalciferol BP 200 IU  Alpha Tocopheryl Acetate BP 7.5 IU  Pyridoxine Hydrochloride BP 1.5 mg  Thiamine Hydrochloride BP 5 mg  Riboflavin (as Riboflavin Sodium Phosphate) BP 3 mg  Folic Acid BP 0.75 mg  Ascorbic Acid BP 40 mg  Cyanocobalamin BP 2.5 mcg  Calcium Pantothenate BP 5 mg  Nicotinamide BP 25 mg  Zinc (as Zinc Sulphate Monohydrate) BP 11.37 mg  Taurine USP 500 mg  Flavoured syrupy base q.s.</p> <p><b>Colour :</b> Caramel  <b>Dosage :</b> As directed by the Physician  Overages of Vitamins added to compensate loss on storage</p>
116	<b>Amino Acids and Vitamins Tonic</b>	<p><b>Each 15 ml contains</b></p> <p>L- Isoleucine..USP...5.9 mg  L-Leucine..USP...18.3 mg  L-Lysine Hydrochloride ..USP...25.0 mg  L-Methionine..USP...9.2 mg  L-Phenylalanine ..USP...5.0 mg  L-Threonine..USP...4.2 mg  L-Tryptophan..USP...5.0 mg  L-Valine..USP...6.7 mg  Vitamin D3 (as Colecalciferol)..BP...200.0 IU  Vitamin B1(as Thiamine Hydrochloride)..BP...5.0 mg  Vitamin B2 (as Riboflavin Sodium Phosphate)..BP...3.0 mg  Vitamin B6 (pyridoxine Hydrochloride)..BP...1.5 mg  Nicotinamide..BP...25.0 mg  Calcium Pantothenate ..BP...5.0 mg  Vitamin B12 (as Cyanocobalamin)..BP...2.5 mcg  Folic Acid ..BP...0.75 mg  Vitamin C (as Ascorbic acid) BP... 40.0 mg  Vitamin A (As Synthetic Retinol Conc.(Oily Form) BP... 2500 IU  Vitamin E ( as Alpha Tocopheryl Acetate) BP... 7.5 IU  Flavoured syrupy base... .. q.s  <b>Colour:</b> Caramel.....</p>
117	<b>Iron (III) Hydroxide Polymaltose Syrup</b>	<b>Each 5 ml Contains:</b>

		<p>Iron (III) Hydroxide Polymaltose Complex equivalent to Elemental Iron 50 mg.. ...</p> <p>Folic Acid BP.500 mcg</p> <p>Vitamin B12 BP 7.5 mcg</p> <p>Zinc Sulphate Monohydrate..USP...11 mg</p> <p>Flavoured Base.. ... q.s</p> <p><b>Colour:</b> Approved colour used.. ...</p> <p><b>Dosage:</b> As directed by the physician.. ...</p>
118	<b>Metronidazole Benzoate Suspension BP</b>	<p><b>Each 5 ml Contains :</b></p> <p>Metronidazole Benzoate BP</p> <p>Equivalent to Metronidazole 125 mg</p> <p>Flavoured syrup base q.s</p> <p><b>Colour:</b> Approved colour used.</p> <p><b>Dosage:</b> As directed by the physician.</p>
119	<b>Metronidazole &amp; Furazolidone Oral Suspension</b>	<p><b>Each 5 ml (teaspoonful) Contains:</b></p> <p>Metronidazole Benzoate BP Equivalent to Metronidazole... BP... 150</p> <p>Furazolidone... BP... 30 mg</p> <p>Colour: Approved Colour Used</p>
120	<b>Cyproheptadine and Multivitamin Syrup</b>	<p><b>Each 5 ml. contains :</b></p> <p>Cyproheptadine Hydrochloride (Anhydrous) BP 2.0 mg</p> <p>Thiamine Hydrochloride (Vitamin B1) BP 2.0 mg</p> <p>Riboflavin (Vitamin B2) BP 2.0 mg</p> <p>(As Riboflavin 5 Phosphate Sodium)</p> <p>Pyridoxine Hydrochloride (Vitamin B6) BP 0.75 mg</p> <p>D-Panthenol (Dexpanthenol) BP 2.5 mg</p> <p>Nicotinamide BP 22.5 mg</p> <p>Flavoured Syrup base qs</p> <p><b>Colour :</b> Approved colour used</p> <p>Adequate overages of vitamins added to compensate loss on storage.</p> <p><b>Dosage :</b> As directed by the physician.</p>
121	<b>Paracetamol Suspension</b>	<p><b>Each 5 ml Contains :</b></p> <p>Paracetamol (Micronized) BP 125 mg</p> <p>Chlorphenamine Maleate BP 1 mg</p> <p>Flavoured Syrupy base q.s</p> <p>Colour : Approved colour used</p>
122	<b>Iron Choline Citrate Syrup</b>	<p><b>Each 5 ml Contains :</b></p> <p>Iron Choline Citrate (66%) 200 mg</p> <p>equivalent to Elemental Iron 1 5.84 mg</p> <p>Vitamin B12 BP 15 mcg</p> <p>Folic Acid BP 1.5 mg</p> <p>L-Lysine Hydrochloride USP 50 mg</p> <p>Flavoured Sorbitol base q.s</p> <p><b>Colour :</b> Approved colour used</p> <p><b>Dosage :</b> As directed by the Physician.</p> <p>Overages of vitamins added to Compensate loss on storage.</p>
123	<b>Metronidazole Benzoate Suspension</b>	<p>Each 5 ml Contains:</p> <p>Metronidazole Benzoate BP Eq. To. Metronidazole... ...100 mg</p> <p>Furazolidone..BP... 30 mg</p> <p>Flavoured Syrupy base... ... q.s</p> <p><b>Colour :</b> Approved colour used..0... 0</p>
124	<b>Albendazole Oral Suspension USP</b>	<p><b>Each 5 ml. Contains:</b></p> <p>Albendazole USP 200 mg</p> <p>In a flavoured Syrupy Base q.s.</p>

		<b>Colour :</b> Approved Colour Used.
125	<b>Cyproheptadine HCL Syrup</b>	<p><b>Each 15 ml Contains:</b>  Cyproheptadine HCL (Anhydrous)..BP...2 mg  Vitamin A (as Palmitate)..BP...2500 IU  Vitamin D3..BP...300 IU  Thiamine HCL..BP...5 mg  Riboflavin..BP...2.5 mg  Pyridoxine HCL..BP...1.5 mg  Cyanocobalamin..BP...5 mcg  Ascorbic Acid..BP...45 mg  D-Panthenol..USP...10 mg  Niacinamide..BP...25 mg  Calcium Lactate..BP...100 mg  Flavoured syrupy Base.. ... q.s  <b>Colour:</b> Approved colour used.. ...  <b>Dosage:</b> As directed by the physician.. ...</p>
126	<b>Diphenhydramine Hydrochloride Syrup</b>	<p>Diphenhydramine Hydrochloride BP 12.5 mg  Ammonium Chloride BP 125 mg  Methyl Paraben BP 7.5 mg  Propyl Paraben BP 3 mg  Sodium Benzoate BP 10 mg  Sucrose BP 2000 mg  Enisweet (Stevia) IHS 5 mg  Citric Acid BP (Monohydrate) BP 5 mg  Propylene Glycol BP 100 mg  Liquid Glucose USP 200 mg  Colour Sunset Yellow IHS 0.2 mg  Colour Caramel IHS 20 mg  Colour Erythrosine IHS 0.2 mg  Cherry M-2518 Flavour IHS 0.1 mg  Purified Water BP q.s.  <b>Dosage:</b> As directed by the physician.</p>
127	<b>Amino Acids and Vitamins Syrup</b>	<p><b>Each 15ml Contains:</b>  L-Isoleucine..USP...5.9 mg  L-Leucine..USP...18.3 mg  L-Lysine Hydrochloride..USP...25.0 mg  L-Methionine..USP...9.2 mg  L-Phenylalanine..USP...5.0 mg  L-Threonine..USP...4.2 mg  L-Tryptophan..USP...5.0 mg  L-Valine..USP...6.7 mg  Vitamin D3 ( As Colecalciferol)..BP...200.0 IU  Vitamin B1(Thiamine Hydrochloride)..BP...5.0 mg  Vitamin B2 (As Riboflavin Sodium Phosphate)..BP...3.0 mg  Vitamin B6 (Pyridoxine Hydrochloride)..BP...1.5 mg  Nicotinamide..BP...25.0 mg  Calcium Pantothenate..BP...5.0 mg  Vitamin B12 (as Cyanocobalamin)..BP...2.5 mcg  Folic Acid..BP...0.75 mg  Vitamin C (As Ascorbic Acid)..BP...40.0 mg  Vitamin A (as Synthetic Retinol Conc.(Oily form)..BP...2500 IU</p>

		Vitamin E (As Alpha Tocopheryl Acetate)..BP...7.5 IU Flavoured syrupy Base.. ... q.s Colour: Caramel.. ... Dosage: As directed by the physician.....
128	<b>Acetaminophen Oral Suspension USP</b>	<b>Each 5 ml Contains :</b> Acetaminophen (Paracetamol) USP 120 mg Colour : Approved Colour used
129	<b>Acetaminophen Oral Suspension USP</b>	<b>Each 5 ml Contains :</b> Ibuprofen BP 100 mg Paracetamol BP 125 mg Flavoured Syrupy base q.s Colour : Approved Colour used
130	<b>Paracetamol Suspension</b>	<b>Each 5 ml Contains :</b> Paracetamol BP 125 mg Dextromethorphan Hydrobromide BP 5 mg Phenylephrine Hydrochloride BP 2.5 mg Chlorpheniramine Maleate BP 1 mg Flavoured Syrupy Bases q.s <b>Colour :</b> Approved colour used <b>Dosage:</b> As directed by the Physician.
131	<b>Sildenafil Oral Jelly</b>	<b>Each 5 gm of Jelly contains :</b> Sildenafil Citrate equivalent to Sildenafil 100 mg Flavoured base q.s <b>Colour :</b> Approved Colour used <b>Dosage :</b> As directed by the physician.
132	<b>Sildenafil Oral Jelly</b>	<b>Each 5 gm of Jelly contains :</b> Sildenafil Citrate equivalent to Sildenafil 50 mg Flavoured base q.s <b>Colour :</b> Approved Colour used <b>Dosage :</b> As directed by the physician.
133	<b>Multivitamin Syrup</b>	<b>Each 5 ml Contains :</b> Vitamin A USP 3000 IU Vitamin D3 USP 800 IU Vitamin B1 BP 2 mg Vitamin B2 BP 1.5 mg Vitamin B5 BP 2 mg Vitamin B6 BP 1 mg Vitamin B12 BP 1 mcg Vitamin C BP 50 mg Vitamin E BP 2.5 mg Niacinamide BP 10 mg Flavoured Syrupy base q.s. Colour : Approved colours used Appropriate overages of vitamins added to Compensate loss on storage. Dosage : As directed by the physician.
134	<b>Metronidazole &amp; Furazolidone Oral Suspension</b>	Each 5 ml (One tablespoonful) Contains: Metronidazole Benzoate BP Equivalent to Metronidazole .. ...150 mg Furazolidone..BP...30 mg Colour : Approved colours used.. ... Dosage : As directed by physician.. ...

135	<b>Sodium Bicarbonate Syrup</b>	Each 5 ml.(1Teaspoonful) Contains: Sodium Bicarbonate..BP...50 mg Sucrose..BP...1.10 gm Dill Oil..BP...0.005 ml Aqua q.s. to.. ...5.0 ml <b>Dosage</b> : As Directed by the physician... ..
136	<b>Vitamin C Drops</b>	Each ml Contains: Ascorbic Acid..BP...100 mg Flavoured syrupy Base.. ... q.s Approved Colour used.. ... Dosage : As directed by physician.. ...
137	<b>Amino Acid and Vitamin Syrup</b>	Each 15 ml contains: L-Isoleucine..USP...5.9 mg L-Leucine..USP...18.3 mg L-Lysine Hydrochloride..USP...25.0 mg L-Methionine..USP...9.2 mg L-Phenylalanine..USP...5.0 mg L-Threonine..USP...4.2 mg L-Tryptophan..USP...5.0 mg L-Valine..USP...6.7 mg Vitamin B1 (as Thiamine Hydrochloride)..BP...5.0 mg Riboflavin (as Riboflavin Sodium phosphate..BP...3.0 mg Vitamin B6 (Pyridoxine Hydrochloride)..BP...1.5 mg Nicotinamide..BP...25.0 mg Calcium Pantothenate..BP...5.0 mg Vitamin B12 (as Cyanocobalamin )..BP...2.5 mcg Folic acid..BP...0.75 mg Vitamin C (as Ascorbic Acid)..BP...40.0 mg Vitamin D3 (as Colecalciferol)..BP...200.0 IU Vitamin A (as Synthetic Retinol Conc. (Oily form )).BP...2500 IU Vitamin E (as alpha Tocopheryl Acetate )..BP...7.5 IU Flavoured syrup base.. ... q.s Colour: .Caramel.. ... Dosage : As directed by the physician.. ...
138	<b>Ferrous Glycine Sulphate Syrup</b>	Each 10 ml contains: Ferrous Glycine Sulphate 275 mg (Eq to elemental Iron 47 mg )).. ... L-Histidine HCL H2O..BP...4 mg L-Lysine HCl..USP...25 mg Thiamine hydrochloride..BP...5 mg Riboflavin BP (as Riboflavin Sodium phosphate ).. ...3 mg Pyridoxine hydrochloride ..BP...1.5 mg Folic Acid..BP...0.5 mg Nicotinamide..BP...25 mg Cyanocobalamin ..BP...2.5 mcg Dexpanthenol ..USP...2.5 mg Colour: .Caramel.. ...
139	<b>Carbocisteine Syrup</b>	Each 5 ml. Contains : Carbocisteine..BP...250 mg Flavoured Syrupy Base.. ... q.s Colour : Approved Colour Used... .. Dosage : As directed by the Physician.... ..

140	<b>Carbocisteine syrup</b>	Each 5 ml. Contains : Carbocisteine..BP...125 mg Flavoured Syrupy Base.. ... q.s <b>Colour</b> : Approved Colour Used... .. <b>Dosage</b> : As directed by the Physician... ..
141	<b>Quinine Sulphate Suspension</b>	<b>Each 5 ml Contains :</b> Quinine Sulphate BP 100 mg Flavoured syrupy base q.s <b>Colour:</b> Approved colour used. <b>Dosage:</b> As directed by the physician.
142	<b>Amino Acid and Vitamin Syrup</b>	Each 15 ml Contains: L-Isoleucine..USP...5.9 mg L-Leucine..USP...18.3 mg L-Lysine Hydrochloride..USP...25.0 mg L-Methionine..USP...9.2 mg L-Phenylalanine..USP...5.0 mg L-Threonine..USP...4.2 mg L-Tryptophan..USP...5.0 mg L-Valine..USP...6.7 mg Vitamin A Concentrate (Oily Form)..BP...2500 IU Cholecalciferol..BP...200 IU Tocopheryl Acetate..BP...7.5 IU Thiamine Hydrochloride..BP...5 mg Riboflavin (As Riboflavin Sodium Phosphate)..BP...3 mg Pyridoxine hydrochloride..BP...1.5 mg Nicotinamide..BP...25 mg Calcium Pantothenate..BP...5 mg Cyanocobalamin..BP...2.5 mcg Folic Acid..BP...0.75 mg Ascorbic Acid..BP...40 mg Flavoured syrupy Base.. ... q.s Colour: Approved colour used.. ... Dosage: As directed by the physician.. ...
143	<b>Ferric Ammonium Citrate Syrup</b>	Each 15 ml Contains: Ferric Ammonium Citrate USP equivalent to elemental Iron32 mg Protein Hydrolysate 20 %.. ...1.0 gm Folic Acid..BP...500 mcg Vitamin B12..BP...7.5 mcg Vitamin B6 ..BP...2.5 mg Flavoured syrupy base.. ... q.s Colour : Caramel and Erythrosine Appropriate overages of vitamins added to Compensate loss on storage Dosage : As directed by physician
144	<b>Ibuprofen Oral Suspension BP</b>	<b>Each 5 ml. Contains :</b> Ibuprofen BP 100 mg Flavoured Syrupy Base q.s. <b>Colour</b> : Approved colour used. <b>Dosage</b> : As directed by the physician
145	<b>Oxetacaine Gel</b>	<b>Each 5 ml Contains:</b> Oxetacaine..BP...10 mg Aluminium Hydroxide 0.291 g (Added as Aluminium Hydroxide Paste Equivalent to 0.380 g of Dried Aluminium Hydroxide Gel BP).. ...

		Magnesium Hydroxide BP 98 mg (Added as Magnesium Hydroxide Paste).. ... <b>Colour:</b> Approved colour used.. ... <b>Dosage:</b> As directed by the physician.. ...
146	<b>Carbocisteine Syrup</b>	<b>Each 5 ml contains :</b> Carbocisteine BP 100 mg Flavoured Syrupy base q.s. <b>Colour :</b> Approved colour used <b>Dosage :</b> As directed by the physician.
147	<b>Carbocisteine Syrup</b>	<b>Each 5 ml contains :</b> Carbocisteine BP 250 mg Flavoured Syrupy base q.s. <b>Colour :</b> Approved colour used <b>Dosage :</b> As directed by the physician.
148	<b>Sodium Bicarbonate Syrup</b>	<b>Each 5 ml.(1Teaspoonful) Contains:</b> Sodium Bicarbonate..IP...0.050 gm Dill Oil ..BP...0.005 ml Sucrose..BP...1.10 gm Aqua q.s. to 5.0 ml.. ... <b>Dosage :</b> As directed by the physician.... ...
149	<b>Chloramphenicol palmitate Suspension</b>	<b>Each 5 ml Contains:</b> Chloramphenicol palmitate BP equivalent to Chloramphenicol.. ...125 mg Flavoured syrupy base.. ... q.s <b>Colour :</b> Approved colours used.. ... q.s <b>Dosage :</b> As directed by physician.. ...
150	<b>Alumina Magnesia &amp; Simethicone Oral Suspension</b>	Each 5 ml contains Dried Aluminum Hydroxide Gel ( Added as Aluminum Hydroxide Gel paste )..USP...250 mg Magnesium Hydroxide ( Added as Magnesium Hydroxide paste)..USP...250 mg Simethicone..USP...50 mg <b>Dosage :</b> As directed by the physician.... ...
151	<b>Diphenhydramine Hydrochloride Syrup</b>	Each 5 ml Contains: Diphenhydramine Hydrochloride..BP...14.08 mg Ammonium Chloride..BP...138 mg Sodium Citrate..BP...57.03 mg Menthol..BP...1.14 mg Flavoured syrupy base.. ... q.s <b>Colour :</b> Approved colours used.. ... <b>Dosage :</b> As directed by physician.. ...
152	<b>Dextromethorphan Hydrobromide , Diphenhydramine Hydrochloride, Phenylephrine Hydrochloride &amp; Menthol</b>	<b>Each 5 ml Contains:</b> Phenylephrine Hydrochloride ..BP...5 mg Dextromethorphan Hydrobromide ..BP...10 mg Diphenhydramine Hydrochloride ..BP...8 mg Menthol..BP...0.5 mg Colour: Approved Colour used.. ... In a Flavoured syrupy Base.. ... q.s <b>Dosage :</b> As directed by the physician.... ...
153	<b>Cyproheptadine Hydrochloride Syrup</b>	Each 5 ml ( tablespoonful) Contains: Cyproheptadine Hydrochloride BP Equivalent .to Cyproheptadine



		Hydrochloride (Anhydrous).. ...2 mg Flavoured syrupy base.. ... q.s <b>Colour</b> : Approved colours used.. ... <b>Dosage</b> : As directed by physician.. ...
154	<b>Ferrous Sulphate and Folic Acid Syrup</b>	<b>Each 5 ml Contains:</b> Ferrous Sulphate IP equivalent to Elemental Iron 100.0mg.. ... Folic Acid..IP...0.5 mg In a flavoured syrupy Base.. ... q.s <b>Colour:</b> Approved colour use.. ... <b>Dosage:</b> As directed by the physician.. ...
155	<b>Sildenafil Oral Jelly</b>	<b>Each 5 gm of Jelly Contains :</b> Sildenafil Citrate equivalent to Sildenafil 100 mg Flavoured base q.s <b>Colour</b> : Approved Colour used <b>Dosage</b> : As directed by the physician.
156	<b>Sildenafil Oral Jelly</b>	<b>Each 5 gm of Jelly Contains :</b> Sildenafil Citrate equivalent to Sildenafil 50 mg Flavoured base q.s <b>Colour</b> : Approved Colour used <b>Dosage</b> : As directed by the physician.
157	<b>Cyproheptadine Hydrochloride Syrup</b>	<b>Each 5 ml Contains:</b> 7.0%w/w to 8.5%w/w of Cyproheptadine Hydrochloride BP.. ... (Added as Magnesium Hydroxide Paste).. ... <b>Dosage</b> : As directed by physician.. ...
158	<b>Metronidazole Oral Suspension BP</b>	<b>Each 5 ml contains:</b> Metronidazole Benzoate BP Equivalent to Metronidazole .. ...125 mg Flavoured syrupy base.. ... q.s <b>Colour:</b> Approved colour used... ... <b>Dosage</b> : As directed by the physician... ...
159	<b>Paracetamol Oral Suspension BP</b>	<b>Each 5 ml contains:</b> Paracetamol ..BP...125 mg Flavoured syrupy base.. ... q.s <b>Colour:</b> Approved colour used... ... <b>Dosage</b> : As directed by the physician... ...
161	<b>Vitamin-B Complex Syrup</b>	<b>Each 5 ml contains</b> Vitamin B1 HCL..BP...5 mg Vitamin B2..BP...2 mg Vitamin B6..BP...2 mg Nicotinamide..BP...20 mg Calcium Pantothenate ..BP...1 mg Flavoured syrupy base.. ... q.s <b>Colour:</b> Approved colour used... ...
162	<b>Cyproheptadine and Multivitamin Syrup</b>	<b>Composition :</b> <b>Each 5 ml. contains :</b> Cyproheptadine Hydrochloride (Anhydrous) BP 2.0 mg Thiamine Hydrochloride (Vitamin B1) BP 2.0 mg Riboflavin (Vitamin B2) BP 2.0 mg (As Riboflavin 5 Phosphate Sodium) Pyridoxine Hydrochloride (Vitamin B6) BP 0.75 mg

		D-Panthenol (Dexpanthenol) BP 2.5 mg Nicotinamide (Vitamin B3) BP 22.5 mg Flavoured Syrupy base q.s <b>Colour</b> : Approved colour used <b>Dosage</b> : As directed by the physician. Appropriate Overages of vitamins added to Compensate loss on storage.
163	<b>Nystatin Oral Suspension BP</b>	<b>Each 5 ml contains:</b> Nystatin..BP...100000 IU Flavoured syrupy base.. ... q.s <b>Dosage</b> : As directed by the physician... ...
164	<b>Trimethoprim Oral Suspension BP</b>	<b>Each 5 ml contains:</b> Trimethoprim..BP...40 mg Sulfamethoxazole..BP...200 mg Flavoured syrupy base.. ... q.s <b>Colour</b> : Approved colour used... ... <b>Dosage</b> : As directed by the physician... ...
165	<b>Multivitamin Syrup</b>	<b>Each 5 ml Contains:</b> Vitamin A (As palmitate)..BP...1600 IU Vitamin D3..BP...100 IU Vitamin B1 HCL..BP...1 mg Vitamin B2..BP...1 mg Vitamin B6..BP...0.5 mg Vitamin C..BP...25 mg Nicotinamide..BP...15 mg D-Panthenol..BP...1 mg Flavoured syrupy base.. ... q.s <b>Colour</b> : Approved colour used.. ... Appropriate overages of vitamins added to Compensate loss on storage... ... <b>Dosage</b> : As directed by physician.. ...
166	<b>Mebendazole Oral Suspension USP</b>	<b>Each 5 ml contains :</b> Mebendazole USP 100 mg Flavoured Syrupy base q.s. <b>Colour</b> : Approved colour used <b>Dosage</b> : As directed by the physician.
167	<b>Aluminium Hydroxide Syrup</b>	<b>Each 5 ml (one teaspoonful) contains:</b> Aluminium Hydroxide Gel BP 405 mg (Added as Aluminium Hydroxide Gel Paste) Magnesium Hydroxide BP 100 mg (Added as Magnesium Hydroxide Paste) Simethicone BP 50 mg Flavoured Bases q.s. <b>Colour</b> :Approved colour used <b>Dosage</b> : As directed by the Physician.
168	<b>Albendazole Oral Suspension</b>	<b>Each 5 ml Contains:</b> Albendazole ..BP...100 mg Flavoured Syrupy base.. ... q.s <b>Colour</b> : Approved colour used.. ... <b>Dosage</b> : As directed by the physician.. ...
169	<b>Hydroxide Polymaltose Syrup</b>	<b>Each 5 ml. contains :</b> Iron (III) Hydroxide Polymaltose Complex equivalent to Elemental Iron ...50 mg

		<p>Folic Acid ..BP...500 mcg  Vitamin B12 ..BP...7.5 mcg  Zinc Sulphate Monohydrate ..USP...11 mg  Flavoured base .. ... q.s  <b>Colour</b> : Approved colour used.. ...</p>
170	<b>Salbutamol Sulphate Syrup</b>	<p><b>Each 10 ml. contains :</b>  Salbutamol Sulphate BP  Equivalent to Salbutamol 2 mg  Bromhexine Hydrochloride BP 4 mg  Guaifenesin BP 100 mg  Menthol BP 1 mg  Flavoured Syrupy base q.s.  <b>Colour</b> : Approved colour used.  <b>Dosage</b> : As directed by the physician.</p>
171	<b>Liquid Paraffin Syrup</b>	<p><b>Each 15ml Contains:</b>  Liquid Paraffin..BP...3.75 ml  Milk of Magnesia.. ...11.25 ml  Colour: Approved colour used.. ...  <b>Dosage:</b> As directed by the physician.. ...</p>
172	<b>Hydroxide Polymaltose Syrup</b>	<p><b>Each 5 ml. Contains :</b>  Iron (III) Hydroxide Polymaltose Complex  equivalent to Elemental Iron 50 mg  Folic Acid BP 0.5 mg  Vitamin B12 BP 7.5 mcg  Zinc Sulphate Monohydrate USP 11 mg  Flavoured base q.s.  <b>Colour</b> : Approved colour used  Appropriate overages of vitamins added to Compensate loss on storage.  <b>Dosage</b> : As directed by the physician.</p>
173	<b>Multivitaminan-d Amino Acids Syrup</b>	<p><b>Each 15 ml Contains :</b>  L-Arginine Hydrochloride USP 13.28 mg  L-Histidine Hydrochloride Monohydrate USP 3.71 mg  L-Isoleucine USP 5.9 mg  L-Leucine USP 18.3 mg  L-Lysine Hydrochloride USP 25.0 mg  L-Methionine USP 9.2 mg  L-Phenylalanine USP 5.0 mg  L-Threonine USP 4.2 mg  L-Tryptophan USP 5.0 mg  L-Valine USP 6.7 mg  Vitamin A Concentrate (Oily form) BP 2500 IU  Cholecalciferol BP 200 IU  Tocopheryl Acetate BP 7.5 IU  Thiamine Hydrochloride BP 5 mg  Riboflavin (as Riboflavin Sodium Phosphate) BP 3 mg  Pyridoxine Hydrochloride BP 1.5 mg  Nicotinamide BP 25 mg  Calcium Pantothenate BP 5 mg  Cyanocobalamin BP 2.5 mcg  Folic Acid BP 0.75 mg  Ascorbic Acid BP 40 mg  Flavoured syrupy base q.s.</p>

		<p><b>Colour :</b> Caramel  <b>Dosage :</b> As directed by the Physician  Adequate overages of vitamins added to compensate loss on storage.</p>																																										
174	<b>Syrup of iron &amp; folic Acid with Vitamin B12, Vitamin B1, Vitamin B2</b>	<p><b>Each 5 ml Contains:</b>  Vitamin B12..BP...5 mcg  Vitamin B1 ..BP...2 mg  Vitamin B2..BP...1.5 mg  Ferric Ammonium Citrate USP equivalent to elemental Iron 41 mg  Folic Acid..BP...500 mcg  <b>Colour :</b> Caramel .. ...  Flavoured syrupy Base.. ... qs  <b>Dosage :</b> As directed by physician.. ...  Appropriate Overages of vitamins added to Compensate loss on Storage .. ...</p>																																										
175	<b>Hydroxide Polymaltose Syrup</b>	<p><b>Each 5 ml Contains :</b></p> <table> <tr> <td>Ferric Ammonium Citrate</td> <td>BP</td> <td>75 mg</td> </tr> <tr> <td>Calcium Lactate</td> <td>BP</td> <td>50 mg</td> </tr> <tr> <td>Protein Hydrolysate (20%)</td> <td></td> <td>100 mg</td> </tr> <tr> <td>Cyanocobalamin</td> <td>BP</td> <td>2.50 mcg</td> </tr> <tr> <td>Folic Acid</td> <td>BP</td> <td>0.50 mg</td> </tr> <tr> <td>Thiamine HCl</td> <td>BP</td> <td>2.50 mg</td> </tr> <tr> <td>Riboflavin</td> <td>BP</td> <td>2.5 mg</td> </tr> <tr> <td>Pyridoxine HCl</td> <td>BP</td> <td>1.5 mg</td> </tr> <tr> <td>Niacinamide</td> <td>BP</td> <td>30 mg</td> </tr> <tr> <td>Zinc Sulphate</td> <td>BP</td> <td>35 mg</td> </tr> <tr> <td>Selenium (as Sodium Selenite)</td> <td>BP</td> <td>25 mcg</td> </tr> <tr> <td>Copper Sulphate</td> <td>BP</td> <td>25 mcg</td> </tr> <tr> <td>Manganese Sulphate</td> <td>BP</td> <td>0.25 mg</td> </tr> <tr> <td>Flavoured syrupy base</td> <td></td> <td>q.s.</td> </tr> </table> <p><b>Colour:</b> Approved colour used  <b>Dosage :</b> As directed by the physician.</p>	Ferric Ammonium Citrate	BP	75 mg	Calcium Lactate	BP	50 mg	Protein Hydrolysate (20%)		100 mg	Cyanocobalamin	BP	2.50 mcg	Folic Acid	BP	0.50 mg	Thiamine HCl	BP	2.50 mg	Riboflavin	BP	2.5 mg	Pyridoxine HCl	BP	1.5 mg	Niacinamide	BP	30 mg	Zinc Sulphate	BP	35 mg	Selenium (as Sodium Selenite)	BP	25 mcg	Copper Sulphate	BP	25 mcg	Manganese Sulphate	BP	0.25 mg	Flavoured syrupy base		q.s.
Ferric Ammonium Citrate	BP	75 mg																																										
Calcium Lactate	BP	50 mg																																										
Protein Hydrolysate (20%)		100 mg																																										
Cyanocobalamin	BP	2.50 mcg																																										
Folic Acid	BP	0.50 mg																																										
Thiamine HCl	BP	2.50 mg																																										
Riboflavin	BP	2.5 mg																																										
Pyridoxine HCl	BP	1.5 mg																																										
Niacinamide	BP	30 mg																																										
Zinc Sulphate	BP	35 mg																																										
Selenium (as Sodium Selenite)	BP	25 mcg																																										
Copper Sulphate	BP	25 mcg																																										
Manganese Sulphate	BP	0.25 mg																																										
Flavoured syrupy base		q.s.																																										
176	<b>Tonic Fortified with Iron, Folic Acid, Vitamin B12 &amp; Zinc</b>	<p><b>Each 5 ml. contains :</b>  Ferrous Glycine Sulphate 150 mg  equivalent to Elemental Iron 26.67 mg  Folic Acid BP 0.5 mg  Vitamin B12 BP 2.5 mcg  Zinc Sulphate BP 40 mg  equivalent to Elemental Zinc 9.09 mg  In a Flavoured Syrupy base q.s.</p>																																										
177	<b>Ferrous Sulphate Drops</b>	<p><b>Each 0.6 ml Contains :</b>  Ferrous Sulphate BP 75 mg  equivalent to Elemental Iron 15 mg  Flavoured Syrupy Base qs  <b>Colour :</b> Approved colour used  <b>Dosage :</b> As directed by the physician.</p>																																										
178	<b>Ferric Ammonium Citrate Syrup</b>	<p><b>Each 5 ml (one teaspoonful) Contains :</b>  Ferric Ammonium Citrate ..BP...45 mg  Folic Acid..BP...0.50 mg  Vitamin B1 (as HCL) ..BP...1 mg  Vitamin B6 ..BP...2 mg  Nicotinamide..BP...10 mg  Vitamin B12 ..BP...18 mcg</p>																																										

		<p>Flavoured syrupy base .. ... qs  <b>Colour</b> : Approved colour used .. ...  <b>Dosage</b> : As directed by the Physician.. ...  Appropriate overages of vitamins added to compensate Loss on storages.. ...</p>
179	<b>Ibuprofen &amp; Paracetamol Oral Suspension</b>	<p><b>Each 5 ml Contains:</b>  Ibuprofen..BP...100 mg  Paracetamol..BP...125 mg  Flavoured syrupy Base.. ... q.s  <b>Colour</b> : Approved colour used .. ...  <b>Dosage</b> : As directed by physician.. ...</p>
180	<b>Paracetamol Oral Suspension USP</b>	<p><b>Each ml Contains :</b>  Paracetamol BP 100 mg  Glycerin BP 100 mg  Sorbitol Solution 70% BP 200 mg  Sucrose BP 500 mg  Sodium C.M. C. (Imported) BP 3 mg  Guar (Delca-P 225) BP 0.5 mg  Sodium Methyl Paraben BP 2 mg  Sodium Propyl Paraben BP 0.5 mg  Sodium Benzoate BP 2 mg  Citric Acid (Monohydrate) BP 1.3 mg  Colour Carmoisine Supra 0.025 mg  Strawberry M-3747 Flavour 0.003 ml  Purified Water BP q.s  <b>Dosage</b> : As directed by the physician.</p>
181	<b>Paracetamol Oral Solution</b>	<p><b>Each 5 ml Contains :</b>  <b>Active Ingredient :</b>Paracetamol BP 125 mg  <b>Inactive Ingredient :</b>  Sodium Methyl Paraben BP 9.75 mg  Sodium Citrate BP 24.33 mg  Sodium Saccharin BP 10 mg  Sucrose BP 2000 mg  Sorbitol Solution 70% BP 500 mg  Sodium C.M.C. BP 33.33 mg  Aerosil (Colloidal Silicon Dioxide ) 16 mg  Citric Acid (Monohydrate) BP 6.51 mg  Tween – 80 BP 9.75 mg  Xanthan Gum BP 2.5 mg  Colour Sunset Yellow 0.15 mg  Orange M-3398 Flavour 0.01ml  Purified Water BP q.s  <b>Dosage</b> : As directed by the physician.</p>
182	<b>Paracetamol Oral Suspension</b>	<p><b>Each 5 ml Contains :</b>  <b>Active Ingredient :</b>Paracetamol BP 250 mg  <b>Inactive Ingredient :</b>  Menthol BP 0.33 mg  Sucrose BP 3000 mg  Guar (Delca-P 225) BP 14.17 mg  Arrowcell CRT 2 mg  Methyl Paraben BP 7.08 mg  Propyl Paraben BP 1.25 mg  Aerosil (Colloidal Silicon Dioxide) 5 mg  Citric Acid (Monohydrate) BP 10 mg  Neotame 0.8 mg  Sodium Benzoate BP 10 mg</p>

		Sodium Hydroxide BP 2.08 mg Sodium Saccharin BP 5.85 mg Colour Carmoisine 0.1 mg Pineapple M-452 Flavour 0.01 ml Purified Water BP qs <b>Dosage :</b> As directed by the physician.
183	<b>Nystatin Oral Suspension</b>	<b>Each ml Contains :</b> Nystatin BP 100000 IU Propylene Glycol BP 12.00 mg Sucrose BP 600 mg Glycerin BP 100 mg Bronopol BP 0.1 mg Sodium Methyl Paraben BP 1.2 mg Sodium Propyl Paraben BP 0.303 mg Sodium Metabisulphite BP 0.5 mg Sodium CMC (Transparent) BP 4.00 mg Sodium Hydroxide BP 0.166 mg Banana SY 42284 Flavour 0.0002 ml Creamy Vanilla M-6914 Flavour 0.002 ml Purified Water BP QS <b>Dosage :</b> As directed by the physician.
184	<b>Nystatin Oral Suspension</b>	<b>Each ml. contains :</b> Nystatin BP 100000 IU Flavoured syrupy base q.s. <b>Colour :</b> Approved colour used <b>Dosage :</b> As directed by the physician
185	<b>Antiflatulent Demulcent Suspension</b>	<b>Each 10 ml. contains :</b> Dried Aluminium Hydroxide Gel BP 830 mg Magnesium Hydroxide BP 180 mg Activated Dimethicone BP 50 mg Sodium Carboxymethylcellulose BP qs Flavoured sugar free base <b>Colour :</b> Approved colour used <b>Dosage :</b> As directed by the physician.
186	<b>Dried Aluminium Hydroxide Suspension</b>	<b>Each 5 ml Contains :</b> Dried Aluminium Hydroxide BP 225 mg Magnesium Hydroxide BP 200 mg Dimethicone BP 25 mg Flavoured base q.s.
187	<b>Dried Aluminium Hydroxide Gel</b>	<b>Each 5 ml. Contains :</b> Dried Aluminium Hydroxide Gel USP 250 mg (Added as Aluminium Hydroxide Gel Paste).. ... Magnesium Hydroxide USP 250 mg (Added as Magnesium Hydroxide Paste).. ... Simethicone ..USP...50 mg <b>Colour :</b> Approved colour used.. ... <b>Dosage :</b> As directed by the physician. ...
188	<b>Dried Aluminium Hydroxide Gel</b>	<b>Each 5 ml. contains :</b> Dried Aluminium Hydroxide Gel USP 250 mg (Added as Aluminium Hydroxide Gel Paste) Magnesium Hydroxide USP 250 mg (Added as Magnesium Hydroxide Paste) Simethicone USP 50 mg
189	<b>Pyrantel Pamoate oral Suspension USP</b>	Each 5 ml Contains: Pyrantel Pamoate USP equivalent to Pyrantel Base 250 mg.. ... Flavoured syrupy Base.. ... q.s

		Dosage: As directed by the physician.. ...
190	<b>Dried Aluminium Hydroxide Syrup</b>	<b>Each 5 ml Contains :</b> Dried Aluminium Hydroxide BP 250 mg (Added as Aluminium Hydroxide Gel Paste) Magnesium Trisilicate BP 240 mg Kaolin 150 mg Flavoured Syrupy Base q.s <b>Dosage :</b> As directed by the physician.
191	<b>Calcium Glycerophosphate Syrup</b>	<b>Each 15 ml. contains :</b> Calcium Glycerophosphate BP 110 mg Sodium Glycerophosphate BPC 63 80 mg Potassium Glycerophosphate BPC 63 20 mg Manganese Glycerophosphate BPC 63 10 mg Vitamin B1 BP 2.0 mg Vitamin B2 BP 1.0 mg Vitamin B6 BP 0.5 mg Vitamin B12 BP 15.0 mcg Niacinamide BP 15.0 mg Calcium Pantothenate BP 1.0 mg Flavoured syrupy base q.s <b>Colour :</b> Approved colour used <b>Dosage :</b> As directed by the Physician. Appropriate overages of vitamins added to compensate Loss on storages.
192	<b>Ferric Ammonium Citrate Syrup Iron, Folic Acid, Vitamin &amp; Zink Syrup</b>	<b>Each 5 ml Contains:</b> Ferric Ammonium Citrate..USP...75 mg Folic Acid..BP...0.5 mg Vitamin B12 ..BP...7.5 mcg Vitamin B6 ..BP...1.5 mg Niacinamide..BP...50 mg Zinc Sulfate..USP...20 mg In a flavoured syrupy Base.. ... qs <b>Colour:</b> Approved colour used.. ... <b>Dosage:</b> As directed by the physician.. ...
193	<b>Ferrous Sulfate Oral Solution USP</b>	<b>Each ml contains</b> Ferrous Sulfate USP 125 mg equivalent to Not less than 25 mg of elemental iron.. ... <b>Colour:</b> Approved colour used.. ... <b>Dosage:</b> As directed by the physician.. ...
194	<b>Nystatin Suspension</b>	<b>Each ml. contains :</b> Nystatin USP 100000 IU Flavoured syrupy base q.s. <b>Colour :</b> Approved colour used <b>Dosage :</b> As directed by the physician
195	<b>Sodium Bicarbonate Syrup</b>	<b>Each 5 ml (1 teaspoonful)contains:</b> Sodium Bicarbonate..BP...0.050 gm Dill Oil..BP...0.005 ml Sugar..BP...1.10 gm Aqua q.s... ...5.0 ml <b>Dosage :</b> As directed by the Physician.. ...
196	<b>Griseofulvin Oral Suspension</b>	<b>Each 5 ml Contains:</b> Griseofulvin (Micronised)..USP...125 mg Flavoured syrupy Base.. ... qs <b>Colour:</b> Approved colour used.. ... <b>Dosage:</b> As directed by the physician.. ...

197	<b>Griseofulvin Oral Suspension USP</b>	<p><b>Each 5 ml Contains:</b>  Griseofulvin (Micronised)..USP...125 mg  Flavoured syrupy Base.. ... qs  Colour : Approved colour used .. ...  <b>Dosage</b> : As directed by physician.. ...</p>
198	<b>Griseofulvin Suspension</b>	<p><b>Each 5 ml Contains:</b>  Griseofulvin (Micronised) ..USP...125 mg  Flavoured Syrupy base.. ... q.s  Colour : Approved colour used.. ...  <b>Dosage</b> : As directed by the Physician.. ...</p>
199	<b>Ferric ammonium Citrate Syrup of Vitamin B12, Iron and Folic Acid</b>	<p><b>Each 5 ml. contains :</b>  Ferric ammonium Citrate..BP...200 mg  Folic Acid..BP...1.5 mg  Cyanocobalamin..BP...50 mcg  Flavoured Syrupy Base .. ... q.s  <b>Colour:</b> Approved Colour used.. ...  Appropriate Overages of vitamins added to Compensate loss on storage... ...</p>
200	<b>Hydroxide Polymaltose Syrup of Vitamin B12, Iron, Folic Acid with Zinc</b>	<p><b>Each 5 ml Contains:</b>  Iron (III) Hydroxide Polymaltose Complex equivalent to Elemental Iron ...50 mg  Folic Acid.. ...0.5 mg  Vitamin B12..BP...7.5 mcg  Zinc Sulphate Monohydrate..USP...11 mg  Flavoured base.. ... q.s  Appropriate Overages of vitamins added to Compensate loss on Storage .. ...  <b>Dosage</b> : As directed by physician.. ...</p>
201	<b>Calcium Carbonate Syrup</b>	<p><b>Each 5 ml. contains :</b>  Calcium Carbonate BP 625 mg  eq. to Elemental Calcium 250 mg  Vitamin D3 BP 125 IU  Magnesium Hydroxide BP  eq. to Elemental Magnesium 50 mg  Zinc Gluconate USP  eq. to Elemental Zinc 2 mg  Flavoured syrupy base q.s.  <b>Colour</b> : Carmoisine &amp; Erythrosine  Appropriate overages of vitamins added to Compensate loss on storage.  <b>Dosage</b> : As directed by the physician.</p>
202	<b>Paracetamol Syrup</b>	<p><b>Each 5 ml. contains :</b>  Paracetamol BP 125 mg  Phenylephrine HCl BP 2.50 mg  Chlorpheniramine Meleate BP 1 mg  Flavoured Syrupy base q.s.  <b>Colour</b> : Approved colour used  <b>Dosage</b> : As directed by the physician.</p>
203	<b>Ibuprofen Oral Suspension</b>	<p><b>Each 5 ml Contains :</b>  <b>Active Ingredient :</b> Ibuprofen BP 100 mg  <b>Inactive Ingredient :</b>  Sorbitol Solution 70% BP 1333.3 mg  Glycerin BP 500 mg  Sugar BP 1000 mg  Aerosil BP 10 mg</p>



		<p>Sodium Benzoate BP 5 mg  Guar BP 12.5 mg  Xanthan Gum BP 3 mg  Sodium Methyl Paraben BP 5.33 mg  Sodium Propyl Paraben BP 0.67 mg  Tween 80 BP 10 mg  Sodium Citrate BP 13.33 mg  Sodium Saccharin BP 3.5 mg  Citric Acid BP 12.65 mg  Colour Sunset Yellow 0.1 mg  Raspberry RM-335 Flavour 0.0267 ml  Purified Water BP qs  <b>Dosage</b> : As directed by the physician.</p>
204	<b>Ibuprofen Oral Suspension</b>	<p>Each 5 ml Contains:  Ibuprofen..BP...100 mg  Colour: Approved colour used.. ...  Dosage: As directed by the physician.. ...</p>
205	<b>Iron and Folic Acid Syrup</b>	<p><b>Each 5 ml. contains :</b>  Iron (as Iron III Hydroxide Polymaltose Complex) 36 mg  Folic Acid BP 0.5 mg  Vitamin B12 BP 5 mcg  Flavoured Syrupy base q.s.  Appropriate overages of vitamins added to Compensate loss on storage.  <b>Dosage</b> : As directed by the physician.  <b>Shelf Life</b> : 2 Years</p>
206	<b>Amino Acids and Vitamins Syrup</b>	<p>Each 15ml Contains:  L-Isoleucine..USP...5.9 mg  L-Leucine..USP...18.3 mg  L-Lysine Hydrochloride..USP...25.0 mg  L-Methionine..USP...9.2 mg  L-Phenylalanine..USP...5.0 mg  L-Threonine..USP...4.2 mg  L-Tryptophan..USP...5.0 mg  L-Valine..USP...6.7 mg  Vitamin D3 ( As Colecalciferol..BP...200.0 IU  Vitamin B1(Thiamine Hydrochloride)..BP...5.0 mg  Vitamin B2 (As Riboflavin Sodium Phosphate)..BP...3.0 mg  Vitamin B6 (Pyridoxine Hydrochloride)..BP...1.5 mg  Nicotinamide..BP...25.0 mg  Calcium Pantothenate..BP...5.0 mg  Vitamin B12 (Cyanocobalamin)..BP...2.5 mcg  Folic Acid..BP...0.75 mg  Vitamin C (As Ascorbic Acid)..BP...40.0 mg  Vitamin A (as Synthetic Retinol Conc.(Oily form)..BP...2500 IU  Vitamin E (As Alpha Tocopheryl Acetate) ..BP...7.5 IU  Flavoured syrupy Base.. ... qs  Colour: Caramel.. ...  Dosage: As directed by the physician.. ...</p>
207	<b>Ferric Ammonium Citrate Syrup</b>	<p>Each 15 ml (one tablespoonful) Contains:  Ferric Ammonium Citrate BP ( Equivalent to elemental Iron 32mg)..</p>

		<p>...160 mg  Folic Acid..BP...0.5 mg  Cyanocobalamin..BP...7.5 mcg  Flavoured syrupy Base.. ... qs  Colour: Caramel &amp; Erythrosine.. ...  Dosage: As directed by the physician.. ...</p>
208	<b>Levocetirizine Dihydrochloride Syrup</b>	<p>Levocetirizine Dihydrochloride equivalent to Levocetirizine IHS 5 mg  Sodium Methyl Paraben BP 10 mg  Sodium Propyl Paraben BP 3.5 mg  Sodium Citrate BP 5 mg  Sodium Benzoate BP 10 mg  Sorbitol Solution 70% BP 1000 mg  Glycerin BP 500 mg  Citric Acid (Monohydrate) BP 5 mg  Colour Ponceau 4R IHS 0.2 mg  Mix Fruit M-3432 Flavour IHS 0.01 ml  Purified Water BP q.s.  <b>Dosage:</b> As directed by the physician.</p>
209	<b>Amino Acids and Vitamin Syrup</b>	<p>Each 15 ml Contains:  L-Isoleucine..USP...5.9 mg  L-Leucine..USP...18.3 mg  L-lysine Hydrochloride..USP...25.0 mg  L-Methionine..USP...9.2 mg  L-Phenylalanine..USP...5.0 mg  L-Threonine ..USP...4.2 mg  L-Tryptophan..USP...5.0 mg  L-Valine..USP...6.7 mg  Vitamin A (as Synthetic Retinol Conc.(Oily from ))..BP...2500 IU  Vitamin D3 (as Colecalciferol )..BP...200 IU  Vitamin E (as Alpha Tocopheryl Acetate)..BP...7.5 IU  Vitamin B1 (as Thiamine Hydrochloride )..BP...5 mg  Vitamin B2 (as Riboflavin Sodium Phosphate )..BP...3 mg  Vitamin B6 (Pyridoxine Hydrochloride )..BP...1.5 mg  Vitamin B12 (as Cyanocobalamin)..BP...2.5 mcg  Nicotinamide..BP...25 mg  Calcium Pantothenate..BP...5 mg  Folic Acid..BP...0.75 mg  Vitamin C (as Ascorbic Acid)..BP...40 mg  Flavoured syrupy Base.. ... q.s  Colour : Approved Colour used.. ...  Dosage: As directed by the physician.. ...</p>
210	<b>Amino Acids with Multivitamins &amp; Taurine</b>	<p><b>Each 15 ml Contains :</b>  L-Arginine Hydrochloride USP 13.28 mg  L-Histidine Hydrochloride Monohydrate USP 3.71 mg  L-Isoleucine USP 5.9 mg  L-Leucine USP 18.3 mg  L-Lysine Hydrochloride USP 25.0 mg  L-Methionine USP 9.2 mg  L-Phenylalanine USP 5.0 mg  L-Threonine USP 4.2 mg  L-Tryptophan USP 5.0 mg  L-Valine USP 6.7 mg</p>

		<p>Vitamin A Concentrate (Oily form) BP 2500 IU  Cholecalciferol BP 200 IU  Alpha Tocopheryl Acetate BP 7.5 IU  Pyridoxine Hydrochloride BP 1.5 mg  Thiamine Hydrochloride BP 5 mg  Riboflavin (as Riboflavin Sodium Phosphate) BP 3 mg  Folic Acid BP 0.75 mg  Ascorbic Acid BP 40 mg  Cyanocobalamin BP 2.5 mcg  Calcium Pantothenate BP 5 mg  Nicotinamide BP 25 mg  Zinc (as Zinc Sulphate Monohydrate) BP 11.37 mg  Taurine USP 500 mg  Flavoured syrupy base q.s.</p> <p><b>Colour :</b> Caramel  <b>Dosage :</b> As directed by the Physician  Overages of Vitamins added to compensate loss on storage</p>
211	<b>Iron with Proteins and Vitamins</b>	<p><b>Each 5 ml. Contains :</b>  Ferric Ammonium Citrate BP 150 mg (equivalent to elemental Iron 30.75 mg).. ...  Protein Hydrolysate Liquid .. ...0.333 gm  L-Lysine Monohydrochloride ..USP...25 mg  Niacinamide ..BP...15 mg  D-Panthenol ..BP...2.5 mg  Vitamin B6 ..BP...1 mg  Folic Acid..BP...0.5 mg  Vitamin B12 ..BP...7.5 mcg  Zinc Sulphate (equivalent to elemental Zinc 10 mg)..BP...44 mg  In Flavoured syrup as base .. ... q.s  <b>Colour :</b> Caramel.. ...  <b>Dosage :</b> As directed by the Physician... ...  Appropriate overages of vitamins added to Compensate for the loss storage... ...</p>
212	<b>Paracetamol SUSPENSION</b>	<p><b>Each 5 ml. contains :</b>  Paracetamol ..BP...125 mg  Chlorpheniramine Maleate ..BP...1 mg  Phenylephrine Hydrochloride ..BP...2.5 mg  In a flavoured syrupy base .. ... q.s  Approved Colours used .. ...</p>
213	<b>Cyproheptadine with Multivitamin Syrup</b>	<p><b>Each 5 ml. contains :</b>  Cyproheptadine Hydrochloride (Anhydrous) BP 2.0 mg  Thiamine Hydrochloride (Vitamin B1) BP 2.0 mg  Riboflavin (Vitamin B2) BP 2.0 mg (As Riboflavin 5 Phosphate Sodium)  Pyridoxine Hydrochloride (Vitamin B6) BP 0.75 mg  D-Panthenol (Dexpanthenol) BP 2.5 mg  Nicotinamide BP 22.5 mg  Flavoured Syrup base  <b>Colour :</b> Approved colour used  Adequate overages of vitamins added to compensate loss on storage.  <b>Dosage :</b> As directed by the physician.</p>
214	<b>Tonic for Blood Forming, Tonic of Iron, Folic Acid &amp;</b>	<p><b>Each 15 ml (One tablespoonful) Contains:</b>  Ferric Ammonium Citrate..BP...160.0 mg</p>

	<b>Vitamin B12</b>	<p>Vitamin B12..BP...5.5 mcg  Folic Acid..BP...1.125 mg  Sorbitol Solution (70 %)..BP...1.250 gm  Liquid Glucose..USP...0.850 gm  Flavoured syrupy base.. ... qs  Colour : Approved colours used.. ...  adequate overages of vitamins added to compensate loss on storage...  ...  Dosage : As directed by physician.. ...</p>
215	<b>Sulfamethoxazole and Trimethoprim Oral Suspension</b>	<p><b>Each 5 ml Contains :</b>  <b>Active Ingredient :</b>  Trimethoprim USP 40 mg  Sulfamethoxazole USP 200 mg  <b>Inactive Ingredient :</b>  Sodium Benzoate USP 10 mg  Sorbic Acid USP 5.0 mg  Sodium Citrate USP 12 mg  Citric Acid (Monohydrate) USP 5.0 mg  Disodium EDTA USP 2.0 mg  Guar Gum (Delca-P 225) USPNF 10 mg  Xanthan Gum (Plain) USP 3.33 mg  Sorbitol Solution 70% USP 200 mg  Polysorbate 80 USP 15 mg  Sucrose USP 2000 mg  Sodium Saccharin USP 3.0 mg  Sodium Hydroxide USP 4.5 mg  Methyl Paraben USP 7.5 mg  Propyl Paraben USP 1.0 mg  Colour Erythrosine Supra 0.12 mg  Flavour Creamy Vanilla M-6914 0.01 ml  Rose White M-8921 Flavour 0.005 ml  Purified Water USP q.s.  <b>Dosage :</b> As directed by the physician.</p>
216	<b>Vitamin A Syrup</b>	<p><b>Each 5 ml Contains :</b>  Vitamin A (as palmitate) BP 800 IU  Cholecalciferol BP 100 mg  Thiamine Hydrochloride BP 0.75 mg  Riboflavin BP 0.75 mg  Pyridoxine Hydrochloride BP 0.5 mg  Cyanocobalamin BP 0.5 mcg  Niacinamide BP 7.5 mg  D-Panthenol USP 0.5 mg  L-Lysine Mono Hydrochloride USP 5 mg  Potassium Iodid BP 50 mcg  Copper Sulphate BP 100 mcg  Zinc Sulphate BP 22.2 mg  Vitamin E (as Tocopheryl Acetate) BP 2.5 IU  Ferrous Gluconate BP 100 mg  Flavoured Syrupy Base q.s  <b>Colour :</b> Approved colour used  <b>Dosage :</b> As directed by the Physician.  Overages of vitamins added to Compensate loss on storage.</p>
217	<b>Menthol Syrup</b>	<p><b>Each 5 ml Contains :</b>  Menthol BP 10 mg  Aniseed Oil BP 11 mg  Peppermint Oil BP 8 mg  Flavoured Syrupy base q.s</p>

		<b>Colour</b> : Approved colour used <b>Dosage</b> : As directed by the Physician.
218	<b>Paracetamol Oral Suspension</b>	<b>Each 5 ml contains</b> Paracetamol..BP...125 mg
219	<b>Paracetamol Oral Suspension</b>	<b>Each 5 ml contains</b> Paracetamol..BP...250 mg
220	<b>Paracetamol Oral Suspension</b>	<b>Each ml contains:</b> Paracetamol..BP...100 mg
221	<b>Amino Acids and Vitamins Syrup</b>	<b>Each 15 ml Contains :</b> L-Isoleucine..USP...5.9 mg L-Leucine ..USP...18.3 mg L-Lysine Hydrochloride ..USP...25.0 mg L-Methionine ..USP...9.2 mg L-Phenylalanine ..USP...5.0 mg L-Threonine ..USP...4.2 mg L-Tryptophan ..USP...5.0 mg L-Valine ..USP...6.7 mg Vitamin B1 (as Thiamine Hydrochloride)..BP...5.0 mg Vitamin B2 (as Riboflavin Sodium Phosphate) ..BP...3.0 mg Vitamin B6 (Pyridoxine Hydrochloride) ..BP...1.5 mg Nicotinamide..BP...25.0 mg Calcium Pantothenate ..BP...5.0 mg Vitamin B12 (as Cyanocobalamin) ..BP...2.5 mcg Folic Acid..BP...0.75 mg Vitamin C (as Ascorbic Acid) ..BP...40.0 mg Vitamin D3 (as Colecalciferol)..BP...200.0 IU Vitamin A (as Synthetic Retinol Conc. (Oily form) ..BP...2500 IU Vitamin E (as Alpha Tocopheryl Acetate)..BP...7.5 IU Flavoured syrupy base.. ... q.s <b>Colour</b> : Caramel.. ... <b>Dosage</b> : As directed by the Physician... .. Overages of Vitamins added to compensate loss on storage... ..
222	<b>Ascorbic Acid Oral Solution</b>	<b>Each 5 ml Contains :</b> Ascorbic Acid (Vitamin C)   USPNF 100 mg Glycerin   USP   1000 mg Sorbitol Solution 70%   USP   1500 mg Sodium Methyl Paraben   USP   8 mg Sodium Propyl Paraben   USP   2.5 mg Sodium Benzoate   USP   8 mg Enisweet (Stevia)   USP   10 mg Bronopol   USP   0.5 mg Citric Acid (Monohydrate)   USP   18.33 mg Sodium Bicarbonate   USP   10 mg Colour Sunset Yellow   0.1 mg Orange M-3398 Flavour   0.005 ml Grovit M 06113 Flavour   0.005 ml Purified Water   USP   q.s. <b>Dosage</b> : As directed by the physician
223	<b>Zinc Acetate Oral Solution</b>	<b>Each 5 ml Contains :</b> Zinc Acetate Dihydrate   USP 67.14 mg equivalent to Elemental Zinc   20 mg

		Menthol USP 1 mg Propylene Glycol USP 850 mg Di-Sodium EDTA USP 0.5 mg Methyl Paraben USP 10 mg Propyl Paraben USP 1 mg Sucrose USP 2500 mg Glycerin USP 325 mg Acesulfame Potassium USP 50 mg Glycine USP 200 mg Citric Acid USP 10 mg Sodium Citrate USP 55 mg Sodium Hydroxide Pellets USP 17.5 mg Colour Sunset Yellow 0.2 mcg Flavour Cool mint SKFF 0.01 ml Flavour Anise SKFF 0.01 ml Purified Water USP q.s. <b>Dosage</b> : As directed by the physician.
224	<b>Simethicone Emulsion Syrup</b>	<b>Each ml Contains:</b> Simethicone Emulsion USP Equivalent to Simethicone ... 40 mg Dill Oil ..BP...0.005 ml Fennel Oil..USP...0.0007 ml Flavoured syrup base.. ... q.s <b>Colour</b> :Approved Colour used... <b>Dosage</b> : As directed by the physician...
225	<b>Alumina, Magnesia And Simethicone Oral Suspension</b>	<b>Each 5 ml Contains :</b> Dried Aluminum Hydroxide Gel USP 250 mg (Added as Aluminum Hydroxide Gel Paste) Magnesium Hydroxide USP 250 mg (Added as Magnesium Hydroxide Paste) Simethicone USP 50 mg <b>Dosage</b> : As directed by the physician.
226	<b>Hydroxide Polymaltose Complex SYRUP</b>	<b>Each 5 ml Contains:</b> Iron (III) Hydroxide Polymaltose Complex equivalent to elemental Iron ...50 mg Folic Acid..BP...500 mcg Vitamin B12..BP...7.5 mcg Zinc Sulphate Monohydrate..USP...11 mg Flavoured Syrupy base.. ... q.s <b>Colour</b> : Approved colour used... <b>Dosage</b> : As directed by the Physician...
227	<b>Ofloxacin &amp; Ornidazole Suspension</b>	<b>Each 5 ml. Contains :</b> Ofloxacin USP 50 mg Ornidazole 125 mg Flavoured Syrupy bases q.s. <b>Colour</b> : Approved Colour Used.
228	<b>Chlorphenamine Maleate Drops</b>	<b>Each dropperful (1 ml) for oral administration contains :</b> Chlorphenamine Maleate BP 1 mg Phenylephrine Hydrochloride BP 3.5 mg Flavoured Syrupy Base q.s <b>Colour</b> : Approved Colour Used.
229	<b>Dextromethorphan</b>	<b>Each 5 ml Contains :</b>

	<b>Hydrobromide Syrup</b>	Dextromethorphan Hydrobromide BP 10 mg Phenylephrine Hydrochloride BP 5 mg Chlorpheniramine Maleate BP 2 mg Flavoured Syrupy Base q.s. <b>Colour</b> : Approved Colour Used.
230	<b>Ambroxol Hydrochloride Syrup</b>	Each 5 ml Contains : Ambroxol Hydrochloride ..BP...30 mg Salbutamol Sulphate BP equivalent to Salbutamol .. ...2 mg Guaiphenesin ..BP...50 mg Flavoured syrup base .. ... q.s <b>Colour</b> : Approved Colour used.. ... <b>Dosage</b> : As directed by physician.. ...
231	<b>Amino Acid and vitamins Syrup</b>	<b>Each 15 ml Contains:</b> L-Isoleucine..USP...5.9 mg L-Leucine..USP...18.3 mg L-Lysine Hydrochloride..USP...25.0 mg L-Methionine..USP...9.2 mg L-Phenylalanine..USP...5.0 mg L-Threonine..USP...4.2 mg L-Tryptophan..USP...5.0 mg L-Valine..USP...6.7 mg Thiamine Hydrochloride..BP...5 mg Riboflavin (as Riboflavin Sodium Phosphate)..BP...3 mg Pyridoxine Hydrochloride..BP...1.5 mg Nicotinamide..BP...25 mg Calcium Pantothenate..BP...5 mg Cyanocobalamin..BP...2.5 mcg Folic Acid..BP...0.75 mg Ascorbic Acid..BP...40 mg Synthetic Retinol Concentrate (Oily Form)..BP...2500 IU Cholecalciferol..BP...200 IU Alpha Tocopheryl Acetate..BP...7.5 IU Flavoured syrupy base.. ... q.s
232	<b>Amino Acid Syrup</b>	<b>Each ml Contains :</b> L-Leucine USP 3.66 mg L-Isoleucine USP 1.18 mg L-Lysine Hydrochloride USP 5.0 mg L-Phenylalanine USP 1.0 mg L-Threonine USP 0.85 mg L-Methionine USP 1.84 mg L-Tryptophan USP 1.0 mg L-Valine USP 1.34 mg Vitamin C BP 100 mg In a flavoured Syrupy Base q.s <b>Colour</b> : Approved colour Used
233	<b>Multi Vitamin Syrup</b>	<b>Each ml contains:</b> Vitamin A (as Palmitate)..BP...2500 IU Vitamin D3 (Cholecalciferol)..BP...200 IU Vitamin E (as Tocopheryl Acetate)..BP...2.5 IU Vitamin B1 (as Thiamine HCl)..BP...1 mg Vitamin B2 (as Riboflavin Sodium Phosphate)..BP...0.5 mg

		<p>Dexpanthenol..BP...10 mg  Nicotinamide..BP...10 mg  Zinc Sulphate..BP...13.3 mg  L-Lysine Mono Hydrochloride..USP...10 mg  Ascorbic Acid..BP...40 mg  Flavoured syrupy base.. ... q.s  <b>Colour</b> : Approved colour used.. ...  <b>Dosage</b> : As directed by the Physician.. ...</p>
234	<b>Syrup of Iron &amp; Folic Acid with Vitamin B12, Vitamin B1, Vitamin B2</b>	<p><b>Each 5 ml Contains:</b>  Ferric Ammonium Citrate USP equivalent to elemental Iron .. ...41 mg  Folic Acid..BP...500 mcg  Vitamin B12 ..BP...5 mcg  Vitamin B1 ..BP...2 mg  Vitamin B2 ..BP...1.5 mg  Flavoured syrupy base .. ... q.s  <b>Colour</b> : Caramel.. ...  <b>Dosage</b> : As directed by the Physician.. ...  Appropriate Overages of Vitamins added to compensate for loss on storage... ...</p>
235	<b>Azithromycine oral suspension USP</b>	<p><b>Each 5 ml Contains:</b>  Azithromycin Dihydrate USP Equivalent to anhydrous Azithromycin.. ...200 mg  Flavoured syrupy base .. ... q.s  <b>Colour</b> :Approved Colour used. ... ..</p>
236	<b>Multi Vitamin Syrup</b>	<p><b>Each 10 ml Contains:</b>  Proteolysed Liver Extract (300 mg on dry base ) derived from 1.8 g of fresh liver having Vitamin B12 activity equivalent to 1.2 mcg of Cyanocobalamin... ..  Ferrous Gluconate (Elemental Iron 23.17 mg)..BP...200 mg  Vitamin C..BP...38 mg  Vitamin B12..BP...4 mcg  Vitamin B1 HCL..BP...3 mg  Vitamin B2..BP...2.5 mg  Dexpanthenol..BP...2.5 mg  Vitamin B6 HCL..BP...1 mg  Niacinamide..BP...23 mg  Calcium Lactate (Elemental Calcium 19.5 mg)..BP...150 mg  Copper Sulphate (Elemental Copper 7.63 mg)..BP...30 mcg  Zinc Sulphate (Elemental Zinc 10 mg)..BP...44 mg  Manganese Sulphate (Elemental Manganese 7.39 mg)..BP...30 mcg  Flavoured syrup as base.. ... q.s  <b>Colour</b> : Approved colour used.. ...  <b>Dosage</b> : As directed by the physician... ..</p>
237	<b>Ibuprofen Suspension</b>	<p><b>Each 5 ml Contains:</b>  Ibuprofen..BP...100 mg  Paracetamol..BP...125 mg  Flavoured syrupy Base.. ... qs  <b>Colour:</b> Approved colour used.. ...  <b>Dosage:</b> As directed by the physician.. ...</p>
238	<b>Albendazole Oral Suspension</b>	<p><b>Each 5 ml Contains:</b>  Albendazole..USP...200 mg</p>



		<p>Flavoured syrupy Base.. ... qs  <b>Colour:</b> Approved colour used.. ...  <b>Dosage:</b> As directed by the physician.. ...</p>
239	<b>Paracetamol SYRUP</b>	<p><b>Each 5 ml Contains :</b>  Paracetamol BP 250 mg  Chlorphenamine Maleate BP2 mg  Phenylephrine Hydrochloride BP 5 mg  Sodium Citrate BP 60 mg  Ammonium Chloride BP 120 mg  Menthol BP 1 mg  <b>Colour :</b>Approved Colour Used.</p>
240	<b>Amino Acid Liquid Syrup</b>	<p><b>Each 15 ml Contains:</b>  L-Isoleucine..USP...5.9 mg  L-Leucine..USP...18.3 mg  L-Lysine Hydrochloride..USP...25.0 mg  L-Methionine..USP...9.2 mg  L-Phenylalanine..USP...5.0 mg  L-Threonine..USP...4.2 mg  L-Tryptophan..USP...5.00 mg  L-Valine..USP...6.7 mg  Vitamin A Concentrate (Oily Form)..BP...2500 IU  Cholecalciferol..BP...200 IU  Tocopheryl Acetate..BP...7.5 IU  Thiamine Hydrochloride ..BP...5 mg  Riboflavin (As Riboflavin Sodium Phosphate)..BP...3 mg  Pyridoxine hydrochloride..BP...1.5 mg  Cyanocobalamin..BP...2.5 mcg  Nicotinamide..BP...25 mg  Calcium Pantothenate..BP...5 mg  Folic Acid..BP...0.75 mg  Ascorbic Acid..BP...40 mg  Flavoured syrupy Base.. ... q.s  <b>Colour:</b> Approved colour used.. ...  <b>Dosage:</b> As directed by the physician.. ...</p>
241	<b>Carbocisteine Syrup</b>	<p><b>Each 5 ml contains :</b>  Carbocisteine BP 250 mg  Flavoured Syrupy base q.s.  <b>Colour :</b> Approved colour used</p>
242	<b>Vitamin B-Complex Syrup</b>	<p><b>Each 5 ml. Contains :</b>  Thiamine Hydrochloride BP (Vitamin B1) 0.5 mg  Riboflavin BP (Vitamin B2) 0.5 mg  Pyridoxine BP (Vitamin B6) 0.5 mg  Niacinamide BP 7.5 mg  D-Panthenol BP 1 mg  Flavoured Syrupy base q.s  <b>Colour :</b> Approved colour used  Appropriate overages of vitamins added to Compensate loss on storage.  <b>Dosage :</b> As directed by the physician.</p>
243	<b>Carbocisteine Syrup</b>	<p><b>Each 5 ml contains :</b>  Carbocisteine BP 125 mg  Flavoured Syrupy base q.s.  <b>Colour :</b> Approved colour used</p>

244	<b>Dextromethorphan Hydrobromide Syrup</b>	<p><b>Each 5 ml Contains :</b>  Dextromethorphan Hydrobromide BP 5 mg  Ammonium Chloride BP 50 mg  Chlorphenamine Maleate BP 2 mg  Bromhexine Hydrochloride BP 4 mg  Flavoured Syrupy Base qs  Approved colour used <b>Colour :</b> Approved colour used  <b>Dosage :</b> As directed by the Physician.</p>
245	<b>Diphenhydramine Oral Solution</b>	<p><b>Each 5 ml contains :</b>  Diphenhydramine Hydrochloride BP 15 mg  Flavoured Syrupy base q.s.  Colour : Approved colour used</p>
246	<b>Diphenhydramine Oral Solution</b>	<p><b>Each 5 ml contains :</b>  Diphenhydramine Hydrochloride BP 7.5 mg  Flavoured Syrupy base q.s.  <b>Colour :</b> Approved colour used</p>
247	<b>Terbutaline Sulphate Syrup</b>	<p><b>Each 10 ml Contains :</b>  Terbutaline Sulphate BP 2.5 mg  Guaiphenesin BP 100 mg  Bromhexine Hydrochloride BP 8 mg  Menthol BP 5 mg  Flavoured Syrupy base q.s  <b>Colour :</b> Approved colour used  <b>Dosage :</b> As directed by the Physician.</p>
248	<b>Dilute Acetic Acid Syrup</b>	<p><b>Each 5 ml Contains :</b>  Dilute Acetic Acid BP 0.42 ml  Flavoured syrup base q.s.  <b>Colour :</b> Approved colour used  <b>Dosage :</b> As directed by the physician.</p>
249	<b>Multi Vitamin Syrup</b>	<p><b>Each 15 ml Contains :</b>  Vitamin A (as palmitate) BP 2500 IU  Vitamin D3 BP 200 IU  Vitamin B1 BP 2.5 mg  Vitamin B2 BP 2.5 mg  Vitamin B6 BP 1.34 mg  Vitamin B12 BP 2.5 mcg  Vitamin C BP 50 mg  Nicotinamide BP 23 mg  Flavoured Syrupy Base q.s  <b>Colour :</b> Approved colour used  <b>Dosage :</b> As directed by the Physician.  Appropriate Overages of vitamins added to Compensate loss on storage.</p>
250	<b>Loratadine Syrup 5 mg / 5 ml</b>	<p><b>Each 5 ml Contains :</b>  Loratadine USP 5 mg  Flavoured Syrupy base q.s  <b>Dosage :</b> As directed by the physician.</p>
251	<b>Salbutamol Sulphate Syrup</b>	<p><b>Each 10 ml Contains :</b>  Salbutamol Sulphate BP  equivalent to Salbutamol 2 mg  Bromhexine Hydrochloride BP 4 mg  Guaiphenesin USP 100 mg  Menthol BP 1 mg  Flavoured Syrupy Base qs</p>

		<p><b>Colour :</b> Sunset Yellow</p> <p><b>Dosage :</b> As directed by the Physician.</p>
252	<b>Chlorphenamine Oral Solution BP</b>	<p><b>Each 5 ml Contains:</b> Chlorphenamine Maleate..BP...2 mg</p>
253	<b>Sodium Bicarbonate Syrup</b>	<p><b>Each 5 ml Contains:</b> Sodium Bicarbonate..BP...0.050 gm Dill Oil..BP...0.005 ml Sucrose..BP...1.10 gm Aqua q.s. to 5.0 ml..0... 0 <b>Dosage :</b> As directed by physician.. ...</p>
254	<b>Alumina, magnesia &amp; Simethicone Oral Suspension USP</b>	<p><b>Each 5 ml contains:</b> Dried Aluminum Hydroxide Gel ( Added as Aluminum Hydroxide Gel paste)..USP...250 mg Magnesium Hydroxide ( Added as Magnesium Hydroxide paste)..USP...250 mg Simethicone..USP...50 mg In a flavoured base.. ... q.s <b>Colour:</b> Approved colour used... ...</p>
255	<b>Milk of Magnesia</b>	<p><b>Each 5 ml. contains :</b> Magnesium Hydroxide BP 800 mg (Added as Magnesium Hydroxide Paste) <b>Dosage :</b> As directed by the Physician.</p>
256	<b>Simethicone Emulsion Syrup</b>	<p><b>Each 5 ml Contains:</b> Simethicone Emulsion Equivalent to Simethicone USP 40 mg.. ... Dill Oil.. ...0.005 ml Fennel Oil.. ...0.0007 ml Flavoured Sugar free Base.. ... q.s <b>Colour:</b> Approved colour used.. ... <b>Dosage:</b> As directed by the physician.. ...</p>
257	<b>Dried Aluminium Hydroxide Syrup</b>	<p><b>Each 10 ml Contains:</b> Dried Aluminium Hydroxide (Added as Aluminium Hydroxide gel paste)..BP...830 mg Magnesium Hydroxide (Added as Magnesium Hydroxide paste)..BP...180 mg Activated Dimethicone..BP...50 mg Sodium Carboxymethyl cellulose..BP... q.s Flavoured Sugar free Base.. ... <b>Colour :</b> Approved colour used .. ... <b>Dosage :</b> As directed by physician.. ...</p>
258	<b>Simethicone Emulsion Syrup</b>	<p><b>Each 5 ml Contains:</b> Simethicone Emulsion Equivalent to Simethicone ..USP...40 mg Dill Oil.. ...0.005 ml Fennel Oil M-6428.. ...0.0007 ml Flavoured Sugar free base.. ... <b>Colour :</b> Approved colour used.. ... <b>Dosage :</b> As directed by the Physician.. ...</p>
259	<b>Oxetacaine Syrup</b>	<p>Oxetacaine ..BP...10 mg Aluminium Hydroxide BP 380 mg (Added as Aluminium Hydroxide gel paste).. ... Magnesium Hydroxide BP 98 mg (Added as Magnesium Hydroxide Paste).. ...</p>

		<p>Sorbitol Solution 70%..BP...375 mg          Flavoured Sugar free Base.. ... q.s  <b>Colour:</b> Approved colour used.. ...  <b>Dosage:</b> As directed by the physician.. ...</p>
260	<b>Multi Vitamin Syrup</b>	<p><b>Each 15 ml contains :</b>          Vitamin A BP 2500 IU          Vitamin D3 (Cholecalciferol) BP 200 IU          Alpha Tocopheryl Acetate(Vitamin E) BP 10.0 IU          Thiamine Hydrochloride(vitaminB1) BP 1.50 mg Riboflavin          Sodium Phosphate (vitaminB2) BP 1.70 mg          Pyridoxine HCl (Vitamin B6) BP 1.50 mg          Folic Acid BP 100 mcg          Nicotinamide BP 15.0 mg          Dexpanthenol BP 5.0 mg          Cyanocobalamin (Vitamin B12) BP 2.50 mcg          Biotin USP 30.0 mcg          Vitamin C BP 50.0 mg          Iodine (as Potassium Iodide) BP 150.0 mcg          Zinc (as Zinc gluconate) USP 3.0 mg          Manganese (as Manganese Chloride) USP 2.50 mg Chromium (as Chromium Chloride) USP 25mcg          Molybdenum(as Sodium Molybdate) BP 25 mcg          Flavoured syrupy base q.s.  <b>Colour :</b> Approved Colour used          Overages of Vitamins added to compensate loss on storage.</p>
261	<b>Paracetamol Suspension</b>	<p><b>Each 5 ml Contains :</b>          Paracetamol BP 125 mg          Triprolidine Hydrochloride BP 0.625 mg          Phenylephrine Hydrochloride BP 2.5 mg          Flavoured Syrupy Bases qs  <b>Colour :</b> Approved colour used  <b>Dosage :</b> As directed by the Physician.</p>
262	<b>Cyproheptadine Syrup</b>	<p><b>Each 5 ml. contains :</b>          Cyproheptadine Hydrochloride BP          (Anhydrous) 2 mg          Flavoured Syrupy base qs  <b>Colour :</b> Approved colour used</p>
263	<b>Multi Vitamin Syrup</b>	<p><b>Each 5 ml Contains :</b>          Vitamin A USP 3000.0 IU          Vitamin D3 (Cholecalciferol) USP 500.0 IU          Vitamin B1 BP 2.0 mg          Riboflavin Sodium Phosphate BP 1.20 mg          Nicotinamide BP 10.0 mg          Vitamin B12 BP 2.50 mcg          Vitamin B6 BP 1.00 mg          Vitamin C BP 40.0 mg          Flavoured syrup y base q.s.  <b>Colour :</b> Approved Colour used          Overages of Vitamins added to compensate loss on storage.</p>

264	<b>Cyproheptadine and Multivitamin Syrup</b>	<p><b>Each 5 ml. Contains :</b>  Cyproheptadine Hydrochloride (Anhydrous) BP 2.0 mg  Thiamine Hydrochloride (Vitamin B1) BP 2.0 mg  Riboflavin (Vitamin B2)BP 2.0 mg  (As Riboflavin 5 Phosphate Sodium)  Pyridoxine Hydrochloride (Vitamin B6)BP 0.75 mg  D-Panthenol (Dexpanthenol) BP 2.5 mg  Nicotinamide 22.5 mg  Flavoured Syrupy base q.s  <b>Colour :</b> Approved colour used  Adequate overages of vitamins added to compensate loss on storage.  <b>Dosage :</b> As directed by the physician.</p>
265	<b>Multivitamin Syrup</b>	<p><b>Each 5 ml Contains:</b>  Vitamin A..USP...3000 IU  Vitamin D3..USP...800 IU  Vitamin B1..BP...2 mg  Vitamin B2..BP...1.5 mg  Vitamin B5..BP...2 mg  Vitamin B6..BP...1 mg  Vitamin B12..BP...1 mcg  Vitamin C..BP...50 mg  Vitamin E..BP...2.5 mg  Niacinamide..BP...10 mg</p>
266	<b>Salbutamol Sulphate, Bromhexine Hydrochloride &amp; Guaifenesin Syrup</b>	<p><b>Each 5 ml Contains:</b>  Guaifenesin ..BP...50 mg  Menthol ..BP...0.5 mg  Salbutamol Sulphate BP Equivalent to Salbutamol .. ...1 mg  Bromhexine Hydrochloride..BP...2 mg</p>
267	<b>Diphenhydramine HCL Syrup</b>	<p><b>Each 5 ml Contains :</b>  Diphenhydramine HCl BP 14.08 mg  Sodium Citrate BP 57.03 mg  Ammonium Chloride BP 138 mg  Menthol BP 1.14 mg  Flavoured syrupy base q. s.  <b>Colour :</b> Approved colour used</p>
268	<b>Amino Acids &amp; Vitamins Syrup</b>	<p><b>Each 15 ml Contains:</b>  L-Isoleucine..USP...5.9 mg  L-Leucine..USP...18.3 mg  L-Lysine Hydrochloride..USP...25.0 mg  L-Methionine..USP...9.2 mg  L-Phenylalanine..USP...5.0 mg  L-Threonine..USP...4.2 mg  L-Tryptophan..USP...5.0 mg  L-Valine..USP...6.7 mg  Vitamin D3 (as Colecalciferol)..BP...200 IU  Vitamin B1(As Thiamine Hydrochloride)..BP...5.0 mg  Vitamin B2 (As Riboflavin Sodium Phosphate)..BP...3.0 mg  Vitamin B6 (Pyridoxine Hydrochloride)..BP...1.5 mg  Nicotinamide..BP...25.0 mg  Calcium Pantothenate..BP...5.0 mg  Vitamin B12 ( As Cyanocobalamin)..BP...2.5 mcg  Folic Acid..BP...0.75 mg</p>

		<p>Vitamin C (As Ascorbic Acid)..BP...40.0 mg  Vitamin A (as Synthetic Retinol Conc.(Oily form)..BP...2500 IU  Vitamin E (As Alpha Tocopheryl Acetate)..BP...7.5 IU  Flavoured syrupy Base.. ... qs  <b>Colour:</b> Caramel.. ...  <b>Dosage:</b> As directed by the physician.. ...</p>
269	<b>Mefenamic Acid Suspension</b>	<p><b>Each 5 ml Contains :</b>  Mefenamic Acid BP 100 mg  Flavoured Syrupy Base q.s  <b>Colour :</b> Approved colour used  <b>Dosage :</b> As directed by the Physician.</p>
270	<b>Metronidazole Oral Suspension</b>	<p><b>Each 5 ml Contains:</b>  Metronidazole Benzoate USP  equivalent to Metronidazole .. ...125 mg</p>
271	<b>Metoclopramide Oral Solution</b>	<p>Metoclopramide Hydrochloride BP  Equivalent to Metoclopramide 5 mg  Menthol BP 1 mg  Sucrose BP 2000mg  Sodium Benzoate BP 5 mg  Citric Acid BP 10 mg  Sodium Methyl Paraben BP 15 mg  Sodium Propyl Paraben BP 5 mg  Arrowcell CRT 10 mg  Propylene Glycol BP 83.33 mg  Colour Sunset Yellow 0.35 mg  Raspberry RM 335 Flavour 0.02 ml  Purified Water BP Q.S.  <b>Dosage :</b> As directed by the physician.</p>
272	<b>Metronidazole &amp; Furazolidone Oral suspension</b>	<p><b>Each 5 ml Contains</b>  Metronidazole Benzoate BP  Equivalent to Metronidazole 150 mg  Furazolidone BP 30 mg  Flavoured syrupy base q.s  <b>Colour :</b> Approved colour used  <b>Dosage :</b> As directed by the Physician</p>
273	<b>Metronidazole &amp; Furazolidone Oral Suspension</b>	<p><b>Each 5 ml Contains :</b>  Metronidazole Benzoate BP  Equivalent to Metronidazole .. ...150 mg  Furazolidone..BP...30 mg  <b>Colour:</b> Approved colour used</p>
274	<b>Metronidazole Oral Suspension</b>	<p><b>Each 5 ml Contains:</b>  Metronidazole Benzoate BP eq. to Metronidazole .. ...125 mg  Flavoured syrupy Base .. ... q.s  <b>Dosage:</b> As directed by the physician .. ...</p>
275	<b>Metronidazole Oral Suspension</b>	<p><b>Each 5 ml (teaspoonful) Contains :</b>  Metronidazole Benzoate BP 150 mg  eq. to Metronidazole  Furazolidone BP 30 mg  <b>Colour :</b> Approved colour used.  <b>Dosage :</b> As directed by the Physician.</p>
276	<b>Sildenafil Oral Jelly</b>	<p><b>Each 5 gm of Jelly contains :</b>  Sildenafil Citrate</p>

		equivalent to Sildenafil 100 mg Flavoured base q.s <b>Colour :</b> Approved Colour used
277	<b>Sildenafil Oral Jelly</b>	<b>Each 5 gm of Jelly contains :</b> Sildenafil Citrate equivalent to Sildenafil 50 mg Flavoured base qs <b>Colour :</b> Approved Colour used
278	<b>Alumina, Magnesia &amp; Simethicone Oral Suspension USP</b>	<b>Each 5 ml. Contains :</b> Dried Aluminium Hydroxide Gel USP 250 mg (Added as Aluminium Hydroxide Gel Paste).. ... Magnesium Hydroxide USP 250 mg (Added as Magnesium Hydroxide Paste).. ... Simethicone ..USP...50 mg <b>Colour :</b> Approved colour used.. ... <b>Dosage :</b> As directed by the physician... ..
279	<b>Haematinic Syrup of Iron, Folic Acid and Cyanocobalamin</b>	<b>Each 5 ml (One teaspoonful) Contains :</b> Ferric Ammonium Citrate BP 150 mg (equivalent to elemental Iron 30.75 mg) Protein Hydrolysate Liquid 0.333 gm L-Lysine Monohydrochloride USP 25 mg Niacinamide BP 15 mg D-Panthenol BP 2.5 mg Pyridoxine Hydrochloride BP 1 mg Folic Acid BP 0.5 mg Cyanocobalamin BP 7.5 mcg Zinc Sulphate BP 44 mg (equivalent to elemental Zinc 10 mg) q.s.
280	<b>Carbocisteine Syrup</b>	<b>Each 5 ml. Contains :</b> Carbocisteine BP 250 mg Flavoured Syrupy base q.s.
281	<b>Carbocisteine Syrup</b>	<b>Each 5 ml. Contains :</b> Carbocisteine BP 125 mg Flavoured Syrupy base q.s.
282	<b>Multamin Drops</b>	<b>Each ml contains:</b> L-Leucine..USP...3.66 mg L-Isoleucine..USP...1.18 mg L-Lysine Hydrochloride..USP...5.0 mg L-Phenylalanine..USP...1.0 mg L-Threonine..USP...0.85 mg L-Methionine..USP...1.84 mg L-Tryptophan..USP...1.0 mg L-Valine..USP...1.34 mg Vitamin C..BP...100 mg in a Flavoured syrupy Base.. ... q.s <b>Colour:</b> Approved colour use.. ... <b>Dosage:</b> As directed by the physician.. ...
283	<b>Amino Acids and Vitamins Syrup</b>	<b>Each 15 ml Contains:</b> L-Isoleucine..USP...5.9 mg L-Leucine..USP...18.3 mg L-Lysine Hydrochloride..USP...25.0 mg L-Methionine..USP...9.2 mg L-Phenylalanine..USP...5.0 mg

		<p>L-Threonine..USP...4.2 mg  L-Tryptophan..USP...5.0 mg  L-Valine..USP...6.7 mg  Colecalciferol ..BP...200 IU  Thiamine Hydrochloride..BP...5.0 mg  Riboflavin (As Riboflavin Sodium Phosphate)..BP...3.0 mg  Pyridoxine hydrochloride..BP...1.5 mg  Nicotinamide..BP...25.0 mg  Calcium Pantothenate..BP...5.0 mg  Cyanocobalamin..BP...2.5 mcg  Folic Acid..BP...0.75 mg  Ascorbic Acid..BP...40.0 mg  Synthetic Retinol Concentrate..BP...2500 IU  Alpha Tocopheryl Acetate (Vitamin E)..BP...7.5 IU  Flavoured syrupy Base.. ... q.s  <b>Colour:</b> Caramel.. ...  <b>Dosage:</b> As directed by the physician.. ...</p>																																																												
284	<b>Amino Acid and Vitamins Syrup</b>	<p><b>Each 15 ml Contains</b></p> <table border="0"> <tr><td>L-Leucine</td><td>USP</td><td>18.3 mg</td></tr> <tr><td>L-Isoleucine</td><td>USP</td><td>5.9 mg</td></tr> <tr><td>L-Lysine Hydrochloride</td><td>USP</td><td>25.0 mg</td></tr> <tr><td>L-Methionine</td><td>USP</td><td>9.2 mg</td></tr> <tr><td>L-Phenylalanine</td><td>USP</td><td>5.0 mg</td></tr> <tr><td>L-Threonine</td><td>USP</td><td>4.2 mg</td></tr> <tr><td>L-Tryptophan</td><td>USP</td><td>5.0 mg</td></tr> <tr><td>L-Valine</td><td>USP</td><td>6.7 mg</td></tr> <tr><td>Thiamine Hydrochloride</td><td>BP</td><td>5.0 mg</td></tr> <tr><td>Riboflavin (as Riboflavin Sodium Phosphate)</td><td>BP</td><td>3.0 mg</td></tr> <tr><td>Pyridoxine Hydrochloride</td><td>BP</td><td>1.5 mg</td></tr> <tr><td>Nicotinamide</td><td>BP</td><td>25.0 mg</td></tr> <tr><td>Calcium Pantothenate</td><td>BP</td><td>5.0 mg</td></tr> <tr><td>Cyanocobalamin</td><td>BP</td><td>2.5 mcg</td></tr> <tr><td>Folic Acid</td><td>BP</td><td>0.75 mg</td></tr> <tr><td>Ascorbic Acid</td><td>BP</td><td>40.0 mg</td></tr> <tr><td>Synthetic Retinol Concentrate</td><td>BP</td><td>2500 IU</td></tr> <tr><td>Alpha Tocopheryl Acetate</td><td>BP</td><td>7.5 IU</td></tr> <tr><td>Colecalciferol</td><td>BP</td><td>200.0 IU</td></tr> <tr><td>Chromium Chloride (as Hexahydrate) equivalent to Chromium</td><td>USP</td><td>10 mcg</td></tr> </table> <p>Flavoured syrupy base q.s.  <b>Colour :</b>Caramel  <b>Dosage :</b> As directed by the Physician  Appropriate overages of vitamins added to Compensate loss on storage</p>	L-Leucine	USP	18.3 mg	L-Isoleucine	USP	5.9 mg	L-Lysine Hydrochloride	USP	25.0 mg	L-Methionine	USP	9.2 mg	L-Phenylalanine	USP	5.0 mg	L-Threonine	USP	4.2 mg	L-Tryptophan	USP	5.0 mg	L-Valine	USP	6.7 mg	Thiamine Hydrochloride	BP	5.0 mg	Riboflavin (as Riboflavin Sodium Phosphate)	BP	3.0 mg	Pyridoxine Hydrochloride	BP	1.5 mg	Nicotinamide	BP	25.0 mg	Calcium Pantothenate	BP	5.0 mg	Cyanocobalamin	BP	2.5 mcg	Folic Acid	BP	0.75 mg	Ascorbic Acid	BP	40.0 mg	Synthetic Retinol Concentrate	BP	2500 IU	Alpha Tocopheryl Acetate	BP	7.5 IU	Colecalciferol	BP	200.0 IU	Chromium Chloride (as Hexahydrate) equivalent to Chromium	USP	10 mcg
L-Leucine	USP	18.3 mg																																																												
L-Isoleucine	USP	5.9 mg																																																												
L-Lysine Hydrochloride	USP	25.0 mg																																																												
L-Methionine	USP	9.2 mg																																																												
L-Phenylalanine	USP	5.0 mg																																																												
L-Threonine	USP	4.2 mg																																																												
L-Tryptophan	USP	5.0 mg																																																												
L-Valine	USP	6.7 mg																																																												
Thiamine Hydrochloride	BP	5.0 mg																																																												
Riboflavin (as Riboflavin Sodium Phosphate)	BP	3.0 mg																																																												
Pyridoxine Hydrochloride	BP	1.5 mg																																																												
Nicotinamide	BP	25.0 mg																																																												
Calcium Pantothenate	BP	5.0 mg																																																												
Cyanocobalamin	BP	2.5 mcg																																																												
Folic Acid	BP	0.75 mg																																																												
Ascorbic Acid	BP	40.0 mg																																																												
Synthetic Retinol Concentrate	BP	2500 IU																																																												
Alpha Tocopheryl Acetate	BP	7.5 IU																																																												
Colecalciferol	BP	200.0 IU																																																												
Chromium Chloride (as Hexahydrate) equivalent to Chromium	USP	10 mcg																																																												
285	<b>Ferrous Gluconate Syrup</b>	<p><b>Each 10 ml. (Approx. 2 teaspoonfuls) contains :</b></p> <table border="0"> <tr><td>Ferrous Gluconate</td><td>BP</td><td>200 mg</td></tr> <tr><td>Vitamin C</td><td>BP</td><td>36 mg</td></tr> <tr><td>Vitamin B 12</td><td>BP</td><td>4 mcg</td></tr> <tr><td>Thiamine Hydrochloride</td><td>BP</td><td>3 mg</td></tr> <tr><td>Riboflavine</td><td>BP</td><td>2.5 mg</td></tr> <tr><td>D-Panthenol</td><td>USP</td><td>2.5 mg</td></tr> <tr><td>Vitamin B6</td><td>BP</td><td>1 mg</td></tr> <tr><td>Niacinamide</td><td>BP</td><td>23 mg</td></tr> <tr><td>Calcium Lactate</td><td>BP</td><td>150 mg</td></tr> </table> <p>Flavored Syrup as base</p>	Ferrous Gluconate	BP	200 mg	Vitamin C	BP	36 mg	Vitamin B 12	BP	4 mcg	Thiamine Hydrochloride	BP	3 mg	Riboflavine	BP	2.5 mg	D-Panthenol	USP	2.5 mg	Vitamin B6	BP	1 mg	Niacinamide	BP	23 mg	Calcium Lactate	BP	150 mg																																	
Ferrous Gluconate	BP	200 mg																																																												
Vitamin C	BP	36 mg																																																												
Vitamin B 12	BP	4 mcg																																																												
Thiamine Hydrochloride	BP	3 mg																																																												
Riboflavine	BP	2.5 mg																																																												
D-Panthenol	USP	2.5 mg																																																												
Vitamin B6	BP	1 mg																																																												
Niacinamide	BP	23 mg																																																												
Calcium Lactate	BP	150 mg																																																												



		<p><b>Colour :</b> Caramel</p> <p><b>Dosage :</b> As directed by the physician. Appropriate overages of vitamins added to Compensate loss on storage</p>
286	<b>Iron, Amino Acids &amp; Vitamins</b>	<p>Each 10 ml Contains:</p> <p>Ferrous Glycine Sulphate 275 mg (Equivalent to elemental Iron 47 mg).. ...</p> <p>L-Histidine HCL H2O..BP...4 mg</p> <p>L-Lysine HCL..USP...25 mg</p> <p>Thiamine Hydrochloride..BP...5 mg</p> <p>Riboflavin (As Riboflavin Sodium Phosphate)..BP...3 mg</p> <p>Pyridoxine hydrochloride..BP...1.5 mg</p> <p>Folic Acid..BP...0.5 mg</p> <p>Nicotinamide..BP...25 mg</p> <p>Cyanocobalamin..BP...2.5 mcg</p> <p>Dexpanthenol..USP...2.5 mg</p> <p><b>Colour:</b> Caramel.. ...</p>
287	<b>Vitamin-B Complex Syrup</b>	<p><b>Each 5 ml Contains :</b></p> <p>Vitamin B1                   BP 5.0 mg</p> <p>Vitamin B2                   BP 2.0 mg</p> <p>Vitamin B6                   BP 2.0 mg</p> <p>Nicotinamide               BP 20.0 mg</p> <p>Dexpanthenol               BP 2.0 mg</p> <p>Flavoured syrupy base       q.s.</p> <p><b>Colour :</b> Approved Colour used</p> <p>Overages of Vitamins added to compensate loss on storage.</p>
288	<b>Amino Acids and Vitamins Syrup</b>	<p><b>Each 15 ml Contains:</b></p> <p>L-Leucine ..USP...18.3 mg</p> <p>L-Lysine Hydrochloride..USP...25 mg</p> <p>L-Methionine..USP...9.2 mg</p> <p>L-Phenylalanine..USP...5 mg</p> <p>L-Threonine..USP...4.2 mg</p> <p>L-Tryptophan..USP...5 mg</p> <p>L-Valine....USP...6.7 mg</p> <p>Vitamin D3 (as Colecalciferol)..BP...200 IU</p> <p>L-Isoleucine..USP...5.9 mg</p> <p>Vitamin B1 (as Thiamine Hydrochloride)..BP...5 mg</p> <p>Vitamin B2 (As Riboflavin Sodium Phosphate)..BP...3 mg</p> <p>Vitamin B6 (Pyridoxine hydrochloride..)..BP...1.5 mg</p> <p>Nicotinamide..BP...25 mg</p> <p>Calcium Pantothenate..BP...5 mg</p> <p>Vitamin B12 (as Cyanocobalamin ) ..BP...2.5 mcg</p> <p>Folic Acid..BP...0.75 mg</p> <p>Vitamin C (as Ascorbic Acid)..BP...40 mg</p> <p>Vitamin A (as Synthetic Retinol Concentrate (Oily form ))..BP...2500</p> <p>Vitamin E (Alpha Tocopheryl Acetate )..BP...7.5 IU</p> <p>Flavoured syrupy Base.. ... qs</p> <p><b>Colour:</b> Caramel.. ...</p> <p><b>Dosage:</b> As directed by the physician.. ...</p> <p>Appropriate Overages of vitamins added to Compensate loss on storage... ..</p>
289	<b>Multivitamin Syrup</b>	<p><b>Each 5 ml Contains:</b></p>

		<p>Vitamin A Palmitate..BP...1600 IU  Vitamin D3..BP...100 IU  Thiamine Hydrochloride..BP...1 mg  Riboflavin ..BP...1 mg  Ascorbic Acid..BP...25 mg  Nicotinamide..BP...15 mg  <b>Colour:</b> Approved colour used.. ...  <b>Dosage:</b> As directed by the physician.. ...</p>
290	<b>Nystatin Oral Suspension BP</b>	<p>Each ml Contains:  Nystatin..BP...100000 IU  Flavoured syrupy Base.. ... q.s  <b>Dosage :</b> As directed by physician.. ...</p>
291	<b>Ondansetron Oral Solution USP</b>	<p><b>Each 5 ml. contains :</b>  Ondansetron Hydrochloride USP  Equivalent to Ondansetron           4 mg  Flavoured Syrup Base                   q.s  <b>Colour :</b> Approved colour used  <b>Dosage :</b> As directed by the physician.</p>
292	<b>Amino Acid and Vitamin Syrup</b>	<p><b>Each 15 ml Contains:</b>  L-Isoleucine..USP...5.9 mg  L-Leucine..USP...18.3 mg  L-Lysine Hydrochloride..USP...25.0 mg  L-Methionine..USP...9.2 mg  L-Phenylalanine..USP...5.0 mg  L-Threonine..USP...4.2 mg  L-Tryptophan..USP...5.0 mg  L-Valine..USP...6.7 mg  Vitamin A Concentrate (Oily Form)..BP...2500 IU  Cholecalciferol..BP...200 IU  Tocopheryl Acetate..BP...7.5 IU  Thiamine Hydrochloride..BP...5 mg  Riboflavin (As Riboflavin Sodium Phosphate)..BP...3 mg  Pyridoxine hydrochloride..BP...1.5 mg  Cyanocobalamin..BP...2.5 mcg  Nicotinamide..BP...25 mg  Calcium Pantothenate..BP...5 mg  Folic Acid..BP...0.75 mg  Ascorbic Acid..BP...40 mg  Flavoured syrup Base.. ... qs  <b>Colour:</b> Approved colour used.. ...  <b>Dosage:</b> As directed by the physician.. ...</p>
293	<b>Amino Acid and Vitamin Syrup</b>	<p><b>Each 15 ml Contains:</b>  L-Isoleucine..USP...5.9 mg  L-Leucine..USP...18.3 mg  L-Lysine Hydrochloride..USP...25.0 mg  L-Methionine..USP...9.2 mg  L-Phenylalanine..USP...5.0 mg  L-Threonine..USP...4.2 mg  L-Tryptophan..USP...5.0 mg  L-Valine..USP...6.7 mg  Vitamin A Concentrate (Oily Form)..BP...2500 IU</p>

		<p>Cholecalciferol..BP...200 IU  Tocopheryl Acetate..BP...7.5 IU  Thiamine Hydrochloride..BP...5 mg  Riboflavin (As Riboflavin Sodium Phosphate)..BP...3 mg  Pyridoxine hydrochloride..BP...1.5 mg  Cyanocobalamin..BP...2.5 mcg  Nicotinamide..BP...25 mg  Calcium Pantothenate..BP...5 mg  Folic Acid..BP...0.75 mg  Ascorbic Acid..BP...40 mg  Flavoured syrupy Base.. ... qs  <b>Colour:</b> Approved colour used.. ...  <b>Dosage:</b> As directed by the physician.. ...</p>
294	<b>Nystatin Syrup</b>	<p><b>Each ml Contains:</b>  Nystatin..BP...100000 IU  Flavoured syrupy base.. ... qs  <b>Colour :</b> Approved colour used.. ...  <b>Dosage :</b> As directed by physician.. ...</p>
295	<b>Trimethoprim Oral Suspension BP</b>	<p><b>Each 5 ml. contains :</b>  Trimethoprim BP 40 mg.  Sulphamethoxazole BP 200 mg.  Flavoured Syrupy Base q.s</p>
296	<b>Multi Vitamin Syrup</b>	<p><b>Each 15 ml Contains:</b>  Ferrous Glycine SulphateBP216.5 mg  L-Histidine HCIBP4 mg  L-Lysine HCLBP25 mg  Vitamin B1BP5 mg  Vitamin B2BP3 mg  Vitamin B6BP1.5 mg  Vitamin B12BP2.5 mcg  Vitamin CBP40 mg  Folic AcidBP0.5 mg  Niacinamide..BP...25 mg  Dexpanthenol..BP...2.5 mg  Zinc Sulphate..BP...50 mg  <b>Colour :</b> Approved colour used.. ...  <b>Dosage :</b> As directed by the physician... ...</p>
297	<b>Trimethoprim Oral Suspension</b>	<p>Each 5 ml Contains:  Trimethoprim..BP...40 mg  Sulphamethoxazole..BP...200 mg  Flavoured syrupy Base.. ... q.s  <b>Colour:</b> Approved colour used.. ...  <b>Dosage:</b> As advised by the physician.. ...</p>
298	<b>Diphenhydramine Hydrochloride Syrup</b>	<p><b>Each 5 ml. contains :</b>  Diphenhydramine Hydrochloride BP 14.08 mg  Ammonium Chloride BP 138 mg  Sodium Citrate BP 57.03 mg  Menthol BP 1.14 mg  Flavoured syrupy base q. s.  <b>Colour :</b> Approved Colour Used.</p>
299	<b>Ferrous Sulphate oral solution</b>	<p><b>Each 5 ml contains:</b>  Ferrous Sulphate Heptahydrate BP 60 mg  equivalent to Elemental Iron 12 mg</p>

		Ascorbic Acid BP 10 mg Orange Syrup 0.5 ml Double Strength Chloroform Water 2.5 ml Water QS. <b>Dosage:</b> As directed by the Physician.
300	<b>Paracetamol Oral Suspension</b>	<b>Each 5 ml Contains :</b> Paracetamol BP 120 mg Flavoured Syrup base Q.S. <b>Colour :</b> Approved colour used <b>Dosage :</b> As directed by the Physician.
301	<b>Paracetamol Oral Suspension</b>	Each 5 ml Contains: Paracetamol..BP...125 mg Flavoured syrupy Base.. ... q.s Colour: Approved colour used.. ... Dosage: As directed by the physician.. ...
302	<b>Paracetamol Oral Suspension</b>	Each 5 ml Contains: Paracetamol..IP...250 mg In a flavoured syrupy Base.. ... q.s Colour: Sunset Yellow FCF.. ... Dosage: As directed by the physician.. ...
303	<b>Paracetamol Oral Suspension</b>	<b>Each 5 ml Contains :</b> Paracetamol BP 120 mg Flavoured Syrup base q.s. <b>Colour :</b> Approved colour used <b>Dosage :</b> As directed by the Physician.
304	<b>Paracetamol Oral Suspension</b>	Each 5 ml Contains: Paracetamol (Micronized)..BP...125 mg Ibuprofen (Micronized)..BP...100 mg Flavoured syrupy Base.. ... q.s Colour: Approved colour used.. ... Dosage: As directed by the physician.. ...
305	<b>Paracetamol Oral Suspension</b>	<b>Each 5 ml Contains :</b> Paracetamol BP 250 mg Flavoured Syrupy base q.s <b>Colour :</b> Approved colour used <b>Dosage :</b> As directed by the physician.
306	<b>Multi Vitamin Drops</b>	<b>Each 1 ml. Contains :</b> Vitamin A BP 1500 IU Vitamin D3 BP 200 IU Vitamin C BP 35 mg Vitamin B1 BP 0.6 mg Vitamin B2 BP 0.6 mg Vitamin B6 BP 1.0 mg Vitamin B12 BP 2.0 mcg Vitamin B9 (Folic Acid) BP 0.05 mg Vitamin E BP 5.0 IU Niacinamide BP 8.0 mg Iron (Ferrous Sulphate) BP 15 mg In Flavoured syrupy base q.s. Colour : Approved colour used Dosage : As directed by the physician.
307	<b>Paracetamol Oral Suspension</b>	<b>Each 5 ml Contains:</b> Paracetamol..BP...125 mg

		Phenylephrine HCL..BP...2.5 mg Chlorpheniramine Maleate..BP...1 mg Flavoured syrupy Base.. ... q.s Colour: Approved colour used.. ... Dosage: As directed by the physician.. ...
308	<b>Promethazine Syrup</b>	<b>Each 5 ml. contains :</b> Promethazine Hydrochloride BP 5.0 mg. <b>Colour :</b> Approved colour used. <b>Dosage :</b> As directed by the physician.
309	<b>Salbutamol Oral Solution BP</b>	<b>Each 5 mlContains :</b> <b>Active Ingredient :</b> Salbutamol Sulphate BP Equivalent to Salbutamol2 mg <b>Inactive Ingredient :</b> Menthol BP 1 mg Sucrose BP 3000 mg Sodium Benzoate BP 5 mg Citric Acid BP 10 mg Sodium Methyl Paraben BP 15 mg Sodium Propyl Paraben BP 5 mg Arrowcell CRT 10 mg Propylene Glycol BP 83.33 mg Colour Sunset Yellow 0.35 mg Raspberry RM 335 Flavour 0.02 mg Purified Water BP Q.S. <b>Dosage :</b> As directed by the physician.
310	<b>Pyrazinamide Oral Suspension</b>	<b>Each 5 mlContains :</b> Pyrazinamide USP 250 mg Methyl Paraben USP 7.08 mg Propyl Paraben USP 1.25 mg Sodium Benzoate USP 10 mg Aerosil (Colloidal Silicon Dioxide) USP 5 mg Sucrose USP 2500 mg Polysorbate 80 USP 10 mg Sodium Citrate USP 5 mg Citric Acid (Monohydrate) USP 5 mg Guar Gum (Delca-P 225) USP/NF 5.66 mg Xanthan Gum (Plain) USP 6 mg Arrow Gum Super 11.66 mg Sodium Hydroxide USP 3 mg Sodium Saccharine USP 3.5 mg Colour Tartrazine 0.2 mg Banana SY 42284 Flavour 0.01 ml Purified Water USP q.s. <b>Dosage :</b> As directed by the physician.
311	<b>Sildenafil gel</b>	<b>Each 5 ml Contains:</b> Sildenafil Citrate equivalent to Sildenafil 100 mg.. ... Colour: Approved colour used.. ... Dosage: As directed by the physician.. ...
312	<b>Aluminium Hydroxide Syrup</b>	<b>Each 5 ml. contains :</b>

		<p>Dried Aluminium Hydroxide Gel BP 225 mg  Magnesium Hydroxide Gel BP 200 mg  Simethicone BP 25 mg  <b>Colour</b> : Approved colour used  <b>Dosage</b> : As directed by the physician.</p>
313	<b>Ferric Ammonium Citrate Syrup</b>	<p><b>Each 15 ml Contains :</b>  Ferric Ammonium Citrate USP 160 mg Equivalent to elemental Iron 3 mg.. ...  Cyanocobalamin..BP...7.5 mcg  Folic Acid ..BP...0.5 mg  Colour : Approved Colour Used... ..  Flavoured syrup base.. ... q.s  <b>Dosage</b> : As directed by the Physician... ..</p>
314	<b>Sodium Bicarbonate Syrup</b>	<p><b>Each 5 ml (1 Teaspoonful) Contains:</b>  Sodium Bicarbonate..BP...50 mg  Dill Oil..BP...0.005 ml  Sucrose..BP...1.10 gm  Aqua q.s. to.. ...5.0 ml  <b>Dosage</b> : As directed by the physician... ..</p>
315	<b>Amino Acids &amp; Multivitamins Syrup</b>	<p><b>Each 15ml Contains:</b>  L-Arginine Hydrochloride..USP...13.28 mg  L-Histidine Hydrochloride Monohydrate..BP...3.71 mg  L-Isoleucine..USP...5.9 mg  L-Leucine..USP...18.3 mg  L-Lysine Hydrochloride..USP...25.0 mg  L-Methionine..USP...9.2 mg  L-Phenylalanine..USP...5.0 mg  L-Threonine..USP...4.2 mg  L-Tryptophan..USP...5.0 mg  L-Valine..USP...6.7 mg  Vitamin A Concentrate (Oily Form)..BP...2500 IU  Cholecalciferol..BP...200 IU  Tocopheryl Acetate..BP...7.5 IU  Thiamine Hydrochloride..BP...5 mg  Riboflavin (As Riboflavin Sodium Phosphate)..BP...3 mg  Pyridoxine hydrochloride..BP...1.5 mg  Nicotinamide..BP...25 mg  Calcium Pantothenate..BP...5 mg  Cyanocobalamin..BP...2.5 mcg  Folic Acid..BP...0.75 mg  Ascorbic Acid..BP...40 mg  Flavoured syrupy Base.. ... q.s  <b>Colour:</b> Caramel.. ...  <b>Dosage:</b> As directed by the physician.. ...</p>
316	<b>Iron ,Amino Acids &amp; Vitamins Syrup</b>	<p><b>Each 10 ml Contains:</b>  Pyridoxine hydrochloride ..BP...1.5 mg  Folic Acid..BP...0.5 mg  Nicotinamide..BP...25 mg  Ferrous Glycine Sulphate 275 mg (Eq to elemental Iron 47 mg ).. ...  L-Histidine HCL H2O..BP...4 mg  L-Lysine HCL..USP...25 mg  Thiamine Hydrochloride..BP...5 mg</p>

		<p>Riboflavin (As Riboflavin Sodium Phosphate )..BP...3 mg  Cyanocobalamin..BP...2.5 mcg  Dexpanthenol..USP...2.5 mg  Colour : Caramel.. ...  Appropriate Overages of vitamins added to Compensate loss on Storage .. ...</p>
317	<b>Amino Acid and Vitamins Syrup</b>	<p><b>Each 15 ml Contains:</b>  L-Isoleucine....USP...5.9 mg  L-Leucine..USP...18.3 mg  L-lysine Hydrochloride..USP...25 mg  L-Methionine..USP...9.2 mg  L-Phenylalanine..USP...5 mg  L-Threonine ..USP...4.2 mg  L-Tryptophan..USP...5 mg  L-Valine..USP...6.7 mg  Thiamine Hydrochloride..BP...5 mg  Riboflavin (As Riboflavin Sodium Phosphate )..BP...3 mg  Pyridoxine hydrochloride..BP...1.5 mg  Nicotinamide..BP...25 mg  Calcium Pantothenate..BP...5 mg  Cyanocobalamin..BP...2.5 mcg  Folic Acid..BP...0.75 mg  Ascorbic Acid..BP...40 mg  Vitamin A Synthetic Retinol Concentrate.( Oily form)..BP...2500 IU  Colecalciferol..BP...200 IU  Alpha Tocopheryl Acetate ..BP...7.5 IU  Flavoured syrupy Base.. ... q.s  Approved Colour used.. ...  Appropriate Overages of vitamins added to Compensate loss on Storage .. ...  Dosage: As directed by the physician.. ...</p>
318	<b>Rifampin Oral Suspension</b>	<p><b>Each 5 ml Contains :</b>  Rifampin USP           200 mg  Methyl Paraben USP       7.08 mg  Propyl Paraben USP       1.25 mg  Sodium Benzoate USP       10 mg  Aerosil (Colloidal Silicon Dioxide) USP   5 mg  Sorbitol Solution 70% USP   2500 mg  Propylene Glycol           USP 100 mg  Polysorbate 80 USP       10 mg  Sodium Citrate USP       5 mg  Citric Acid (Monohydrate) USP       5 mg  Guar Gum (Delca-P 225) USP/NF   5.66 mg  Xanthan Gum (Plain) USP       6 mg  Arrow Gum Super           11.66 mg  Sodium Citrate USP       15 mg  Enisweet (Stevia) USP   3.5 mg  Orange M-3398 Flavour       0.01 ml  Orange Juicy M-7031 Flavour   0.005 ml  Purified Water USP       q.s.  Dosage : As directed by the physician.</p>

319	<b>Diphenhydramine Hydrochloride, Ammonium Chloride, Sodium Citrate &amp; Menthol Syrup</b>	<p><b>Each 5 ml. Contains :</b></p> <p>Diphenhydramine Hydrochloride BP 14.08 mg  Ammonium Chloride BP 138 mg  Sodium Citrate BP 57.03 mg  Menthol BP 1.14 mg  Flavoured syrupy base q.s.</p> <p><b>Colour :</b> Approved colour used  <b>Dosage :</b> As directed by the physician.</p>
320	<b>Dextromethorphan Hydrobromide, Phenylephrine Hydrochloride, Cetirizine Hydrochloride &amp; Racementhol Syrup</b>	<p><b>Each 5 ml. Contains :</b></p> <p>Dextromethorphan Hydrobromide BP 10 mg  Phenylephrine Hydrochloride BP 5 mg  Cetirizine Hydrochloride BP 5 mg  Racementhol BP 1.5 mg  Flavoured Syrupy Base qs</p> <p><b>Colour :</b> Approved colour used.  <b>Dosage :</b> As directed by the physician</p>
321	<b>Dextromethorphan Hydrobromide, Phenylephrine Hydrochloride, Ammonium Chloride Syrup</b>	<p>Each 5 ml Contains:</p> <p>Dextromethorphan Hydrobromide..BP...5 mg  Phenylephrine Hydrochloride..BP...2.5 mg  Chlorpheniramine Maleate..BP...0.2 mg  Ammonium Chloride..BP...50 mg  Flavoured syrupy Base.. ... q.s  Colour : Approved colour used .. ...</p>
322	<b>Paracetamol, Phenylephrine Hydrochloride, Chlorpheniramine, Sodium Citrate &amp; Menthol Syrup</b>	<p>Each 5 ml. contains :</p> <p>Paracetamol ..BP...125 mg  Phenylephrine Hydrochloride ..BP...5 mg  Chlorpheniramine Maleate ..BP...1 mg  Sodium Citrate ..BP...60 mg  Menthol..BP...1 mg  Approved colour used... ..  Flavoured Syrupy Base .. ... q.s  Dosage : As directed by the physician... ..</p>
323	<b>Hydroxide Polymaltose Syrup</b>	<p>Each 5 ml Contains:</p> <p>Iron (III) Hydroxide Polymaltose complex equivalent to Elemental Iron ...50 mg  Folic Acid..BP...500 mcg  Vitamin B12..BP...7.5 mcg  Zinc Sulphate Monohydrate ..USP...11 mg  Flavoured Base.. ... q.s  Approved Colour used.. ...  Dosage: As directed by the physician.. ...</p>
324	<b>Alumina, Magnesia, and Simethicone Oral Suspension</b>	<p>Each 5 ml Contains:</p> <p>Dried Aluminium Hydroxide Gel (Added as Aluminium Hydroxide gel paste )..USP...250 mg  Magnesium Hydroxide (Added as Magnesium Hydroxide paste )..USP...250 mg  Simethicone..USP...50 mg  Colour : Approved colour used .. ...</p>
325	<b>Multivitamins and Mineral Syrup</b>	<p><b>Each 10 ml Contains :</b></p> <p>Ferrous Glycine Sulphate 216.5 mg  Zinc Sulphate BP 50 mg</p>



		<p>L-Histidine HCl BP 4 mg  L-Lysine Hydrochloride USP 25 mg  Thiamine Hydrochloride BP 5 mg  Riboflavin (as Riboflavin Sodium Phosphate) BP 3 mg  Pyridoxine Hydrochloride BP 1.5 mg  Folic Acid BP 0.5 mg  Nicotinamide BP 25 mg  Cyanocobalamin BP 2.5 mcg  Dexpanthenol BP 2 mg  Flavoured Syrup Base q.s.</p>
326	<b>Alumina Magnesia and Simethicone Oral Suspension USP</b>	<p>Each 5 ml Contains:  Dried Aluminium Hydroxide Gel USP (equivalent to Aluminium Hydroxide 191.25 mg ) (Added as Aluminium Hydroxide Gel paste).. ...250 mg  Magnesium Hydroxide USP (Added as magnesium hydroxide paste)..USP...250 mg  Simethicone..USP...50 mg  In a flavoured base.. ... q.s  Colour : Erythrosine FCF.. ...  Dosage: As directed by the physician.. ...</p>
327	<b>Amino Acids and Vitamins Syrup</b>	<p>Each 15 ml Contains:  L-Isoleucine..USP...5.9 mg  L-Leucine..USP...18.3 mg  L-lysine Hydrochloride..USP...25.0 mg  L-Methionine..USP...9.2 mg  L-Phenylalanine..USP...5.0 mg  L-Threonine ..USP...4.2 mg  L-Tryptophan..USP...5.0 mg  L-Valine..USP...6.7 mg  Thiamine Hydrochloride..BP...5.0 mg  Riboflavin (As Riboflavin Sodium Phosphate )..BP...3.0 mg  Pyridoxine hydrochloride..BP...1.5 mg  Chromium chloride (as Hexahydrate) USP equivalent to Chromium.. ...10 mcg  Nicotinamide..BP...25.0 mg  Calcium Pantothenate..BP...5.0 mg  Cyanocobalamin..BP...2.5 mcg  Folic Acid..BP...0.75 mg  Ascorbic Acid..BP...40.0 mg  Vitamin A (as Synthetic Retinol Conc.(Oily from )..BP...2500 IU  Alpha Tocopheryl Acetate ..BP...7.5 IU  Colecalciferol..BP...200.0 IU  Flavoured syrupy Base.. ... q.s  Colour : Approved Colour used.. ...  Dosage: As directed by the physician.. ...</p>
328	<b>Amino Acids and Vitamins Syrup</b>	<p>Each 15 ml Contains:  I-Isoleucine ..USP...5.9 mg  I-Leucine..USP...18.3 mg  I-lysine Hydrochloride..USP...25.0 mg  I-lysine Hydrochloride..USP...25.0 mg</p>

		<p>I-Methionine..USP...9.2 mg  I-phenylalanine..USP...5.0 mg  I-Threonine..USP...4.2 mg  I-tryptophan..USP...5.0 mg  I-Valine..USP...6.7 mg  vitamin D3(as Colecalciferol)..BP...200 IU  Vitamin B1(as Thiamine Hydrochloride)..BP...5.0 mg  Vitamin B2 (as Riboflavin Sodium Phosphate)..BP...3.0 mg  Vitamin B6 (pyridoxine Hydrochloride)..BP...1.5 mg  Nicotinamide..BP...25.0 mg  Calcium Pantothenate ..BP...5.0 mg  Vitamin B12 (as Cyanocobalamin)..BP...2.5 mcg  Folic Acid ..BP...0.75 mg  Vitamin C (as Ascorbic acid)..BP...40.0 mg  Vitamin A (As Synthetic Retinol Conc.(Oily Form)..BP...2500 IU  Vitamin E ( as Alpha Tocopheryl Acetate)..BP...7.5 IU  Flavoured syrupy base.. ...  Colour : Caramel.. ...</p>
329	<b>Cyproheptadine and Multivitamin Syrup</b>	<p>Each 5 ml. contains :  Cyproheptadine HCl B.P Equivalent to Cyproheptadine (Anhydrous) ...4 mg  Vitamin A (as Palmitate) ..BP...1600 IU  Vitamin D3 ..BP...200 IU  Vitamin B1 HCl ..BP...2 mg  Vitamin B2 ..BP...2 mg  Vitamin B6 HCL ..BP...1 mg  Vitamin B12 ..BP...0.5 mcg  Niacinamide..BP...15 mg  Dexpanthenol ..BP...5 mg  Syrupy base .. ... q.s  Colour : Approved colour used.. ...  Dosage : As directed by the physician. Appropriate Overages of vitamins added to Compensate loss on storage... ...</p>
330	<b>Trimethoprim Oral Suspension</b>	<p>Each 5 ml Contains:  Trimethoprim..BP...40 mg  Sulfamethoxazole..BP...200 mg  Flavoured syrupy base.. ... q.s  Dosage : As directed by physician.. ...</p>
331	<b>Albendazole Oral Suspension</b>	<p><b>Each 10 ml Contains :</b>  Albendazole USP 400 mg  Flavoured Syrupy Base q.s  <b>Colour :</b> Approved colour used  <b>Dosage :</b> As directed by the Physician.</p>
332	<b>Paracetamol Suspension</b>	<p><b>Each 5 ml Contains :</b>  Paracetamol BP 125 mg  Ibuprofen BP 100 mg  Flavoured Syrupy base q.s  <b>Colour :</b> Approved colour used</p>
333	<b>Ibuprofen Oral Suspension BP</b>	<p>Each 5 ml Contains:  Ibuprofen..BP...100 mg  Flavoured Syrupy base.. ... q.s  <b>Colour :</b> Approved colour used.. ...  <b>Dosage :</b> As directed by the physician.. ...</p>

334	<b>Cyproheptadine and Multivitamin Syrup</b>	<p>Each 5 ml. contains :</p> <p>Cyproheptadine HCl B.P Equivalent to Cyproheptadine (Anhydrous) ...4 mg</p> <p>Vitamin A (as a Palmitate) ..BP...1600 IU</p> <p>Vitamin B1 HCL..BP...2 mg</p> <p>Vitamin B2..BP...2 mg</p> <p>Vitamin B6 HCL..BP...1 mg</p> <p>Vitamin B12..BP...0.5 mcg</p> <p>Niacinamide..BP...15 mg</p> <p>D-Panthenol..BP...5 mg</p> <p>Syrupy base .. ... q.s</p> <p>Colour : Approved colour used.. ...</p>
335	<b>Vitamin A Concentrate Syrup</b>	<p><b>Each 15 ml. contains :</b></p> <p>Vitamin A Concentrate (Oily Form) (as Palmitate ) BP 2500 IU</p> <p>Thiamine Hydrochloride (Vitamin B1) BP 1.5 mg</p> <p>Riboflavin Sodium Phosphate Equivalent to Riboflavin (Vitamin B2) BP 1.5 mg</p> <p>Pyridoxine Hydrochloride (Vitamin B6) BP 1.5 mg</p> <p>Cyanocobalamin (Vitamin B12) BP 1.0 mcg</p> <p>Cholecalciferol (Vitamin D3) BP 200.0 IU</p> <p>Alpha Tocopheryl Acetate (Vitamin E) BP 10.0 IU</p> <p>Niacinamide BP 15.0 mg</p> <p>Dexpanthenol BP 5.0 mg</p> <p>Biotin USP 100.0 mcg</p> <p>Zinc (as Zinc Gluconate) USP 3.0 mg</p> <p>Manganese (as Manganese Chloride)USP 2.5 mg</p> <p>Chromium (as Chromic Chloride) USP 25 mcg</p> <p>Selenium (as Selenious Acid) USP 30.0 mcg</p> <p>Magnesium (as Magnesium Sulphate) BP 22.0 mg</p> <p>Flavoured Syrup base q.s.</p> <p><b>Colour :</b>Caramel</p> <p><b>Dosage :</b> As directed by the Physician</p> <p>Overages of Vitamins added to compensate loss on storage.</p>
336	<b>Vitamin A Concentrate Syrup</b>	<p>Each 15 ml Contains:</p> <p>Vitamin A Concentrate (Oily Form) (as Palmitate BP).. ...2500 IU</p> <p>Thiamine Hydrochloride (Vitamin B1)..BP...1.5 mg</p> <p>Riboflavin Sodium Phosphate BP Equivalent to Riboflavin (Vitamin B ..BP...1.5 mg</p> <p>Pyridoxine hydrochloride (Vitamin B6)..BP...1.5 mg</p> <p>Cyanocobalamin (Vitamin B 12)..BP...1.0 mcg</p> <p>Colecalciferol (Vitamin D3)..BP...200 IU</p> <p>Alpha Tocopheryl Acetate (Vitamin E)..BP...10 IU</p> <p>Niacinamide..BP...15 mg</p> <p>D-Panthenol..BP...5 mg</p> <p>Biotin..USP...100 mcg</p> <p>Zink (as Zinc Gluconate USP).. ... mg</p> <p>Manganese (As Manganese Chloride..USP...2.5 mg</p> <p>Chromium (As Chromic Chloride )..USP...25 mcg</p> <p>Selenium (As Selenious Acid )..USP...30 mcg</p> <p>magnesium (As magnesium Sulphate )..BP...22 mg</p>

		<p>Flavoured syrup Base.. ... q.s  Colour: Caramel.. ...  Dosage: As directed by the physician.. ...</p>
337	<b>Amino Acid and Vitamins Syrup</b>	<p><b>Each 15 ml. Contains :</b>  L-Isoleucine USP 5.9 mg  L-Leucine USP 18.3 mg  L-Lysine Hydrochloride USP 25.0 mg  L-Methionine USP 9.2 mg  L-PhenylalanineUSP 5.0 mg  L-Threonine USP 4.2 mg  L-Tryptophan USP 5.0 mg  L-Valine USP 6.7 mg  Colecalciferol BP 200 IU  Thiamine Hydrochloride BP 5 mg  Riboflavin (as Riboflavin Sodium Phosphate) BP 3 mg  Pyridoxine HydrochlorideBP1.5 mg  Nicotinamide BP 25 mg  Calcium Pantothenate BP5 mg  Cyanocobalamin BP 2.5 mcg  Folic Acid BP 0.75 mg  Ascorbic Acid BP 40 mg  Synthetic Retinol Concentrate BP 2500 IU  Alpha Tocopheryl Acetate BP 7.5 IU  Flavoured Syrupy bases q.s.</p>
338	<b>Ginseng Extract Syrup</b>	<p><b>Each 10 ml. Contains :</b>  Ginseng Extract 50 mg  (Hyghly Concentrated Standardized  Ginseng Extract corresponding to 250 mg of root  of Korean Panax Ginseng)  Vitamin E BP 25 mg  Ferric Ammonium Citrate BP 50 mg  Magnesium (as Magnesium Gluconate) USP 3 mg  Manganese (as Manganese Gluconate) USP 0.5 mg  Potassium Iodide BP  equivalent to Potassium 0.1 mg  Copper Sulphate BP  equivalent to Copper 0.5 mg  Zinc Sulphate BP  equivalent to Zinc 0.5 mg  <b>Colour :</b> Approved colour used  <b>Dosage :</b> As directed by the Physician.  Overages of vitamins added to Compensate loss on storage.</p>
339	<b>Aluminium Hydroxide Syrup</b>	<p>Each 5 ml Contains:  Dried Aluminium Hydroxide Gel..BP...200 mg  Magnesium Trisilicate..BP...200 mg  Magnesium Hydroxide..BP...100 mg  Sodium Alginate..BP...100 mg  Simethicone..USP...25 mg  Colour: Approved colour used.. ...  Dosage: As directed by the physician.. ...</p>
340	<b>Sodium Bicarbonate Syrup</b>	<p>Each 5 ml. (1 teaspoonful) contains :  Sodium Bicarbonate ..BP...50 mg  Dill Oil ..BP...0.005 ml  Sucrose ..BP...1.10 gm</p>

		Aqua q.s. to.. ...5.0 ml Dosage : As directed by the physician... ..
341	<b>Toltrazuril 2.7% Oral Solution (For Veterinary Use Only)</b>	<b>Each ml contains :</b> Toltrazuril 27 mg Purified Water q.s
342	<b>Toltrazuril 2.5% Oral Solution (For Veterinary Use Only)</b>	<b>Each ml contains :</b> Toltrazuril 25 mg Purified Water q.s
343		Each 15 ml Contains : Ferric Ammonium Citrate USP 160 mg Equivalent to elemental Iron 32 mg.. ... Cyanocobalamin..BP...7.5 mcg Folic Acid ..BP...0.5 mg Flavoured syrup base.. ... q.s Colour : Approved Colour Used... .. Dosage : As directed by the Physician.... ..
344	<b>Salbutamol Sulphate Syrup</b>	Each 5 ml. Contains : Salbutamol Sulphate BP Equivalent to Salbutamol .. ...1 mg Bromhexine Hydrochloride ..BP...2 mg Guaifenesin..BP...50 mg Menthol ..BP...0.5 mg Flavoured syrupy base .. ... q.s Colour : Approved Colour Used... .. Dosage : As directed by the Physician.... ..
345	<b>Multi Vitamin Syrup</b>	Each 5 ml. Contains : Vitamin B1 HCl ..BP...5 mg Vitamin B2 ..BP...2 mg Vitamin B6 HCl ..BP...2 mg Nicotinamide..BP...20 mg Calcium Pantothenate ..BP...1 mg Flavoured syrup base.. ... q.s Colour : Approved Colour Used... ..
346	<b>Paracetamol Syrup</b>	Each 5 ml. Contains : Paracetamol ..BP...125 mg Phenylephrine Hydrochloride ..BP...5 mg Chlorpheniramine Maleate..BP...1 mg Sodium Citrate..BP...60 mg Menthol ..BP...1 mg Flavoured Syrupy Base.. ... qs Colour : Approved Colour Used... .. Dosage : As directed by the Physician.... ..
347	<b>Amino Acids and Vitamins Syrup</b>	Each 10 ml Contains: Thiamine Hydrochloride (Vitamin B1)..BP...5.0 mg Riboflavin (Vitamin B2)..BP...1.0 mg Pyridoxine hydrochloride (Vitamin B6)..BP...1.0 mg Vitamin B12 (Cyanocobalamin)..BP...5.0 mg Folacin (as Folic Acid)..BP...50.0 mcg Dexpanthenol..BP...2.0 mg Calcium Gluconate..BP...20.0 mg Niacinamide..BP...10.0 mg iron (as Ferric Ammonium Citrate )..BP...10.0 mg Zinc (as Zinc Sulphate)..BP...3.0 mg

		<p>Copper (as Copper Sulphate..BP...0.2 mg  Manganese (As Manganese Chloride..USP...0.25 mg  Lysine Hydrochloride..BP...20.0 mg  Honey .. ...100 mg  Malt.. ...500 mg  Flavoured syrupy Base.. ... q.s  Colour: Caramel.. ...  Dosage: As directed by the physician.. ...</p>
348	<b>Aluminium Hydroxide Syrup</b>	<p><b>Each 5 ml Contains :</b>  Dried Aluminium Hydroxide Gel USP 250 mg  (Added as Aluminium Hydroxide Gel Paste)  Magnesium Hydroxide USP 250 mg  (Added as Magnesium Hydroxide Paste)  Simethicone USP 50 mg  <b>Colour :</b> Approved Colour Used.  <b>Dosage :</b> As directed by the physician.</p>
349	<b>Vitamin C ( Ascorbic Acid) Syrup</b>	<p>Each 5 ml Contains:  Vitamin C ( Ascorbic Acid)..BP...50 mg  Flavoured syrupy Base.. ... q.s  Colour: Approved colour used.. ...  Dosage: As directed by the physician.. ...</p>
350	<b>Vitamin C (Ascorbic Acid) Syrup</b>	<p>Each 5 ml Contains:  Vitamin C (Ascorbic Acid)..BP...250 mg  Flavoured syrupy Base.. ... q.s  Colour: Approved colour used.. ...  Dosage: As directed by the physician.. ...</p>
351	<b>Oxetacaine.Gel</b>	<p>Each 5 ml Contains:  Oxetacaine..BP...10 mg  Aluminium Hydroxide BP 380 mg  (Added As Aluminium Hydroxide Gel Paste).. ...  Magnesium Hydroxide BP 98 mg  (Added As Magnesium Hydroxide Paste).. ...  Sorbitol Solution 70% ..BP...375 mg  Flavoured Syrupy base.. ... q.s  Approved color used.. ...</p>
352	<b>Terbutaline Sulphate Syrup</b>	<p><b>Each 5 ml. Contains :</b>  Terbutaline Sulphate BP 1.25 mg  Bromhexine Hydrochloride BP 2 mg  Guaiphenesin BP 50 mg  Menthol BP 0.5 mg  Flavoured Syrupy base q.s.  <b>Colour :</b> Approved colour used.</p>
353	<b>Cyproheptadine HCL Syrup</b>	<p>Each 5 ml Contains:  Cyproheptadine HCL (Anhydrous)..BP...2 mg  Thiamine Hydrochloride..BP...1 mg  Riboflavin..BP...0.5 mg  Pyridoxine hydrochloride..BP...0.5 mg  Niacinamide..BP...10 mg  Cyanocobalamin..BP...1 mcg  Flavoured syrupy Base.. ... q.s  Colour: Approved colour used.. ...  Dosage: As directed by the physician.. ...</p>

354	<b>Retinol Syrup</b>	<p>Each 0.6 ml contains:  Retinol (as Vitamin A Palmitate)..BP...1333 IU  Ergocalciferol..BP...400 mg  Thiamine hydrochloride..BP...0.4 mg  Riboflavin..BP...0.8 mg  Pyridoxine hydrochloride..BP...0.8 mg  Nicotinamide..BP...8 mg  Ascorbic acid..BP...40 mg  Flavoured syrupy base.. ... q.s  Colour: sunset yellow supra.. ...</p>																
355	<b>Vitamin-B Complex Syrup</b>	<p>Each 5 ml Contains:  Vitamin B1 HCl..BP...5 mg  Vitamin B2..BP...2 mg  Vitamin B6 HCL..BP...2 mg  Nicotinamide..BP...20 mg  Calcium Pantothenate..BP...1 mg  Flavoured syrupy Base.. ... q.s  Colour: Approved colour used.. ...  Dosage: As directed by the physician.. ...</p>																
356	<b>Vitamin A Syrup</b>	<p><b>Each 0.6 ml. Contains :</b></p> <table border="0" data-bbox="686 873 1307 1150"> <tr> <td>Vitamin A (Palmitate)</td> <td>BP 4000 IU</td> </tr> <tr> <td>Cholecalciferol (Vitamin D3)</td> <td>BP 400 IU</td> </tr> <tr> <td>Thiamine Hydrochloride (Vitamin B1)</td> <td>BP 1 mg</td> </tr> <tr> <td>Riboflavin 5 Sodium Phosphate Sodium equivalent to Riboflavin (Vitamin B2)</td> <td>BP 0.4 mg</td> </tr> <tr> <td>Pyridoxine HCl (Vitamin B6)</td> <td>BP 0.5 mg</td> </tr> <tr> <td>Nicotinamide</td> <td>BP 5 mg</td> </tr> <tr> <td>Ascorbic Acid (Vitamin C)</td> <td>BP 50 mg</td> </tr> <tr> <td>Flavoured base</td> <td>q.s</td> </tr> </table> <p><b>Colour :</b> Approved colour used  Overages of vitamins added to Compensate loss on storage.  <b>Dosage :</b> As directed by the physician.</p>	Vitamin A (Palmitate)	BP 4000 IU	Cholecalciferol (Vitamin D3)	BP 400 IU	Thiamine Hydrochloride (Vitamin B1)	BP 1 mg	Riboflavin 5 Sodium Phosphate Sodium equivalent to Riboflavin (Vitamin B2)	BP 0.4 mg	Pyridoxine HCl (Vitamin B6)	BP 0.5 mg	Nicotinamide	BP 5 mg	Ascorbic Acid (Vitamin C)	BP 50 mg	Flavoured base	q.s
Vitamin A (Palmitate)	BP 4000 IU																	
Cholecalciferol (Vitamin D3)	BP 400 IU																	
Thiamine Hydrochloride (Vitamin B1)	BP 1 mg																	
Riboflavin 5 Sodium Phosphate Sodium equivalent to Riboflavin (Vitamin B2)	BP 0.4 mg																	
Pyridoxine HCl (Vitamin B6)	BP 0.5 mg																	
Nicotinamide	BP 5 mg																	
Ascorbic Acid (Vitamin C)	BP 50 mg																	
Flavoured base	q.s																	
357	<b>Multi Vitamin Syrup</b>	<p>Each 15 ml Contains:  Ferric Ammonium Citrate..BP...160 mg  Folic Acid..BP...0.5 mg  Vitamin B1 HCL..BP...1 mg  Vitamin B2..BP...1 mg  Vitamin B6..BP...1 mg  Vitamin B12..BP...10 mcg  Nicotinamide..BP...10 mg  Flavoured syrupy base.. ... q.s  Colour : Caramel.. ...  Dosage : As directed by physician.. ...</p>																
358	<b>Ibuprofen Oral Suspension BP</b>	<p>Each 5 ml Contains:  Ibuprofen..BP...100 mg  Flavoured syrupy Base.. ... q.s  Colour: Approved colour used.. ...  Dosage: As directed by the physician.. ...</p>																
359	<b>Magnesium Hydroxide Suspension</b>	<p><b>Each 15 ml Contains :</b>  Magnesium Hydroxide BP 600 mg  Aluminium Hydroxide BP 525 mg  Flavoured Syrupy Base q.s  <b>Colour :</b> Approved colour used</p>																

		Dosage : As directed by the Physician.
360	<b>Ambroxol Hydrochloride Syrup</b>	Each 10 ml Contains: Ambroxol Hydrochloride..BP...30 mg Guaiphenesin..BP...100 mg Salbutamol Salphate Equivalent to Salbutamol ..BP...2 mg Menthol..BP...5 mg Flavoured syrup base.. ... q.s Colour :Approved colour used... ... q.s
361	<b>Ambroxol Hydrochloride Syrup</b>	<b>Each 5 ml Contains:</b> Ambroxol Hydrochloride..BP...15 mg Guaiphenesin..BP...50 mg Salbutamol Salphate Equivalent to Salbutamol..BP...1 mg Menthol..BP...2 mg Flavoured syrup base.. ... q.s Colour :Approved colour used... ..
362	<b>Dextromethorphan Hydrobromide Syrup</b>	<b>Each 5 ml Contains:</b> Dextromethorphan hydrobromide..BP...10 mg Guaiphenesin..BP...50 mg Flavoured syrup base.. ... qs Colour:Approved colour used.. ... Dosage : As Directed by the physician.... ..
363	<b>Dextromethorphan Hydrobromide Syrup</b>	<b>Each 5 mlContains :</b> Dextromethorphan Hydrobromide BP 10 mg Guaiphenesin BP 50 mg Flavoured syrup base q.s. <b>Colour :</b> Approved colour used <b>Dosage :</b> As directed by the physician
364	<b>Chlopheniramine Maleate Syrup</b>	<b>Each 5 mlContains :</b> Chlopheniramine Maleate USP 2 mg Guaiphenesin USP 80 mg (Glyceryl Guaiacolate) Ammonium chloride BP 100 mg Sodium Citrate BP 44mg Menthol BP 1 mg Terpin Hydrate USP 4 mg Tolu Balsam USP 6 mg Flavoured syrup base qs <b>Colour:</b> Approved colour used. <b>Dosage:</b> As directed by the physician.
365	<b>Nystatin Oral Suspension USP</b>	<b>Each ml. contains :</b> Nystatin USP 100000 IU Flavoured syrupy base q.s. <b>Colour :</b> Approved colour used <b>Dosage :</b> As directed by the physician



366	<b>Isoniazid Oral Solution</b>	<p><b>Each 5 ml Contains :</b></p> <p>Isoniazid USP 200 mg  Methyl Paraben USP 7.08 mg  Propyl Paraben USP 1.25 mg  Sodium Benzoate USP 10 mg  Propylene Glycol USP 200 mg  Sorbitol Solution 70% USP 2500 mg  Polysorbate 80 USP 10 mg  Sodium Citrate USP 5 mg  Citric Acid (Monohydrate) USP 5 mg  Arrow Gum Super 11.66 mg  Sodium Hydroxide USP 3 mg  Enisweet (Stevia) 5 mg  Colour Ponceau 4R 0.25 mg  Strawberry NTL 8778 Flavour 0.01 ml  Purified Water USP q.s.  Dosage : As directed by the physician.</p>
367	<b>Multivitamin Syrup</b>	<p><b>Each 5 ml Contains :</b></p> <p>Vitamin A (as Palmitate) USP 320 mcg  Vitamin D3 USP 4 mcg  Vitamin E USP 1 IU  Vitamin C USP 60 mg  Vitamin B1 USP 1 mg  Vitamin B6 USP 1 mg  Vitamin B12 USP 1 mcg  Zinc (as Zinc Sulfate) USP 5 mg  Taurine USP 25 mg  Lysine Hydrochloride USP 25 mg  Sucrose USP 1750 mg  Liquid Glucose USP 2748 mg  Glycerin USP 100 mg  Sodium Methyl Paraben USP 5 mg  Sodium Propyl Paraben USP 2 mg  Sodium Benzoate USP 5 mg  Di Sodium EDTA USP 2.5 mg  Thiourea USP 5 mg  Sodium Hydroxide USP 3.6 mg  Acrysol K-140 75 mg  Citric Acid (Monohydrate) USP 5.8 mg  Fresh Pineapple NTL-7625 Flavour 0.005 ml  Purified Water USP q.s.  Dosage : As directed by the physician.</p>
368	<b>Dextromethorphan HBr Syrup</b>	<p><b>Each 5 ml Contains :</b></p> <p>Dextromethorphan HBr. BP 10 mg  Guaiphenesin BP 100 mg  Ammonium Chloride BP 60 mg  Chlorpheniramine Maleate BP 2.5 mg  Flavoured Syrupy Base qs  <b>Colour :</b> Approved colour used</p>
369	<b>Paracetamol Syrup</b>	<p><b>Each 5 ml Contains :</b></p> <p>Paracetamol BP 250 mg</p>

		Guaiphenesin BP 100 mg Phenylephrine Hydrochloride BP 5 mg Bromhexine Hydrochloride BP 8 mg Chlorpheniramine Maleate BP 2 mg Flavoured Syrupy Bases qs <b>Colour</b> : Approved colour used <b>Dosage</b> : As directed by the Physician.
370	<b>Ferrous Glycine Sulphate Syrup</b>	<b>Each 10 ml Contains :</b> Ferrous Glycine Sulphate 275 mg (Equivalent to elemental Iron 47 mg) L-Histidine HCl H <sub>2</sub> O BP 4 mg L-Lysine HCl USP 25 mg Thiamine Hydrochloride BP 5 mg Riboflavin (as Riboflavin Sodium Phosphate) BP 3 mg Pyridoxine Hydrochloride BP 1.5 mg Folic Acid BP 0.5 mg Nicotinamide BP 25 mg Cyanocobalamin BP 2.5 mcg Dexpanthenol USP 2.5 mg Colour : Caramel Appropriate overages of vitamins added to Compensate loss on storage.
371	<b>Piperazine Citrate Syrup USP</b>	<b>Each 5 ml. contains :</b> Piperazine Citrate USP Equivalent to Piperazine Hexahydrate 500 mg Flavoured Syrupy base q.s. <b>Colour</b> : Approved colour used <b>Dosage</b> : As directed by the physician.
372	<b>Piperazine Citrate Syrup USP</b>	<b>Each 5 ml. contains :</b> Piperazine Citrate BP Equivalent to 0.75 g Piperazine Hexahydrate Flavoured Syrupy base q.s. <b>Colour</b> : Approved colour used <b>Dosage</b> : As directed by the physician.
373	<b>Ibuprofen and Paracetamol Oral Suspension</b>	<b>Each 5 ml contains :</b> Ibuprofen BP 100 mg Paracetamol BP 162.50 mg Flavoured Base qs Colour : Approved Colour Used

## Contact Details

Address : Keshavlal Vajechand  
Aban House, 1<sup>st</sup> Floor,  
25/31, Ropewalk Street,  
Off. K. Dubash Marg, Fort,  
Mumbai – 400023  
India.

Telephone : +91-22-22851803

Cell : +91-9820245220

Email : [info@keshavlalvajechand.com](mailto:info@keshavlalvajechand.com)

Website : [www.keshavlalvajechand.com](http://www.keshavlalvajechand.com)